

Safed Musli Farming:

New entries in Medicinal Plant Database by Pankaj Oudhia. 247.

List of Documents

Oudhia, P. (1990-2021). Safed Musli farming for Hepatic Cirrhosis formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abelmoschus crinitus* WALL. and 20 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abelmoschus esculentus* (L.) MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abelmoschus ficulneus* (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abelmoschus manihot* (L.) MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abelmoschus moschatus* MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abies densa* W. Griff. ex Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abies pindrow* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abies spectabilis* (D.DON) SPACH and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abies webbiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abrus fruticosus* WALL. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abrus precatorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abrus pulchellus* WALL. EX THWAITES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abutilon asiaticum* (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abutilon avicennae* GAETR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abutilon glaucum* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Abutilon graveolens (ROXB. EX HORNEM.) WIGHT & ARN. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abutilon hirtum* (LAM.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abutilon indicum* (L.) SWEET *guineense* (SCHUMACH.) BORSSUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abutilon indicum* (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abutilon pannosum* (G. FORST.) SCHLTDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abutilon persicum* (BURM.F.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abutilon theophrasti* MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia arabica* SENSU BAKER *vediana* COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia arabica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia caesia* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia catechu* (L.F.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia catechu* (L.F.) WILLD. *sundra* (DC.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia chundra* (ROXB. EX ROTTLER) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia concinna* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia dealbata* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia decurrens* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia eburnea* (L.F.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia farnesiana* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia ferruginea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia indica* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia intsia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia jacquemontii* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia leucophloea* (ROXB.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Acacia melonoxylon R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia modesta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia nilotica* (L.) WILLD. EX DEL. indica (BENTH.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia pennata* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia planifrons* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia polyacantha* WILLD. polycantha BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia polyantha* SPRENG EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia pseudo-eburnea* DRUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia pycnantha* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia rugata* (LAM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia senegal* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia sinuata* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia speciosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia suma* (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia tomentosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia torta* (ROXB) CRAIB NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acalypha alnifolia* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acalypha betulina* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acalypha ciliata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acalypha fruticosa* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acalypha hispida* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acalypha indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acalypha paniculata* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Acalypha racemosa WALL. EX BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acampe carinata* (GRIFF) PANIGR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acampe papillosa* (LINDL.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acampe praemorsa* (ROXB.) BLATT. & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acampe wightiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acanthopanax trifoliatum* (LINN.) VOSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acanthospermum hispidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acanthospermum hispidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acanthus ilicifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acer caesium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acer cappadocicum* GLEDITSCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acer laevigatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acer mono* MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acer oblongum* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acer pentapomicum* STEWART.EX BRAND NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acer pictum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Achillea millefolium* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Achillea santolina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Achras zapota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Achyranthes aquatica* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Achyranthes aspera* L. rubrofusca HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Achyranthes bidentata* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Achyranthes lanata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Achyranthes porphyristachya WALL. EX MOQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aconitum atrox* (BRUHL) MUK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aconitum balfourii* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aconitum bisma* (HAM.) RAPAICS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aconitum chasmanthum* STAPF EX HOLMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aconitum deinorrhizum* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aconitum elwesii* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aconitum falconeri* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aconitum ferox* WALL. EX SERINGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aconitum heterophyllum* WALL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aconitum kashmiricum* STAPF EX COVENTRY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aconitum laciniatum* (BRUEHL) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aconitum laeve* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aconitum lethale* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aconitum luridum* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aconitum moschatum* (BRUEHL) STAPF NULL and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aconitum napellus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aconitum palmatum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aconitum rotundifolium* KAR. & KIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aconitum soonoricum* STAPF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aconitum spicatum* (BRUHL) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aconitum violaceum* JACQ. EX STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aconogonum rumicifolium* (ROYLE EX BAB.)HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Aconogonum tortuosum (D.DON)HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acorus calamus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acorus gramineus* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acrocarpus fraxinifolius* WIGHT & ARNOLAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acrocephalus hispidus* (L.) NICOLS. & SIVADASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acrocephalus indicus* (BURM.F.) KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acronychia laurifolia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acronychia pedunculata* (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acroptilon repens* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acrostichum aureum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acrotrema arnotianum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Actaea racemosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Actaea spicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Actinopteris australis* (L.F.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Actinopteris dichotoma* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Actinopteris radiata* (SW.) LINK and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Actinodaphne angustifolia* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Actinodaphne dichotoma* FLORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Actinodaphne hookeri* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Actinodaphne obovata* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adansonia digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adenanthera pavonina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adenema hyssopifolium* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Adenia heterophylla (BLUME) KOORD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adenia hondala* (GAERTN.) W.J.DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adenia nicobarica* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adenia palmata* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adenia penangiana* (DON) DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adenia wightiana* (WALL. EX WIGHT & ARN.) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adenosma capitatum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adenosma indianum* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adenosma indicum* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adenostemma lavenia* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adhatoda beddomei* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adhatoda vasica* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adhatoda zeylanica* MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adiantum aethiopicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adiantum capillus-veneris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adiantum caudatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adiantum cuneipinnulum* NAIR & GHOSH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adiantum flabellulatum* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adiantum incisum* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adiantum lunulatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adiantum melanacaulon* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adiantum pedatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adiantum peruvianum* A.BR.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Adiantum philippense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adiantum tinetum* MOORE F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adiantum trapiziforme* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adiantum venustum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adina cordifolia* BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adinobotrys atropurpureus* DUNN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adonis aestivalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adonis chrysocyathus* HOOK.F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adonis majus* GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adonis scrobiculata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adonis vernalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aegiceras corniculatum* (L.) BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aeginetia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aegle marmelos* (L.) CORREA EX. SCHULTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aerides crispum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aerides fieldingii* WILLMS. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aerides multiflorum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aerides odorata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aerides rosea* LINDL. & PAXT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aerides williamsii* WARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aerva javanica* (BURM.F.) JUSS. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aerva lanata* (L.) JUSS. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aerva monsonia* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Aerva pseudotomentosa BLATT. & HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aerva sanguinolenta* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aerva tomentosa* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aerva wightii* HOOK .F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aeschynanthus hookerii* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aeschynanthus maculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aeschynomene aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aeschynomene indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aesculus assamica* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aesculus hippocastanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aesculus indica* COLEBR. EX CAMBESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aframomum melegueta* (ROSC.) K. SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aganosma calycina* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aganosma caryophyllata* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aganosma cymosa* (ROXB.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aganosma dichotoma* (ROTH) K.SCHUM. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aganosma marginata* G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aganosma wallichii* G.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agapanthus africanus* (L.)HOFFMANN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agathis robusta* F.M.BAILEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agati grandiflora* (L.) DEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agave americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agave angustifolia* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Agave cantala ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Agave sisalana PERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Agave vera-cruz MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Agave vivipara L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Ageratina adenophora (SPR.) KING & ROB., NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Ageratum conyzoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Ageratum houstonianum MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Aglaia diepenhorstii MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aglaia domestica* (CORREA EMEND. JACK) PELLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aglaia elaeagoidea* (JUSS.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aglaia lawii* (WIGHT.) SALDANHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aglaia minutiflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aglaia odorata* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aglaia odoratissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aglaia roxburghiana* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agni-jwalamonia eupatoria* L. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agni-jwalamonia pilosa* LEDEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agropyron repens* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agrostemma githago* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agrostis linearis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agrostistachys meeboldii* PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ailanthus altissima* SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ailanthus excelsa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ailanthus glandulosa DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ailanthus malabarica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ailanthus triphysa* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ainsliaea angustifolia* HOOK.F. & TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ainsliaea aptera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ainsliaea pteropoda* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aisandra butyracea* (ROXB.) BAEHNI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ajuga bracteosa* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ajuga macrocarpa* WALL EX. BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ajuga macrosperma* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ajuga parviflora* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alangium begonifolium* MARM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alangium decapetalum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alangium hexapetalum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alangium kurzii* CRAIB NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alangium lamarckii* THWAITES and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alangium salvifolium* (L.F.) WANG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Albizia amara* (ROXB.) BOIVIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Albizia chinensis* (OSBECK) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Albizia julibrissin* DURASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Albizia lebbeck* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Albizia lucida* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Albizia lucidior* (STEND.) NIELSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Albizia marginata MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Albizia myriophylla* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Albizia odoratissima* (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Albizia procera* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Albizia stipulata* BOIVIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alcornocea javensis* MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alcornocea rugosa* (LOUR) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alcea rosea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alchornea tiliacifolia* MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alectra parasitica* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alectra parasitica* A.RICH. *chitrakutensis* RAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aleurites moluccana* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alhagi camelorum* FISCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alhagi maurorum* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alhagi pseudalhagi* (BIEB.) DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alisma plantago* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alisma plantago-aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alisma plantagoaquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alkanna tinctoria* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *AllamKalam cathartica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alliaria officinalis* ANDRZEJ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alliaria petiolata* (BIEB.)CAVARA & GRANDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allium ampeloprasum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Allium ascalonicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allium carolinianum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allium cepa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allium chinense* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allium consanguineum* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allium hookeri* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allium humile* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allium leptophyllum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allium macleani* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allium porrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allium rubellum* M.BIEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allium schoenoprasum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allium stracheyi* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allium tuberosum* ROTTG. EX SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allium victorialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allium wallichii* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allmania nodiflora* (L.) R.BR. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allophylus cobbe* (L.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allophylus rheedii* (WIGHT.) RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allophylus serratus* (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alloteropsis cimicina* (L.) STAPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alnus nepalensis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Alnus nitida ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alocasia cucullata* SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alocasia denudata* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alocasia fornicata* (ROXB.) SCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alocasia indica* (LOUR.) SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alocasia macrorhiza* (L.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alocasia montana* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alocasia odora* (ROXB.) C.KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aloe abyssinica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aloe barbadensis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aloe ferox* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aloe indica* (SCHOTT) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aloe littoralis* KOEN. EX. BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aloe perryi* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aloe spicata* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aloe succotrina* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aloe variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aloe vera* L. *chinensis* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aloe vera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aloe vera* L. *littoralis* KOEING EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aloe vera* (typica) (L.) BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aloysia triphylla* (L'HER.) BRITT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alphonsea veratricosa* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Alpinia allhugas ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Alpinia calcarata ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Alpinia chinensis ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Alpinia conchigera GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Alpinia galanga (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Alpinia khulanjan M. SHERIFF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Alpinia malaccensis (BURM.F.) ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Alpinia nigra (GAERTN.) BURTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alpinia nutans* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alpinia officinarum* HANCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alpinia speciosa* K.SCHWM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alpinia zerumbet* BURTT & R.M. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alseodaphne semicarpifolia* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alstonia constricta* F MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alstonia kurzii* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alstonia macrophylla* WALL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alstonia scholaris* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alstonia spectabilis* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alstonia venenata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alternanthera ficoidea* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alternanthera philoxeroides* (MAR.) GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alternanthera pungens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alternanthera sessilis* (L.) R.BR.EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Alternanthera triandra LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Althaea ludwigii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Althaea officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Althaea rosea* (L.) CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Altingia excelsa* NORONHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alysicarpus bupleurifolius* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alysicarpus longifolius* WIGHT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alysicarpus monilifer* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alysicarpus vaginalis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alyxia reinwartii* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alyxia stellata* ROEM. & SCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus atropurpureus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus blitum* L. oleracea DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus blitum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus campestris* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus caudatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus dubius* E.H.L.KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus fasciatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus gangeticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus gangeticus* LINN. tristis PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus gracilis* DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus graecizans* AUCT. HISP. EX CUT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus hybridus* L. hybridus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Amaranthus hybridus L. *paniculatus* THELL. *cruentus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus hypochondriacus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus lividus* L. *polygonoides* (MIQ.) THELL. EX PROBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus lividus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus mangostanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus oleraceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus paniculatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus polygamus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus polygonoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus spinosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus tenuifolius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus tricolor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus tristis* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus viridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaryllis belladonna* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amberboa divaricata* KUNTZE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amberboa hookeri* (HASSK.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amberboa ramosa* (ROXB.) JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amblyanthus glandulosus* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ambroma augusta* (L.) L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amentotaxus assamica* D.K.Ferguson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amischophacelus axillaris* ROLLA RAO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amischotolype hookeri* (HASSK.) HARA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ammannia auriculata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ammannia baccifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ammannia senegalensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ammannia vesicatoria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ammi majus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amomum aromaticum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amomum costatum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amomum dealbatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amomum fenzlii* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amomum granum-paradisi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amomum kepulaga* SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amomum melegueta* ROSC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amomum racemosum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amomum subulatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amomum xanthioides* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amomum zingiber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amoora cucullata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amoora rohituka* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amorpha fruticosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amorphophallus bulbifer* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amorphophallus campanulatus* BLUME EX DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amorphophallus commutatus* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amorphophallus dubius* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Amorphophallus paeoniifolius (DENNST.) NICOLSON *campanulatus* (DECNE.) SIVADASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amorphophallus paeoniifolius* (DENNST.) NICOLSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amorphophallus prainii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amorphophallus sylvaticus* (ROXB.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ampelocissus araneosa* (DALZ. & CRIBBS.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ampelocissus arnotiana* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ampelocissus barbata* (WALL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ampelocissus indica* (L.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ampelocissus latifolia* (ROXB.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ampelocissus tomentosa* (ROTH.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amphicome emodi* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amphilophis odorata* CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amphineuron extensus* (BL.) HOLTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amyris gileadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anacardium occidentale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anacolosia densiflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anacyclus pyrethrum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anagallis arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anamirta cocculus* (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ananas comosus* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ananas sativus* SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphalis adnata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphalis brevifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Anaphalis cinnamomea C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphalis contorta* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphalis cuneifolia* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphalis neelgerriana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphalis nubigena* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphalis sarmentosa* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphalis semepervivoides* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphalis triplinervis* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anastatica hierochuntica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anchusa strigosa* LABILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ancistrocladus heyneanus* WALL. EX GRAHAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ancistrocladus tectorius* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andira araroba* AGUIAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrachne cadishaw* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrachne cordifolia* MUELL. ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis atropurpurea* (DENNST.) ALSTON EX MABB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis echiioides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis lineata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis macrobotrys* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis serpyllifolia* (ROTTL. EX VAHL) WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andropogon citratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andropogon contortus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andropogon halepensis* BROTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andropogon jwarancusa* JONES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andropogon laniger* DUTHIE NON DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andropogon martini* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andropogon muricatus* RETZ. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andropogon nardus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andropogon odoratus* DNA LISBOA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clerodendrum phlomidis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clerodendrum serratum* (L.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clerodendrum thomsonae* Balf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clerodendrum waiiichii* Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Duranta erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Gmelina arborea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Gmelina asiatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Gmelina philippensis Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Holmskioldia sanguinea Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Lantana camara L. var. aculeata (L.) Mold. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Lantana camara L. var. splendens (Medic.) Mold. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Lantana indica Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Lantana trifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lantana veronicifolia* Hayek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lippia citriodora* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lippia javanica* (Burm.f.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Petrea volubilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyla nodiflora* (L.) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna balakrishnanii* Rajendran & P.Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna coriacea* Clarke var. *coriacea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna coriacea* Clarke var. *villosa* (C. B. Clarke) Rajendran & Daniel and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna corymbosa* (Burm.f.) Rottl. & Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna glaberrima* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna herbacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna latifolia* Rozb. var. *latifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna latifolia* Roxb. var. *henryi* D. Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna latifolia* Rozb. var. *mollissima* (Roth) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna latifolia* Roxb. var. *viburnoides* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Premna mundanthuraiensis Rajendran & P.Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna paucinervis* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna serratifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna tomentosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna wightiana* Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Priva cordifolia* (L.f.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stachytarpheta jamaicensis* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stachytarpheta mutabilis* (Jacq.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stachytarpheta urticaefolia* (Salisb.) Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tectona grandis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Verbena bipinnatifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Verbena bonariensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Verbena x hybrida* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Verbena rigida* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitex altissima* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitex leucoxydon* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitex negundo* L. var. *negundo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitex negundo* L. var. *purpurascens* Sivar. & Moldenke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitex peduncularis* Wall. ex Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitex pinnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitex trifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Congea tomentosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sphenodesme paniculata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Symphorema involucratum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Avicennia alba* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Avicennia marina* (Forssk.) Vierh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Avicennia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acrocephalus hispidus* (L.) Nicolson & Sadasivan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acrocephalus palniensis* Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anisochilus argenteus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anisochilus carnosus* (L.f.) Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anisochilus dysophylloides* Benth. var. *dysophylloides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anisochilus dysophylloides* Benth. var. *purpureus* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anisochilus eriocephalus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anisochilus henryi* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anisochilus paniculatus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anisochilus robustus* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anisochilus scaber* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anisochilus sericeus* Benth. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anisochilus suffruticosus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anisochilus wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anisomeles heyneana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anisomeles indica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anisomeles malabarica* (L.) R. Br. ex Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Basilicum polystachyon* (L.) Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Becium filamentosum* (Forssk.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Clinopodium umbrosum (M. Bieb.) K. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Colebrookea oppositifolia* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elsholtzia ciliata* (Thunb.) Hyland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Endostemon viscosus* (Roth) M. Ashby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eusteralis cruciata* (Benth.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eusteralis deccanensis* Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eusteralis quadrifolia* (Benth.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geniosporum elongatum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geniosporum menthoides* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geniosporum menthoides* (L.) Merr. var. *longiracemosum* (Ramam. & Sebastine) Press & Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gomphostemma eriocarpon* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gomphostemma heyneanum* Wall. ex Benth. var. *heyneanum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gomphostemma heyneanum* Wall. ex Benth. var. *rottleri* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gomphostemma keralensis* Vivek., Gopalan & Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gomphostemma strobilinum* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hyptis suaveolens* (L.) Poit. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isodon coetsa* (D. Don) Kudo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isodon nigrescens* (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isodon nilgherriensis* (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isodon walkeri* (Arn.) H.Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isodon wightii* (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lavandula angustifolia* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lavandula lawii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Leonotis leonurus R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Leonotis nepetiifolia (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Leonurus sibiricus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Leucas anKalamraoana Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Leucas angularis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Leucas aspera (Willd.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Leucas biflora (Vahl) R.Br. var. biflora and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Leucas cephalotes (Roth) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas chinensis* (Retz.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas ciliata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas diffusa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas eriostoma* Hook.f. var. *eriostoma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas eriostoma* Hook.f. var. *lanata* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas eriostoma* Hook.f. var. *latifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas flaccida* R.Br. var. *scaberula* (Hook.f.) Srinivasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas helianthemifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas hirta* (Heyne ex Roth) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas indica* (L.) R.Br. ex Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas lamifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas lanata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas lanceaefolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas marrubioides* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas martinicensis* (Jacq.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Leucas montana Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas nutans* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas prostrata* (Hook.f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas rosmarinifolia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas stelligera* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas stricta* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas suffruticosa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas ternifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas urticaefolia* (Vahl) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas vestita* Benth. var. *vestita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas vestita* Benth. var. *angustifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas vestita* Benth. var. *oblongifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas vestita* Benth. var. *sericostoma* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas wightiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas zeylanica* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mentha arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mentha canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mentha x piperita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Meriandra bengalensis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Micromeria biflora* (Buch.-Ham.ex D.Don.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Micromeria capitellata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nepeta hindostana* (Roth) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ocimum americanum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ocimum basilicum* L. var. *basilicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ocimum basilicum* L. var. *pilosum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ocimum basilicum* L. var. *purpurascens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ocimum basilicum* L. var. *thyrsoiflorum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ocimum gratissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ocimum tenuiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Origanum hortensis* Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orthosiphon aristatus* (Blume) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orthosiphon comosus* Wight ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orthosiphon pallidus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orthosiphon rubicundus* (D.Don) Benth. var. *rubicundus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orthosiphon rubicundus* (D.Don) Benth. var. *hohenackeri* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orthosiphon thymiflorus* (Roth) Sleensen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus amboinicus* (Lour.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus barbatus* Andr. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus bishopianus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus caninus* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus coleoides* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus deccanicus* Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus malabaricus* (Benth.) Willemse and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus mollis* (Ait.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Plectranthus rivularis Wight ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus rotundifolius* (Poir.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus scutellarioides* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus stocksii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus subincisus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus urticifolius* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus vettiveroides* (Jacob) Singh & Sharma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon atropurpureus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon auricularius* (L.) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon benghalensis* (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon cablin* (Blanco) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon gardneri* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon hedgei* V.S. Kumar & B. Sharma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon heyneanus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon mollis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon myosuroides* (Roth) El Gazzar & L. Watson and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon nilagiricus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon paludosus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon paniculatus* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon purpurascens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon rotundatus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon rugosus* (Hook.f.) El Gazzar & L. Watson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Pogostemon speciosus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon wightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunella vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosmarinus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia coccinea* Buc'hoz ex Etlinger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia farinacea* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia grahamii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia involucrata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia leucantha* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia microphylla* Kunth var. *neurepia* (Fernald) Epling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia patens* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia rutilans* Carr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia splendens* Sell. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia uliginosa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia verbenacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Satureja umbrosa* (Bieb.) Scheele and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scutellaria colebrookiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scutellaria rivularis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scutellaria violacea* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scutellaria wightiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tetradenia riparia* (Hochst.) Codd and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Teucrium fruticans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Teucrium plectranthoides Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Teucrium tomentosum* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Teucrium wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thymus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plantago afra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plantago erosa* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plantago exigua* Juss.ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plantago lanceolata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plantago ovata* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commicarpus chinensis* (L.) Heimerl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boerhavia crispa* Heyne ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wild Boerhavia diffusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boerhavia erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boerhavia helenae* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bougainvillea glabra* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bougainvillea spectabilis* Willd. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mirabilis jalapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mirabilis longiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pisonia aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pisonia grandis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Achyranthes aspera* L. var. *aspera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Achyranthes aspera* L. var. *porphyristachya* (Wall. ex Moq.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Achyranthes aspera* L. var. *rubro-fusca* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Achyranthes bidentata Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aerva lanata* (L.) Juss. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aerva persica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aerva sanguinolenta* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aerva wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allmania nodiflora* (L.) R. Br. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alternanthera paronychioides* A.St. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alternanthera philoxeroides* (C. Martiu) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alternanthera pungens* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alternanthera sessilis* (L.) R.Br. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alternanthera tenella* Colla. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alternanthera tenella* Colla. var. *betzickiana* (Regel) Veldkamp and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus blitum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus caudatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus graecizans* subsp. *thelProstateianus* (Nevski) Gusev. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus hybridus* L. subsp. *cruentus* (L.) Thell. var. *paniculatus* (L.) Thell. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus spinosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus tricolor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaranthus viridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Celosia argentea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Celosia cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Celosia polygonoides* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Celosia pulchella* Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cyathula prostrata (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Digera muricata* (L.) Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gomphrena globosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gomphrena serrata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indobanalia thyrsoflora* (Moq.) Henry & Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Iresine herbstii* Hook.f. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nothosaerva brachiata* (L.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psilotrichum elliotii* Baker & Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psilotrichum nudum* (Heyne ex Wall.) Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pupalia lappacea* (L.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichuriella monsoniae* (L.f.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arthrocnemum glaucum* (Del.) Ung.-Sternb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arthrocnemum indicum* (Willd.) Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Atriplex repens* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Atriplex stockesii* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Beta vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chenopodium album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chenopodium ambrosioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chenopodium carinatum* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chenopodium giganteum* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chenopodium murale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chenopodium pumilo* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Haloxylon recurvum* (Moq.) Bunge and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Kochia indica Wight. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salicornia brachiata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spinacia oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Suaeda maritima* (L.) Dumort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Suaeda monoica* Forssk. ex Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Suaeda vermiculata* Forssk. ex J.F.Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Basella rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ercilla spicata* Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Petiveria alliacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phytolacca dioica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phytolacca octandra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rivina humilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Antigonon leptopus* Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coccoloba uvifera* (L.) L. Syst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Emex spinosus* (L.) Campdera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fagopyrum esculentum* Moench and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Muehlenbeckia gracillima* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Muehlenbeckia platyclada* (F.v. Muell. ex Hook.) Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Persicaria attenuata* (R.Br.) Sojak subsp. *pulchra* (Blume) K.L.Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Persicaria barbata* (L.) Hara var. *gracilis* (Danser) H.Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Persicaria barbata* (L.) Hara var. *stagnina* (Buch.-Ham. ex Meisn.) S.K.Dixit B.Datt & G.P.Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Persicaria capitata* (Buch.-Ham. ex D.Don) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Persicaria chinensis* (L.) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Persicaria dichotoma* (Blume) S.K.Dixit B.Datt & G.P.Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Persicaria hydropiper* (L.) Spach var. *hydropiper* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Persicaria hydropiper* (L.) Spach subsp. *flaccida* (Meisn.) Munshi & Javeid and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Persicaria lapathifolia* (L.) Gray var. *lanigera* (R.Br.) Chantar. & Tubtimtong and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Persicaria nepalensis* (Meisn.) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Persicaria peduncularis* (Meissner) Nemato and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum dichotomum* Blume var. *angustissima* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum dichotomum* Blume var. *nilagirica* (Hook.f.) Chandrasekaran and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum dichotomum* Blume var. *robusta* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum glabrum* Willd. var. *glabrum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum glabrum* Willd. var. *scabrinervis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum minus* Huds. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum molle* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum plebeium* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Polygonum sphaerocephalum Wall.ex Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rheum rhaponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rumex acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rumex crispus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rumex maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rumex nepalensis* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rumex vesicarius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalzellia zeylanica* (Gard.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Farmeria indica* Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indotristicha ramosissima* (Wight) Royen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indotristicha tirunelveliana* Sharma, Karthik. & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Podostemon barberi* Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Podostemon subulatus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polypleurum dichotomum* (Gard.) Hall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polypleurum stylosum* (Wight) Hall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Willisia selaginoides* (Bedd.) Warm. ex Willis and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zeylanidium lichenoides* (Kurz) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zeylanidium olivaceum* (Gard.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristolochia bracteolata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristolochia cymbifera* Mart. & Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristolochia grandiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristolochia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristolochia ringens* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Aristolochia tagala Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thottea barberi* (Gamble) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thottea siliquosa* (Lam.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepianthes umbellata* (L.) Rafin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peperomia blKalam* (Jacq.) Kunth var. *floribunda* (Miq.) Huber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peperomia heyneana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peperomia pellucida* (L.) H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peperomia candolleana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peperomia tetraphylla* (Forst.f.) Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peperomia pseudo - rhombi* C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peperomia wightiana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper argyrophyllum* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper betle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper galeatum* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper glaberrhache* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper hapnium* Buch.-Ham. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper hymenophyllum* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper longum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper mullesua* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper obtusistigmum* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper ootacamunbense* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Piper opacilimbium C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper ovatostemon* C.DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper pykarahense* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper schmidtii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper trichostachyon* (Miq.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper trioicum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper wightii* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sarcandra chloranthoides* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Knema attenuata* (Wall. ex Hook.f.& Thoms.) Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myristica dactyloides* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myristica fatua* Houtt. var. *magnifica* (Bedd.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myristica fragrans* Houtt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Actinodaphne bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Actinodaphne bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Actinodaphne campanulata* Hook.f. var. *campanulata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Actinodaphne campanulata* Hook.f. var. *obtusata* Gamble and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Actinodaphne lanata* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Actinodaphne lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Actinodaphne maderaspatana* Bedd. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Actinodaphne malabarica* Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Actinodaphne salicina* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Actinodaphne tadulingamii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alseodaphne semecarpifolia* Nees var. *semecarpifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Alseodaphne semecarpifolia Nees var. *angustifolia* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alseodaphne semecarpifolia* Nees var. *parvifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Apollonias arnottii* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Beilschmiedia bourdillonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Beilschmiedia gammieana* King ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Beilschmiedia wightii* (Nees) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassytha capillaris* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassytha filiformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum bejolghota* (Buch. - Ham.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum camphora* (L.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum filipedicellatum* Kosterm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum keralaense* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum macrocarpum* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum malabattrum* (Burm.f.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum multiflorum* (Roxb.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum nitidum* Blume and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum perrottetii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum riparium* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum sulphuratum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum travancoricum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum verum* Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum walaiwarensense* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum wightii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cryptocarya anamalayana Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cryptocarya beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cryptocarya bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cryptocarya lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cryptocarya neilgherrensis* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cryptocarya stocksii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Laurus nobilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea coriacea* (Heyne ex Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea deccanensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea floribunda* (Blume) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea glabrata* (Wall. ex Nees) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea glutinosa* (Lour.) C. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea hookeriana* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea insignis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea laevigata* (Nees) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea monopetala* (Roxb.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea nigrescens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea oleoides* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea quinqueflora* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea stocksii* (Meisner) Hook.f. var. *stocksii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea stocksii* (Meisner) Hook.f. var. *glabrescens* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Litsea travancorica Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea venulosa* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea wightiana* (Nees) Hook.f. var. *wightiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea wightiana* (Nees) Hook.f. var. *tomentosa* (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neolitsea cassia* (L.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neolitsea fischeri* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neolitsea foliosa* (Nees) Gamble var. *caesia* (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neolitsea scrobiculata* (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Persea americana* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Persea macrantha* (Nees) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phoebe lanceolata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phoebe paniculata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phoebe wightii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gyrocarpus asiaticus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Banksia marginata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grevillea banksii* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grevillea bipinnatifida* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grevillea hilliana* F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grevillea punicea* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grevillea robusta* A. Cunn. ex R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hakea laurina* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hakea salicifolia* (Vent.) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hakea sericea* Schrader and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Helicia nilagirica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Helicia robusta* (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucadendron argenteum* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macadamia ternifolia* F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Petrophile pulchella* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stenocarpus salignus* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gnidia glauca* (Fresen.) Gilg var. *glauca* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gnidia glauca* (Fresen.) Gilg var. *sisparensis* (Gard.) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gyrinops walla* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ovidia humboldtia* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wikstroemia indica* (L.) C. Meyer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeagnus conferta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeagnus indica* Servettaz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeagnus kologa* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrophthoe falcata* (L.f.) Etting. var. *falcata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrophthoe falcata* (L.f.) Etting. var. *pubescens* (Hook.f.) Chandrasekaran and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrophthoe memecylifolia* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrophthoe neelgherrensis* (Wight & Arn.) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrophthoe sarcophylla* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrophthoe trigona* (Wight & Arn.) Danser ex Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Helicanthus elastica* (Desr.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Helixanthera hookeriana* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Helixanthera intermedia* (Wight) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Helixanthera lepidophylla (Walp.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Helixanthera obtusata* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Helixanthera wallichiana* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macrosolen capitellatus* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macrosolen parasiticus* (L.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scurrula cordifolia* (Wall.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scurrula parasitica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Taxillus courtallensis* (Gamble) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Taxillus cuneatus* (Heyne ex Roth) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Taxillus heyneanus* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Taxillus recurvus* (Wall. ex DC.) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Taxillus sclerophyllus* (Thw.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Taxillus tomentosus* (Heyne ex Roth) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Korthalsella japonica* (Thunb.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viscum angulatum* Heyne ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viscum articulatum* Burm.f. var. *articulatum* and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viscum articulatum* Burm.f. var. *dichotomum* Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viscum articulatum* Burm.f. var. *thelocarpum* (Danser) R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viscum capitellatum* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viscum heyneanum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viscum monoicum* Roxb.ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viscum orientale* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viscum ramosissimum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Viscum trilobatum Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osyris quadripartita* Salzm. ex Decne. var. *quadripartita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osyris quadripartita* Salzm. ex Decne. var. *puberula* (Hook.f.) Kumari

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Santalum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scleropyrum pentandrum* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thesium wightianum* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *minor* (Eichl.) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Balanophora fungosa J.R. & G. Forst. subsp. indica (Arn.) Hansen var. agastyamalayana
Viswanathan Prem Kumar & Ramesh and 15 wasteland weeds based Green Spray with Vedic
Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by
Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations:
Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),
Balanophora fungosa J.R. & G. Forst. subsp. indica (Arn.) Hansen var. tirunelveliense
Viswanathan Prem Kumar & Ramesh and 15 wasteland weeds based Green Spray with Vedic
Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by
Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations:
Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),
Acalypha alnifolia Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic
Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by
Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations:
Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),
Acalypha brachystachya Hornem. and 15 wasteland weeds based Green Spray with Vedic
Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by
Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations:
Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),
Acalypha ciliata Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical
practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations:
Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),
Acalypha fruticosa Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical
practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations:
Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),
Acalypha hispida Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical
practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations:
Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),
Acalypha indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acalypha lanceolata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acalypha malabarica* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acalypha racemosa* Heyne ex Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acalypha amentacea* Roxb. subsp. *wilkesiana* (Muell.Arg.) Fosberg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Actephila excelsa* (Dalz.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agrostistachys borneensis* Becc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agrostistachys indica* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Aleurites moluccana (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Antidesma acidum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Antidesma alexiteria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Antidesma buniis* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Antidesma ghaesembilla* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Antidesma menasu* (Tul.) Miq. ex Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Antidesma walkeri* (Tul.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aporosa acuminata* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aporosa fusiformis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aporosa lindleyana* (Wight) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Baccaurea courtallensis* (Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Baliospermum montanum* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bischofia javanica* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blachia calycina* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blachia reflexa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blachia umbellata* (Willd.) Baill. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Breynia retusa* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Breynia vitis-idaea* (Burm.f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bridelia cinerascens* Gehrm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bridelia crenulata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bridelia retusa* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bridelia scandens* (Roxb.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrozophora prostrata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Chrozophora rottleri (Geiseler) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Claoxylon anomalum* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Claoxylon wightii* Hook.f. var. *angustatum* Susila et Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Claoxylon wightii* Hook.f. var. *hirsutum* (Hook.f.) Sushila et Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cleidion spiciflorum* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cleistanthus collinus* (Roxb.) Benth. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cleistanthus patulus* (Roxb.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cleistanthus travancorensis* Jablonszky and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Codiaeum variegatum* (L.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coelodepas calycinum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Croton bonplandianum* Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Croton caudatus* Geiseler var. *caudatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Croton caudatus* Geiseler var. *obovoideus* Balakr. & Chakrab. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Croton hirtus* L'Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Croton klotzchianus* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Croton laccifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Croton malabaricus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Croton oblongifolius* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Croton tiglium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Croton zeylanicus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalechampia indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalechampia scandens* L. var. *velutina* (Wight) Mull. Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dimorphocalyx beddomei* (Benth.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Dimorphocalyx glabellus Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dimorphocalyx lawianus* (Muell.-Arg.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Drypetes elata* (Bedd.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Drypetes longifolia* (Blume) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Drypetes malabarica* (Bedd.) Airy Shaw

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Drypetes porteri* (Gamble) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Drypetes roxburghii* (Wall.) Hurusawa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Drypetes sepiaria* (Wight & Arn.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Drypetes venusta* (Wight) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Drypetes wightii* (Hook.f.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Epiprinus mallotiformis* (Muell.-Arg.) Croizat and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia agowensis* Hochst. ex Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia antiquorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia balakrishnanii* Binojk. & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia barnhartii* Croizat and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia chamaesyce* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Euphorbia corrigioloides Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia cotinifolia* L. subsp. *cotinoides* (Miq.) Christenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia cristata* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia cyathophora* Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia dracunculoides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia heterophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia helioscopia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia heyneana* Spreng. subsp. *heyneana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia heyneana* Spreng. subsp. *nilagirica* (Miq.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia hirta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia indica* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia laciniata* Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia longistyla* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia neriifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia milii* Des and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia nivulia* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia pulcherrima* Willd.ex Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia pycnostegia* Boiss. var. *zornii* (Boiss.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia rosea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia rothiana* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia santapau* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia serpens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia thymifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Euphorbia tirucalli L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia trigona* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia tortilis* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia vajravelui* Binojk. & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Excoecaria agallocha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Excoecaria cochinchinensis* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Excoecaria crenulata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Excoecaria robusta* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fahrenheitia zeylanica* (Thw.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flueggea leucopyrus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flueggea virosa* (Willd) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Givotia rottleriformis* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glochidion arboreum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glochidion balakrishnanii* G.J. Jothi, V.S. Manickam, V. Sundaresan & M. Josphine Mary and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glochidion bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glochidion candolleianum* (Wight & Arn.) Chakrab. & Gangop and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glochidion ellipticum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glochidion fagifolium* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glochidion malabaricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glochidion neilgherrense* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glochidion pauciflorum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glochidion tomentosum* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glochidion velutinum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Glochidion zeylanicum (Gaertn.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hevea brasiliensis* (Willd. ex Juss.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Homonoia retusa* (Graham ex Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Homonoia riparia* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hura crepitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jatropha curcas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jatropha glandulifera* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jatropha gossypifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jatropha heynei* Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jatropha integerrima* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jatropha maheshwarii* Subram. & Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jatropha multifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jatropha tanjorensis* Ellis & Saroja and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jatropha villosa* Wight var. *villosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jatropha villosa* Wight var. *ramnadensis* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macaranga flexuosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macaranga indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macaranga peltata* (Roxb.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mallotus atrovirens* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mallotus aureo-punctatus* (Dalz.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mallotus beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mallotus distans* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mallotus philippensis* (Lam.) Muell.-Arg. var. *philippensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Mallotus philippensis (Lam.) Muell.-Arg. var. *tomentosus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mallotus repandus* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mallotus resinous* (Blanco) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mallotus rhamnifolius* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mallotus stenanthus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mallotus subramanyamii* Ellis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mallotus tetracoccus* (Roxb.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Manihot esculenta* Crantz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Manihot glaziovii* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Margaritaria indica* (Dalz.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Meineckia longipes* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Meineckia parvifolia* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Micrococca beddomei* (Hook.f.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Micrococca mercurialis* (L.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Micrococca wightii* (Hook.f.) prain var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Micrococca wightii* (Hook.f.) prain var. *hirsutum* (Hook.f.) Prain and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mischodon zeylanicus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paracroton integrifolius* (Airy Shaw) Balakr. & Chakrab and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pedilanthus tithymaloides* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus acidus* (L.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus amarus* Schum. & Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus baillonianus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus beddomei* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Phyllanthus chandrabosei Govaerts & Radcl. - Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus debilis* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus emblica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus fimbriatus* (Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus gageana* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus gardnerianus* (Wight) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus indofischeri* Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus kozhikodianus* Sivar. & Manilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus lawii* Graham ex Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus leschenaultii* Muell. Arg., and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus longiflorus* Heyne ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus macraei* Muell.-Arg. var. *macraei* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus macraei* Muell.-Arg. var. *hispidus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus macrocalyx* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus maderaspatensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus megacarpa* (Gamble) Kumari & Chandrabose and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus myrtifolius* Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus pinnatus* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus polyphyllus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus reticulatus* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus rotundifolius* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus singampattiana* (Sebastine & Henry) Kumari & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Phyllanthus speciosus Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus urinaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus virgatus* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pseudoglochidion anamalayanum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ricinus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sapium insigne* (Royle) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sapium sebiferum* (Michaux) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sauropus androgynus* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sauropus bacciformis* (L.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sauropus quadrangularis* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sebastiania chamaelea* (L.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Suregada lanceolata* (Willd.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Synadenium grantii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tragia bicolor* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tragia involucrata* L. var. *involucrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tragia involucrata* L. var. *angustifolia* Hook.f. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tragia muelleriana* Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tragia plukenetii* R. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trewia nudiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trewia polycarpa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trigonostemon nemoralis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernicia montana* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Daphniphyllum neilgherrense* (Wight) K. Rosenth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Buxus sempervirens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sarcococca brevifolia* (Muell.-Arg.) Stapf ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sarcococca saligna* (D. Don.) Muell. Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boehmeria glomerulifera* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boehmeria macrophylla* Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boehmeria nivea* (L.) Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chamabaina cuspidata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Debregeasia ceylanica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Debregeasia longifolia* (Burm.f.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Debregeasia wallichiana* (Wedd.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrocnide sinuata* (Blume) Chew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Droguetia iners* (Forssk.) Schweinf. subsp. *urticoides* (Wight) Friis & Wilmot- Dear and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elatostema acuminatum* (Poir.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elatostema cuneatum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elatostema lineolatum* Wight var. *lineolatum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elatostema lineolatum* Wight var. *falcigera* Thw. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elatostema lineolatum* Wight var. *linearis* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elatostema lineolatum* Wight var. *setosum* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elatostema sessile* Forst. var. *sessile* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elatostema sessile* Forst. var. *cuspidata* (Wight) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elatostema sessile* Forst. var. *pubescens* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elatostema surculosum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elatostema wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Girardinia diversifolia (Link) Friis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Laportea bulbifera* (Sieb. & Zucc.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Laportea interrupta* (L.) Chew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lecanthus peduncularis* (Wall. ex Royle) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oreocnide frutescens* (Thunb.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oreocnide integrifolia* (Gaudich.) Miq. var. *integrifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oreocnide integrifolia* (Gaudich.) Miq. var. *sylvatica* (Hassk.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parietaria micrantha* Ledeb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pellionia heyneana* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pilea angulata* (Blume) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pilea kingii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pilea melastomoides* (Poir.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pilea microphylla* (L.) Liebm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pilea wightii* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pouzolzia auriculata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *bennettiana* and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *acuta* (Wight) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *gardneri* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *macrophylla* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *mysorensis* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *ovalifolia* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *quadrialata* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *tomentosa* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Pouzolzia cymosa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Pouzolzia hirta (Blume) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Pouzolzia pentandra (Roxb.) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Pouzolzia wightii Benn. var. wightii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Pouzolzia wightii Benn. var. caudata (Benn.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Pouzolzia wightii Benn. var. lawsoniana Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Pouzolzia wightii Benn. var. nilghirensis (Wight) Hook.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Pouzolzia wightii Benn. var. scabra (Wight) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pouzolzia wightii* Benn. var. *wallichiana* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pouzolzia zeylanica* (L.) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Procris crenata* Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Urtica hyperborea* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Urtica parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aphananthe cuspidata* (Blume) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Celtis australis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Celtis philippensis* Blanco var. *wightii* (Planch.) Soep. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Celtis tetrandra* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Celtis timorensis* Spanoghe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Holoptelea integrifolia* (Roxb.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trema orientalis* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cannabis sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Antiaris toxicaria* (Pers.) Lesch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artocarpus incisus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Artocarpus gomezianus Wall. ex Trec. subsp. *zeylanicus* Jarrett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artocarpus heterophyllus* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artocarpus hirsutus* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Broussonetia papyrifera* Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cudrania cochinchinensis* (Lour.) Kudo & Masamune and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dorstenia indica* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus albipila* (Miq.) King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus amplissima* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus amplocarpa* Govindarajulu & Masilamoney and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus angladei* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus arnottiana* (Miq.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus auriculata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus beddomei* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus benghalensis* L. var. *benghalensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus benghalensis* L. var. *krishnae* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus benjamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus callosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus carica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus dalhousiae* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus drupacea* Thunb. var. *pubescens* (Roth) Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus elastica* Roxb. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus exasperata* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus glaberrima* Blume var. *bracteata* Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ficus guttata (Wight) Kurz ex King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus heterophylla* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus hispida* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus hookeriana* Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus laevis* Blume var. *macrocarpa* (Miq.) Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus microcarpa* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus mollis* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus nervosa* Heyne ex Roth var. *nervosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus nervosa* Roth var. *minor* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus palmata* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus pumila* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus religiosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus talbotii* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus tinctoria* Forst.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus tsjahela* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus virens* Ait. var. *virens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus virens* Ait. var. *lambertiana* (Miq.) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus virens* Ait. var. *wightiana* (Miq.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Morus alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Morus australis* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Morus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plecosperrum spinosum* Trec. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Streblus asper Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Streblus taxoides* (Heyne ex Roth) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Platanus orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Juglans regia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Casuarina glauca* Sieber. ex A.Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Casuarina equisetifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Casuarina junghuhniana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Casuarina stricta* Dryand. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Casuarina suberosa* Otto & Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Casuarina torulosa* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alnus nepalensis* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Betula alnoides* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Castanea crenata* Sieb. & Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Castanea sativa* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Castanopsis indica* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Castanopsis roxburghiana* S.N. Biswas and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fagus sylvatica* L. var. *sylvatica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fagus sylvatica* L. var. *cuprea* Loud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quercus baloot* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quercus coccifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quercus leucotrichophora* A. Camus ex Bahadur and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quercus robur* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quercus serrata* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Salix babylonica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salix tetrasperma* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceratophyllum demersum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blyxa aubertii* Rich. var. *echinosperma* (Clarke) Cook & Luond and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blyxa octandra* (Roxb.) Planch ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Enhalus acoroides* (L. f.) Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Halophila beccarii* Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Halophila decipiens* Ostenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Halophila ovalis* (R. Br.) Hook.f. subsp. *ovalis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Halophila ovalis* (R. Br.) Hook.f. subsp. *ramamurthiana* Ravikumar & Ganesan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Halophila ovata* Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Halophila stipulacea* (Forssk.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydrilla verticillata* (L. f.) Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nechamandra alternifolia* (Roxb.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ottelia alismoides* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thalassia hemprichii* (Ehrenb.) Asch. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vallisneria natans* (Lour.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Burmannia candelabrum* Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Burmannia coelestis* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Burmannia wallichii* (Miers) Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acampe praemorsa* (Roxb.) Blatter & McCann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acanthephippium bicolor* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aenhenrya rotundifolia* (Blatter) Sathish & Rasmussen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Aerides crisper Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aerides maculosum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aerides ringens* (Lindl.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anoectochilus elatus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anoectochilus rotundifolius* (Blatter) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aphyllorchis montana* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arundina graminifolia* (D. Don) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brachycorythis iantha* (Wight) Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brachycorythis splendida* Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bulbophyllum acutiflorum* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bulbophyllum albidum* (Wight) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bulbophyllum aureum* (Hook. f.) J. J. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bulbophyllum elegantulum* (Rolfe) J. J. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bulbophyllum fischeri* Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bulbophyllum fuscopurpureum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bulbophyllum kaitiense* Reichb. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bulbophyllum sterile* (Lam) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bulbophyllum tremulum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bulbophyllum xylophyllum* Par. & Reichb. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calanthe sylvatica* (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calanthe triplicata* (Willem.) Ames and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calanthe vestita* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cheirostylis flabellata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cheirostylis parvifolia Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chiloschista fasciata* (F. Muell.) Seidenf. & Ormerod and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysoglossum hallbergii* Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysoglossum maculatum* (Thw.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coelogyne breviscapa* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coelogyne glandulosa* Lindl. var. *glandulosa* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coelogyne glandulosa* Lindl. var. *bournei* Das & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coelogyne glandulosa* Lindl. var. *sathyanarayanae* Das & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coelogyne mossiae* Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coelogyne nervosa* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coelogyne odoratissima* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coelogyne ovalis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coelogyne prolifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coelogyne uniflora* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corymborkis veratrifolia* (Reinw.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cottonia peduncularis* (Lindl.) Reichb. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crepidium purpureum* (Lindl.) Szlach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbidium aloifolium* (L.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbidium bicolor* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbidium ensifolium* (L.) Sw. var. *haematodes* (Lindley) D. Du Put & P. Cribb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium anamalayanum* Chandrabose, Chandrasekaran & N. C. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium aqueum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium barbatulum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium diodon* Reichb.f. subsp. *kodayarensis* Gopalan & A.N. Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium haemoglossum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium herbaceum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium heterocarpum* Wall. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium heyneanum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium macrostachyum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium microbulbon* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium nanum* Hook. f. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium nutantiflorum* Hawkes & Heller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium wightii* A. Hawkers & A. H. Heller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium panduratum* Lindl. subsp. *villosum* Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Didymoplexis pallens* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diplozentrum congestum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diplozentrum recurvum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Disperis neilgherrensis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Epidendrum radicans Pav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Epipactis veratrifolia* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Epipogium roseum* (D. Don) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eria albiflora* Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eria dalzellii* (Hook. ex Dalz) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eria microchilos* (Dalz.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eria mysorensis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eria nana* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eria pauciflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eria polystachya* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eria pseudoclavicaulis* Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eria reticosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eulophia cullenii* (Wight) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eulophia epidendrea* (Koen.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eulophia graminea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eulophia pulchra* (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eulophia pratensis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eulophia spectabilis* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flickingeria nodosa* (Dalz.) Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gastrochilus acaulis* (Lindl.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gastrochilus calceolaris* (Buch.- Ham. ex J. E. Smith) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geodorum densiflorum* (Lam.) Schlte and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Goodyera fumata* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Goodyera procera (Ker-Gawl) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria acuminata* (Thw.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria barnesii* Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria cephalotes* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria crassifolia* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria crinifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria decipens* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria denticulata* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria digitata* Lindl. var. *digitata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria digitata* Lindl. var. *foliosa* (A. Rich) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria digitata* Lindl. var. *travancorica* (Hook. f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria elliptica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria elwesii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria furcifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria grandifloriformis* Blatter & McCann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria heyneana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria hollandiana* Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria longicorniculata* Granham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria longicornu* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria macrostachya* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria marginata* Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria multicaudata* Sedgw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Habenaria pallideviridis Seidenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria perrottetiana* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria plantaginea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria polyodon* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria rariflora* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria richardiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria roxburghii* Nicolson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria virens* (Lindl.) Abeyw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria viridiflora* (Rottl. Ex Sw.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hetaeria ovalifolia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kingidium deliciosum* (Reichb.f.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Liparis atropurpurea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Liparis beddomei* Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Liparis biloba* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Liparis caespitosa* (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Liparis duthiei* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Liparis elliptica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Liparis nervosa* (Sw.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Liparis platyphylla* Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Liparis prazeri* King & Pantl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Liparis resupinata* Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Liparis viridiflora* (Blume) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Liparis walkeriae* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Liparis wightiana Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Luisia birchea* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Luisia zeylanica* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malleola gracilis* (Lindl.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nervilia aragoana* Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nervilia carinata* (Roxb.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nervilia plicata* (Andr.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nervilia prainiana* (Ling & Prantl) Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oberonia anamalayana* Joseph and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oberonia balakrishnanii* R. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oberonia brunoniana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oberonia ensiformis* (J. E. Smith) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oberonia iridifolia* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oberonia platycaulon* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oberonia proudlockii* King & Pantl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oberonia santapau* Kapadia and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oberonia sebastiana* Shetty & Vivek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oberonia seidenfadeniana* Joseph & Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oberonia tenuis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oberonia verticillata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oberonia wightiana* Lindl. var. *wightiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oberonia wightiana* Lindl. var. *arnottiana* (Wight) R. Ansari N. C. Nair & V. J. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oberonia wightiana* Lindl. var. *nilgiriensis* R. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oberonia zeylanica* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pachystoma senile* (Lindl.) Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paphiopedilum druryi* (Bedd.) Pfitz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Papilionanthe cylindrica* (Lindl.) Seidenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pecteilis gigantea* (J. E. Smith) Rafin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peristylus aristatus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peristylus brachyphyllus* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peristylus densus* (Lindl.) Sant. & Kapadia and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peristylus goodyerioides* (D. Don) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peristylus lawii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peristylus plantagineus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peristylus secundus* (Lindl.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peristylus spiralis* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peristylus stocksii* (Hook. f.) Kraenzl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pholidota pallida* Lindl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Podochilus falcatus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polystachya concreta* (Jacq.) Garay & Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Porpax jerdoniana* (Wight) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Porpax reticulata* Lindl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Proteroceras leopardianum* (Par. Reichb.f.) Seidenf. & Smitin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchostylis retusa* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhytionanthos nodosus* (Rolfe) Garay Hamer & Siegerist and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Robiquetia josephiana* Manilal & Satish Kumar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Satyrium nepalense* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schoenorchis jerdoniana* (Wight) Garay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Seidenfadeniella filiformis* (Richb.f.) E.A.Christ & Ormerod and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Seidenfia densiflora* (A. Rich.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Seidenfia intermedia* (A. Rich.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Seidenfia rheedii* (Sw.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Seidenfia versicolor (Lindley) Marg. & Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sirhookera lanceolata* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sirhookera latifolia* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smithsonia maculata* (Dalz.) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spathoglottis plicata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spiranthes sinensis* (Pers.) Ames var. *sinensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spiranthes sinensis* (Pers.) Ames var. *wightiana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Taeniophyllum alwisii* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tainia bicornis* (Lindl.) Reichb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thelasis pygmaea* (Griff.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thrixspermum muscaeflorum* A. S. Rao & Joseph var. *nilagiricum* Joseph & Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trias stocksii* Benth ex Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichoglottis tenera* (Lindl.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tropidia angulosa* (Lindl.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tropidia curculigoides* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *VKalam spathulata* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *VKalam tessellata* (Roxb.) Hook ex. G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *VKalam testaceae* (Lindl.) Reichb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *VKalam wightii* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vanilla planifolia* Andrews and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vanilla walkeriae* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vanilla wightiana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zeuxine affinis* (Lindl.) Benth.ex. Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Zeuxine gracilis (Breda) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zeuxine longilabris* (Lindl.) Benth ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alpinia abundiflora* Burt & Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alpinia calcarata* Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alpinia galanga* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alpinia malaccensis* (Burm.f.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alpinia nigra* (Gaertn.) B. L. Brutt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alpinia zerumbet* (Pers.) B. L. Burt & R. M.Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amomum cannicarpum* (Wight) Benth. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amomum hypoleucum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amomum masticatorium* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amomum muricatum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amomum pterocarpum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curcuma amada* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curcuma aromatica* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curcuma longa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curcuma montana* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curcuma neilgherrensis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curcuma pseudomontana* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curcuma zedoaria* (Christm.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elettaria cardamomum* (L.) Maton var. *cardamomum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elettaria cardamomum* (L.) Maton var. *major* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Globba marantina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Globba ophioglossa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedychium coronarium* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedychium flavescens* Carey ex Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedychium spicatum* Hamilton ex Smith var. *acuminatum* (Roscoe) Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedychium venustum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kaempferia galanga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zingiber montanum* (K. D. Koenig) Link ex Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zingiber nimmonii* (J. Graham) Dalzell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zingiber officinale* Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zingiber roseum* (Roxb.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zingiber wightianum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zingiber zerumbet* (L.) J. E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Costus pictus* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Costus speciosus* (Koen.) J. E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maranta arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phrynum pubinerve* Blume and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schumannianthus virgatus* (Roxb.) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ensete superbum* (Roxb.) Cheesman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ensete ventricosum* (Welw.) Cheesman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliconia psittacorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Musa acuminata* Colla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Musa balbisiana* Colla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Musa parasidiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ravenala madagascarensis Sonner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strelitzia reginae* Aiton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canna indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ananas comosus* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anigozanthos flavidus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Disporum leschenaultianum* D. Don var. *leschenaultianum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Disporum leschenaultianum* D. Don var. *angustifolium* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lilium trigrinum* Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lilium wallichianum* Schultes & Schultes f. var. *neilgherrense* (Wight) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiopogon intermedius* D. Don var. *intermedius* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiopogon intermedius* D. Don var. *gracilipes* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiopogon intermedius* D. Don var. *pauciflorus* Hook. f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peliosanthes teta* Andr. subsp. *humilis* (Andr.) Jessop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristea ecklonii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Babiana stricta* (Aiton) Ker Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Babiana villosa* Ker Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crocasmia x crocosmiiflora* (E. Morren) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crocasmia pottsii* (Baker) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dierama pulcherrima* (Hook. F.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eleutherine palmifolia* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Freesia refracta* Klatt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gladiolus natalensis* (Eckl.) Reinw. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gladiolus primulinus* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Iris*

germanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Iris japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Iris unguicularis* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Moraea iridioides* L. Mant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Watsonia borbonica* (Pourr.) Goldblatt subsp. *ardernei* (Sander) Goldblatt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Watsonia rosea* Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amaryllis belladonna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crinum asiaticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crinum viviparum* (Lam.) R. Ansari & V.J. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crinum latifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crinum moorei* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucharis x grandiflora* Planch. & Linden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eurycles sylvestris* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Haemanthus coccineus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Haemanthus matalensis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hippeastrum x johnsonii* (Hort.) Herb. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hippeastrum reginae* Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hippeastrum vittatum* (L'Her.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hymenocallis littoralis* (Jacq.) Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucojum aestivum* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucojum pulchellum* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Narcissus pseudo-narcissus* L. subsp. *moschatus* (L.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Narcissus tazetta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Nerine flexuosa (Jacq.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nerine undulata* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pancratium triflorum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phaedranassa dubia* (Kunth) J. F. Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sprekelia formosissima* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stenomesson coccineum* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zephyranthes carinata* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zephyranthes grandiflora* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zephyranthes tubispatha* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agave americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agave angustifolia* Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agave sisalana* Perrine ex Engelm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agave vera-cruz* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordyline australis* (Forst. F.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Furcraea foetida* (L.) Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polianthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Yucca gloriosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dianella ensifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phormium tenax* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dracaena fruticosa* (L.) A. Chev. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dracaena terniflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sansevieria roxburghiana* Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sansevieria trifasciata* Hort. ex Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Sansevieria thyriflora Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sansevieria varians* N.E.Br and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sansevieria zeylanica* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alstroemeria aurea* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bomarea caldasiana* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bomarea oligantha* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curculigo orchioides* Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypoxis aurea* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Molineria trichocarpa* (Wight) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tacca leontopetaloides* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea alata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea belophylla* Voigt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea bulbifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea esculenta* (Lour.) Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea hamiltonii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea hispida* Dennst. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea kalkapershadii* Prain & Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea oppositifolia* L. var. *oppositifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea oppositifolia* L. var. *dukhumensis* Prain & Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea spicata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea tomentosa* Koen ex Spreng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea wallichii* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Dioscorea wightii Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichopus zeylanicus* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stemona tuberosa* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dipcadi montanum* (Dalz.) Baker var. *madrasicum* (Barnes & Fischer) Deb & Dasgupta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucomis autumnalis* (Miller) Chitt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucomis punctata* L'Herit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ornithogalum arabicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ornithogalum conicum* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scilla hyacinthina* (Roth) Mecbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Urginea congesta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Urginea indica* (Roxb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Urginea polyantha* Blatter & Mc Cann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asphodelus tenuifolius* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aloe vera* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kniphofia uvaria* (L.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asparagus asiaticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asparagus fyonii* Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asparagus gonocladus* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asparagus laevis* Steud. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asparagus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asparagus setaceus* (Kunth) Jessop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asparagus racemosus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chlorophytum acaule* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Chlorophytum arundinaceum Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chlorophytum attenuatum* (Wight) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chlorophytum heynei* Rottl. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chlorophytum laxum* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chlorophytum malabaricum* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chlorophytum nimmonii* (Graham) Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chlorophytum tuberosum* (Roxb.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gloriosa rothschildiana* O'Brien and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gloriosa superba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Iphigenia indica* (L.) A. Gray ex Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Iphigenia magnifica* Ansari & R. S. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hemerocallis aurantiaca* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agapanthus praecox* Willd. var. *orientalis* (F. Leight.) F. Leight. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agapanthus praecox* Willd. var. *albus* Hort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allium cepa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allium porrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Allium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ruscus aculeatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smilax aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smilax perfoliata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smilax wightii* A. DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smilax zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eichhornia crassipes* (Mart.) Solms-Laub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Monochoria hastata (L.) Solms-Laub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Monochoria vaginalis* (Burm. F.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xyris capensis* Thunb. var. *schoenoides* (Mart) Nilsson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xyris pauciflora* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aclisia secundiflora* (Blume) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aneilema montana* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aneilema ovalifolia* (Wight) Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Belosynapsis kewensis* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Belosynapsis vivipara* (Dalz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commelina attenuata* Koen var. Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commelina benghalensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commelina clavata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commelina diffusa* Burm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commelina ensifolia* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commelina erecta* L. var. *erecta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commelina erecta* L. var. *glochidea* (Koen.ex Clarke) Bhargavan and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commelina forskalaei* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commelina hirsuta* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commelina imberbis* Ehrenb. ex Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commelina indehiscens* Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commelina longifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commelina paleata* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commelina paludosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Commelina subulata Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commelina tricolor* Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commelina wightii* R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyanotis adscendens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyanotis arachnoidea* Clarke var. *arachnoidea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyanotis arachnoidea* Clarke var. *thwaitesii* (Hassk.) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyanotis arcotensis* R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyanotis axillaris* (L.) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyanotis burmanniana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyanotis concanensis* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyanotis cristata* (L.) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyanotis cucullata* (Roth) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyanotis fasciculata* (Heyne ex Roth) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyanotis obtusa* Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyanotis papilionacea* (L.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyanotis pilosa* Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyanotis tuberosa* (Roxb.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyanotis villosa* (Spreng.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyanotis wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dictyospermum scaberrimum* (Blumes) Morton ex Hara et al. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Floscopa scandens* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Murdannia dimorpha* (Dalz.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Murdannia edulis* (Stokes) Faden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Murdannia esculenta (Wall ex Clarke) Raizada ex R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Mudannia gigantea (Vahl.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Murdannia glauca (Thw. ex Clarke) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Murdannia japonica (Thunb.) Faden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Murdannia juncoides (Wight) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Murdannia lanceolata (Wight) Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Murdannia lanuginosa (Wall ex Clarke) Beueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Murdannia loriformis (Hassk.) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Murdannia nudiflora* (L.) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Murdannia pauciflora* Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Murdannia semiteres* (Dalz.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Murdannia simplex* (Vahl.) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Murdannia spirata* (L.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Murdannia vaginata* (L.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Murdannia zeylanica* (Clarke) Brueckner var. *longiscapa* (Clarke) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhoeo discolor* Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Setcreasea purpurea* Boom and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zebrina pendula* Schnitzl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flagellaria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Juncus bufonius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Juncus effusus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Juncus inflexus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Juncus leschenaultii* J. Gay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Luzula indica Kirschner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Areca catechu* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arenga wightii* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bentinckia condapanna* Berry ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Borassus flabellifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calamus brandisii* Beccari ex Beccari & Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calamus gamblei* Beccari ex Becari & Hook. var. *gamblei* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calamus gamblei* Beccari ex Beccari & Hook. var. *sphaerocarpa* Beccari ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calamus huegelianus* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calamus pseudo-tenuis* Beccari ex Beccari & Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calamus rheedii* Griff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calamus rotang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calamus travancoricus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caryota urens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corypha umbraculifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corypha macropoda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Livistona chinensis* (Jacq.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Livistona rotundifolia* (Lam.) Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phoenix canariensis* Hort ex Chabaud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phoenix loureirii* Kunth var. *loureirii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phoenix loureirii* Kunth var. *humilis* (Becc.) S.C. Barrow and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phoenix pusilla* Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Phoenix rupicola L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Phoenix sylvestris (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Pinanga dicksonii (Roxb.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Rhapis excelsa (Thunb.) A. Henry ex Rehder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Roystonea regia (Kunth) O. F. Cook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Sabal mauritiiformis (Karsten) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Trachycarpus fortunei (Hook.) Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Washingtonia robusta Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *PKalamnus amaryllifolius* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *PKalamnus canaranus* Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *PKalamnus odoratissimus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *PKalamnus tectorius* Parkinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *PKalamnus thwaitesii* Martelli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Typha angustifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acorus calamus* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alocasia indica* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amorphophallus paeoniifolius* (Dennst.) Nicolson var. *campanulatus* (Blume ex Decne) Sivadasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amorphophallus sylvaticus* (Roxb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphyllum beddomei* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphyllum wightii* Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anthurium spathiphyllum* N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arisaema auriculatum* Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arisaema barnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arisaema leschenaultii* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arisaema murrayi* (Graham) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arisaema tortuosum* (Wall.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arisaema translucens* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arisaema tuberculatum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arisaema tylophorum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arisaema wightii* Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caladium bicolor* (Ait.) Vent. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Colocasia esculenta* (L.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cryptocoryne ciliata* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cryptocoryne consobrina* Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cryptocoryne retrospiralis* (Roxb.) Kunth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cryptocoryne spiralis* (Retz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Epipremnum pinnatum* cv aureum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lagenandra meeboldii* (Engler) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Lagenandra toxicaria Dalz. var. *barnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Monstera deliciosa* Liebm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pistia stratiotes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plesmonium margaritiferum* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pothos armatus* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pothos scandens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pothos thomsonianus* Schott. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Remusatia vivipara* (Lodd.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhaphidophora pertusa* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Theriophonum fischeri* Sivadasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Theriophonum minutum* (Willd.) Baillon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Theriophonum sivaganganum* (Ramam. & Sebastine) Bogner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xanthosoma sagittifolium* (L.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zantedeschia aethiopica* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lemna gibba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lemna perpusilla* Torrey and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spirodela polyrhiza* (L.) Schleiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wolffia globosa* (Roxb.) Hartog & Vander Plas and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hyalisma janthina* Champ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caldesia parnassiifolia* (L.) Parl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limnophyton obtusifolium* (L.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sagittaria guayanensis* H.B.K. subsp *lappula* (D Don) Bogin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sagittaria sagittifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Najas graminea Del. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Najas indica* (Willd.) Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Najas malesiana* Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Najas marina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Najas minor* All. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ruppia maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aponogeton appendiculatus* Bruggen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aponogeton echinatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aponogeton natans* (L.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aponogeton undulatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymodocea rotundata* Ehrenb. & Hempr. ex Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymodocea serrulata* (R. Br.) Asch. & Magnus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Halodule pinifolia* (Miki) Hartog and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Halodule uninervis* (Forssk.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Halodule wrightii* Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Potamogeton crispus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Potamogeton nodosus* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Potamogeton pectinatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Potamogeton perfoliatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syringodium isoetifolium* (Asch.) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriocaulon brownianum* Martius ex Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriocaulon cinereum* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriocaulon conica* (Fyson) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Eriocaulon elenorae Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Eriocaulon ensiforme Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Eriocaulon leucomelas Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Eriocaulon longicuspis Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Eriocaulon nairii Chandrabose & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Eriocaulon nepalense Prescott ex Bongard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Eriocaulon odoratum Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Eriocaulon panagudianum Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriocaulon pectinatum* Ruhl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriocaulon quinquangulare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriocaulon ramnadense* Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriocaulon richardianum* (Fyson) Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriocaulon ritchieanum* Ruhl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriocaulon robusto-brownianum* Ruhland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriocaulon robustum* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriocaulon talbotii* Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriocaulon thwaitesii* Koern. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriocaulon truncatum* Buch. - Ham. ex Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriocaulon xeranthemum* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ascopholis gamblei* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bulbostylis barbata* (Rottb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bulbostylis densa* (Wall.) Hand.-Mazz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bulbostylis puberula* (Poir.) Kunth ex C. B. Clarke var. *puberula* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Bulbostylis puberula (Poir.) Kunth ex C. B. Clarke var. *gracilis* C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex baccans* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex breviculmis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex brunnea* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex christii* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex eluta* Nelmes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex foliosa* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex filicina* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex glaucina* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex hebecarpa* C. Meyer var. *ligulata* (Nees) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex lateralis* Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex lenta* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex leucantha* Arn. ex Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex lindleyana* Nees var. *lindleyana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex lindleyana* Nees var. *mercurensis* (Hochst. ex Steud.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex longicruris* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex longipes* D. Don var. *longipes* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex longipes* D. Don var. *dissitiflora* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex maculata* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex myosurus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex nubigena* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex phacota* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex pseudoaperta* Boeckeler ex Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Carex raphidocarpa Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Carex rara Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Carex speciosa Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Carex vicinalis Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Carex walkeri Arn. ex Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Carex wallichiana Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Carex wightiana Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cyperus alopecuroides Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus alternifolius* L. subsp. *flabelliformis* (Rottboell) Kukenth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus arenarius* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus articulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus bulbosus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus castaneus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus cephalotes* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus conglomeratus* Rottb. subsp. *pachyrrhizus* (Nees ex Boeck.) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus compressus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus corymbosus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus curvibracteatus* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus cuspidatus* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus difformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus diffusus* Vahl. var. *diffusus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus diffusus* Vahl. var. *macrostachyus* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus digitatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cyperus distans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cyperus distans L. var. pseudonutans Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cyperus elatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cyperus esculentus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cyperus exaltatus Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cyperus halpan L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cyperus imbricatus Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cyperus iria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus laevigatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus latovaginatus* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus lurida* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus michelianus* (L.) Link. subsp. *pygmaeus* (Rottb.) Asch. & Graebn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus nutans* Vahl var. *nutans* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus natans* Vahl var. *eleusinoides* (Kunth) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus pangorei* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus pilosus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus platyphyllus* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus platystylis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus plumbeonucea* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus polyanthelus* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus procerus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus pygmaeus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus rotundus* L. subsp. *rotundus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cyperus rotundus L. subsp. *tuberosus* (Rottb.) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus rubicundus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus rubriglomosus* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus sesquiflorus* (Torr.) Mattf. & Kuek. var. *cylindricus* (Nees) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus sphaclatus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus stoloniferous* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus strictulmis* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus sulcinus* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus tenuiculmis* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus tenuispica* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eleocharis acutangula* (Roxb.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eleocharis atropurpurea* (Retz.) Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eleocharis congesta* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eleocharis dulcis* (Burm.f.) Henschel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eleocharis geniculata* (L.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eleocharis retroflexa* (Poir.) Urban subsp. *chaetaria* (Roem. & Schult.) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eleocharis spiralis* (Rottb.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eleocharis tetraquetra* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis aestivalis* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis aggregata* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis amplocarpa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis aphylla* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis argentea* (Rottb.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Fimbristylis bisumbellata (Forssk.) Bubani and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis cinnamometorum* (Vahl) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis complanata* (Retz.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis consanguinea* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis contorta* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis crystallina* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis cymosa* R. Br. subsp. *spathacea* (Roth) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis dichotoma* (L.) Vahl subsp. *dichotoma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis dichotoma* (L.) Vahl subsp. *podocarpa* (Nees & Meyen) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis dichotoma* (L.) Vahl subsp. *glauca* (Vahl) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis dipsacea* (Rottb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis eragrostis* (Nees & Meyen ex Nees) Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis falcata* (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis ferruginea* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis kingii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis latiglumifera* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis latinucifera* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis longistigmata* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis miliacea* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis monospicula* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis monticola* Hochst. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis narayanii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis nutans* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Fimbristylis ovata (Burm. F.) Kern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis paupercula* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis pentaptera* (Nees) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis pierotii* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis polytrichoides* (Retz.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis pustulosa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis quinquangularis* (Vahl) Kunth var. *crassa* C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis rectifolia* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis rigidiuscula* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis rugosa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis salbundia* (Nees) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis scabrisquama* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis schoenoides* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis semidisticha* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis sieberiana* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis squarrosa* Vahl var. *esquarrosa* Makino and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis strigosa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis tenera* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis tetragona* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis tortifolia* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis triflora* (L.) Schum. ex Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis tristachya* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis uliginosa* Hochst. ex Steud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Fimbristylis woodrowii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fuirena ciliaris* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fuirena pubescens* (Lam.) Kunth var. *pergametacea* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fuirena trilobites* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fuirena umbellata* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fuirena uncinata* (Willd.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fuirena wallichiana* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypolytrum nemorum* (Vahl) Spreng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kylinga brevifolius* Rottboell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kylinga bulbosa* P. Beavu. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kylinga hyalina* (Vahl) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kyllingia nemoralis* (J. R. & G. Forst.) Dandy ex Hutchinson & Dalziel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kyllingia malanosperma* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lipocarpha chinensis* (Osbeck.) Kern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lipocarpha raynaleana* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lipocarpha sphacelata* (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mariscus clarkei* (Cooke) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mariscus compactus* (Retz.) Bolding and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mariscus cyperinus* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mariscus dubius* (Rottboell) Kukenth ex C.E.C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mariscus paniceus* (Rottboell.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mariscus squarrosus* (L.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mariscus sumaterensis* (Retz.) A. Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Pycnus flavescens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pycnus flavidus* (Retz.) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pycnus polystachyos* (Rottboell) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pycnus pumilus* (L.) Nees ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pycnus puncticulatus* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pycnus sanguinolentus* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pycnus stramineus* (Nees) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pycnus unioides* (R. Br.) Urb. var. *angulatus* (Nees) Domin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchospora corymbosa* (L.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchospora gracillima* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchospora rubra* (Lour.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchospora rugosa* (Vahl.) Gale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Riklrella squarrosa* (L.) Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schoenoplectus articulatus* (L.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schoenoplectus grossus* (L. f.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schoenoplectus juncoides* (Roxb) Palla and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schoenoplectus littoralis* (Schrader.) Palla subsp. *subulatus* (Vahl) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schoenoplectus mucronatus* (L.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schoenoplectus senegalensis* (Steud.) Palla ex Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schoenoplectus supinus* (L.) Palla subsp. *lateriflorus* (Gmel.) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scirpus fluitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scirpus maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scirpus subcapitatus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Scleria caricinia (R. Br.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scleria corymbosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scleria lithosperma* (L.) Sw. var. *lithosperma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scleria lithosperma* (L.) Sw. var. *linearis* Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scleria lithosperma* (L.) Sw. var. *multispiculata* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scleria levis* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scleria mikawana* Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scleria parvula* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scleria terrestris* (L.) Fassett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acrachne henrardiana* (Bor) Phillips and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acrachne racemosa* (Heyne ex Roth) Ohwi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acrachne sundararajii* Umamahesw. et al and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aeluropus lagopoides* (L.) Trin ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agrostis micrantha* Stue. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agrostis peninsularis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agrostis pilosula* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agrostis schmidii* (Hook. f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agrostis stolonifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agrostis zenkeri* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alloteropsis cimicina* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andropogon hallii* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andropogon lividus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andropogon longipes* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Andropogon polytychus Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andropogon pumilus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anthoxanthum borii* Jain & Pal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anthoxanthum odoratum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Apluda mutica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Apocopsis courtallumensis* (Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Apocopsis vaginata* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristida adscensionis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristida funiculata* Trin & Rupr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristida hystrix* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristida mutabilis* Trin. & Rupr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristida setacea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arthraxon castratus* (Griff.) Narayanaswami ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arthraxon depressus* Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arthraxon lanceolatus* (Roxb.) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arthraxon micans* (Nees) Hochst. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arthraxon prionodes* (Steud.) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arthraxon quartianus* (A. Rich) Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arundinaria walkeriana* Munro and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arundinaria wightiana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arundinella ciliata* (Roxb.) Nees ex Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arundinella hookeri* Munro ex Keng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arundinella leptochloa* (Nees ex Steud.) Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Arundinella mesophylla Nees ex Steud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arundinella nepalensis* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arundinella nervosa* (Roxb.) Nees ex Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arundinella pumila* (Hochst. ex A. Rich) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arundinella purpurea* Hochst. ex Steud var. *purpurea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arundinella purpurea* Hochst. ex Steud. var. *laxa* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arundinella setosa* Trin. var. *setosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arundinella setosa* Trin. var. *nilagiriana* Subbarao & Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arundinella vaginata* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arundo conspicua* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arundo donax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Avena byzantina* K. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Avena fatua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Avena sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Avena sterilis* L. var. *ludoviciana* (Durieu) Gill & Magne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Axonopus compressus* (Sw.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bambusa bambos* Voss and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bothriochloa bladhii* (Retz.) S. T. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bothriochloa foulkesii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bothriochloa insculpta* (Hochst. ex A. Rich.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bothriochloa kuntzeana* (Hack.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bothriochloa pertusa* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bothriochloa pseudoischaemum* (Nees ex Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Brachiaria distachya (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brachiaria eruciformis* (J. E. Smith) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brachiaria kurzii* (Hook. f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brachiaria miliiformis* (J. S. Presl) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brachiaria muna* Basappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brachiaria mutica* (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brachiaria nilagirica* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brachiaria ramosa* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brachiaria remota* (Retz.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brachiaria reptans* (L.) Gard. & Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brachiaria Semiundulata* (Hochst. ex A. Rich) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brachiaria Semiverticillata* (Rottl.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brachiaria setigera* (Retz.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brachypodium distachyon* (L.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brachypodium sylvaticum* (Huds.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Briza maxima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Briza media* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Briza minor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bromus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bromus catharticus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bromus diandrus* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bromus ramosus* Huds. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capillipedium filiculme* (Hook. f.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Capillipedium huegelii (Hack.) Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capillipedium parviflorum* (R. Br.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cenchrus biflorus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cenchrus ciliaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cenchrus glaucus* Mudaliar & Sundararaj and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cenchrus pennisetiformis* Hochst. & Steud. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cenchrus setigerus* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Centotheca lappacea* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chionachne koenigii* (Spreng.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chionachne Semiteres* (Benth. ex Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chloris barbata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chloris bournei* Rang. & Tadol. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chloris dolichostachya* Lagasca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chloris gayana* Kunth ex Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chloris montana* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chloris pycnothrix* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chloris roxburghiana* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chloris virgata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chloris wightiana* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysopogon aciculatus* (Retz.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysopogon asper* (Heyne ex Hook. f.) Blatter & Mc Can and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysopogon copei* Mohanan et Ravi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysopogon fulvus* (Spreng) Choiv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Chrysopogon hackelii (Hook.f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysopogon orientalis* (Desv.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysopogon zeylanicus* (Nees ex Steud.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coelachne perpusilla* (Arn. ex Steud.) Thw. var. *perpusilla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coelachne perpusilla* (Arn. ex Steud.) Thw. var. *nilagirica* Ved Prakash & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coelachne simpliciuscula* (Wight & Arn. ex Steud.) Munro ex Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coelachyropsis lagopoides* (Burm.f.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coix aquatica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coix gigantea* Koen. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coix lacryma-jobi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cortaderia selloana* (Schultes) Asch. & Graebn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbopogon caesius* (Nees ex Hook. & Arn.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbopogon citratus* (DC.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbopogon coloratus* (Hook. f.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbopogon flexuosus* (Nees ex Steud.) Wats var. *flexuosus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbopogon flexuosus* (Nees ex Steud.) Wats var. *coimbatorensis* Gupta and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbopogon gidarba* (Ham. ex Steud.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbopogon jwarancusa* (Jones) Schultes subsp. *olivieri* (Boiss.) Soenarko and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbopogon martinii* (Roxb.) Wats. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbopogon nardus* (L.) Rendle var. *nardus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbopogon nardus* (L.) Rendle var. *confertiflorus* (Steud.) Stapf ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbopogon polyneuros* (Steud.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbopogon travancorensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cynodon arcuatus J. S. Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynodon barberi* Rang & Tad. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynodon dactylon* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynodon plectostachyus* (Schum ex Engler) Pilger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyrtococcum deccanense* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyrtococcum longipes* (Wight & Arn. ex Hook. f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyrtococcum muricatum* (Retz.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyrtococcum oxyphyllum* (Steud.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyrtococcum patens* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyrtococcum sparsicomum* (Nees ex Steud.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyrtococcum trigonum* (Retz.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dactylis glomerata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dactyloctenium aegyptium* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrocalamus strictus* (Roxb.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmostachya bipinnata* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dichanthium annulatum* (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dichanthium aristatum* (Poir) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dichanthium caricosum* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dichanthium foveolatum* (Del.) Roberty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dichanthium oliganthum* (Hochst.ex Steud.) Cope and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dichanthium pallidum* (Hook. f.) Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dichanthium wightii* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Digitaria abludens* (Roem. & Schultes) Veldk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Digitaria bicornis (Lam.) Roem. & Schultes ex Loud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Digitaria ciliaris* (Retz.) Koeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Digitaria duthieana* Henr. ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Digitaria griffithii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Digitaria longiflora* (Retz.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Digitaria microbachne* (Presl) Henr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Digitaria radicata* (Presl) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Digitaria setigera* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Digitaria stricta* Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Digitaria ternata* (A. Rich) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Digitaria tomentosa* (Koen ex Willd.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Digitaria violascens* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Digitaria wallichiana* (Wight & Arn. ex Steud.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dimeria acutipes* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dimeria avenacea* (Retz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dimeria balakrishnaniana* K.Ravik., P.V. Sreek. & V. Lakshmanan and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dimeria fuscescens* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dimeria kollimalayana* Mohanan & Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dimeria lehmanii* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dimeria orissae* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dimeria ornithopoda* Trin. var. *ornithopoda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dimeria ornithopoda* Trin. var. *khasiana* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dinebra retroflexa* (Vahl) Panzer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Diplachne malabarica (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Echinochloa colona* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Echinochloa crus - galli* (L.) P. Beauv var. *crus - galli* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Echinochloa crus - galli* (L.) P. Beauv var. *brevisetata* (Doll) Neillr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Echinochloa frumentacea* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Echinochloa oryzoides* (Ard.) Fritsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Echinochloa picta* (J. Koen) Michael and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Echinochloa stagnina* (Retz.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ehrharta abyssinica* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eleusine coracana* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eleusine indica* (L.) Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elytrophorus spicatus* (Willd.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Enneapogon schimperanus* (Hochst. Ex A. Rich) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Enteropogon coimbatorensis* K K. N. Nair Jain & Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Enteropogon monostachyos* (Vahl) Schum ex Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostiella bifaria* (Vahl) Bor and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostiella brachyphylla* (Stapf.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis aspera* (Jacq.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis atrovirens* (Desf.) Trin. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis cilianensis* (Al.) Vign. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis ciliaris* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis ciliata* (Roxb.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis coarctata* Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Eragrostis curvula (Schrader) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis dayana* Kalmnii P. Ravichandran S. Krishnan N.P. Samson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis deccanensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis gangetica* (Roxb.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis japonica* (Thunb.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis kiwuelsis* Jedwabn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis macilenta* (A. Rich) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis maderaspatana* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis minor* Host and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis nigra* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis nutans* (Retz.) Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis pilosa* P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis riparia* (Willd.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis rottleri* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis schweinfurthii* Chioe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis superba* Peyr. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis tef* (Zucc.) Trotter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis tenella* (L.) P. Beauv ex Roem. & Schultes var. *tenella* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis tenella* (L.) P. Beauv. ex Roem. & Schultes var. *insularis* Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis tenuifolia* (A. Rich) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis tremula* (Lam.) Hochst ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis unioloides* (Retz.) Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis viscosa* (Retz.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Eremochloa muricata (Retz.) Hack and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eremopogon foveolatus* (Del.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriochloa procera* (Retz.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriochrysis rangacharii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euchlaena mexicana* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eulalia phaeothrix* (Hack.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eulalia trispicata* (Schultes) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eulalia wightii* (Hook. f.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eulaliopsis binata* (Retz.) C.E. Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Festuca ovina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Festuca undata* Stapf var. *aristata* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garnotia arundinacea* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garnotia courtallensis* (Arn. & Nees) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garnotia elata* (Arn. Ex Miq.) Janowski and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garnotia exaristata* Gould and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garnotia fergusonii* Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garnotia schmidii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garnotia tenella* (Arn. ex Miq.) Janowski and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glyceria spicata* Guss and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Halopyrum mucronatum* (L.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Helictotrichon polyneuron* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Helictotrichon schmidii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Helictotrichon virescens* (Nees ex Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Hemarthria compressa(L.f.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heteropogon contortus* (L.) P Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heteropogon fischerianus* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heteropogon polystachyos* (Roxb.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Holcolemma canaliculatum* (Nees ex Steud.) Stapf & Hunnard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hordeum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hygroryza aristata* (Retz.) Nees ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hymenachne acutigluma* (Steud.) Gilliland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ichnanthus vicinus* (Bailey) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Imperata cylindrica* (L.)Raeusch. var. major (Nees) Hubbard ex Hubbard & Vaughan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isachne angladei* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isachne bourneorum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isachne deccanensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isachne dispar* Trin. var. *dispar* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isachne dispar* Trin. var. *villosa* C.E.C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isachne elegans* Dalz ex Hook. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isachne globosa* (Thunb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isachne kunthiana* (Wight & Arn. ex Steud.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isachne miliacea* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isachne oreades* (Domin) Bor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isachne pulchella* Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isachne walkeri* (Arn. ex Steud.) Wight & Arn. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ischaemum commutatum* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ischaemum flumineum Bor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ischaemum indicum* (Houtt.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ischaemum koenigii* (Hook. f.) Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ischaemum nilagiricum* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ischaemum pilosum* (Klein ex Willd.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ischaemum rangacharianum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ischaemum rugosum* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ischaemum tadulingamii* Nair & Sreekumar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ischaemum timorense* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ischaemum zeylanicum* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Iseilema anthephoroides* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Iseilema jainiana* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Iseilema laxum* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Iseilema prostratum* (L.) Andersson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jansenella griffithiana* (C. Muell.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leersia hexandra* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leptochloa chinensis* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leptochloa neesii* (Thw.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leptochloa obtusiflora* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leptochloa panicea* (Retz.) Ohwl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leptochloa uniflora* Hochst ex A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lolium perenne* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lolium temulentum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Lophatherum gracile Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lopholepis ornithocephala* (Hook.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lophopogon tridentatus* (Roxb.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Manisuris myuros* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melanocenchris jacquemontii* Jaub. & Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melanocenchris monoica* (Rottl.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melica scaberrima* (Nees ex Steud.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microchloa indica* (L.f.) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microchloa kunthii* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microchloa kunthii* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microstegium ciliatum* (Trin.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microstegium nudum* (Trin.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Miscanthus nepalensis* (Trin.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mnesithea granularis* (L.) de Koning & Sosef and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mnesithea laevis* (Retz.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myriostachya wightiana* (Nees ex Steud.) Hook. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oclandra beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ochlandra scriptoria* (Dennst.) Fischer var. *sivagiriana* (Gamble) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ochlandra setigera* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ochlandra travancorica* Benth ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiuros bombaiensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiuros exaltatus* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oplismenus burmannii* (Retz.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Oplismenus compositus (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oplismenus undulatifolius* (Ard.) P. Beauv ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oropetium thomaeum* (L.f.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oryza barthii* A. Chevali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oryza meyeriana* (Zoll. & Mor.) Baill. var. *granulata* (Nees & Arn. ex Wall) Duist. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oryza minuta* J. S. Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oryza officinalis* Wall ex Watt subsp. *malampuzhaensis* (Krishnaswami & and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>. Chandrasekaran) Tateoka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Oryza rufipogon Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oryza sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ottochloa nodosa* (Kunth) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxytenanthera monadelphica* (Thw.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxytenanthera ritcheyi* (Munro) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum antidotale* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum brevifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum fischeri* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum gardneri* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum maximum* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum miliaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum notatum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum paludosum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum psilopodium* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum sparsicomum* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum sumatrense* Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum trypheron* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paspalidium flavidum* (Retz.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paspalidium geminatum* (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paspalidium punctatum* (Burm.f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paspalum canarae* (Steud.) Veldk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paspalum conjugatum* Berg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Paspalum dilatatum Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paspalum distichum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paspalum longifolium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paspalum scrobiculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paspalum vaginatum* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pennisetum americanum* (L.) Leeke. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pennisetum clandestinum* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pennisetum hohenackeri* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pennisetum pedicellatum* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pennisetum polystachyon* (L.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pennisetum purpureum* Schum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pennisetum villosum* R. Br. ex Fresen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Perotis indica* (L.) Kuntze var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Perotis indica* (L.) Kuntze var. *keelakaraiensis* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phalaris aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phalaris arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phalaris minor* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phragmites karka* (Retz.) Trin ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Poa annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Poa gamblei* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Poa trivialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogonatherum crinitum* (Thunb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogonatherum paniceum* (Lam.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Polypogon fugax Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pommereulla cornucopiae* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pseudanthistiria heteroclita* (Roxb.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pseudanthistiria umbellata* (Hack.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pseudechinolaena polystachya* (H.B.K.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pseudobrachiaria deflexa* (Schum.) Launert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pseudoraphis spinescens* (R. Br.) Veickery and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pseudosorghum fasciculare* (Roxb.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchelytrum repens* (Willd.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rottboellia cochinchinensis* (Lour.) Clayton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saccharum arundinaceum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saccharum narenga* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saccharum officinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saccharum spontaneum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sacciolepis curvata* (L.) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sacciolepis indica* (L.) Chase and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sacciolepis interrupta* (Willd.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sacciolepis myosuroides* (R. Br.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schizachyrium brevifolium* (Sw.) Nees ex Buese and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sehima nervosum* (Rottl.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sehima sulcatum* (Hack.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Setaria homonyma* (Steud.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Setaria intermedia* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Setaria italica (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Setaria palmifolia* (Koen.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Setaria plicata* (Lam.) Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Setaria poiretiana* (Schultes) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Setaria pumila* (Poir.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Setaria sphacelata* (Schum.) Stapf & Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Setaria verticillata* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sinarundinaria wightiana* (Nees) C.S.Chao & Renvoize and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum arundinaceum* (Desv.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum bicolor* (L.) Moench. Meth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum cernuum* Host var. *orbiculatum* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum cernuum* Host var. *trichmenorum* (C.Koch) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum conspicuum* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum coriaceum* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum dimidiatum* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum dochna* (Forssk.) Snowden var. *irungu* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum dochna* (Forssk.) Snowden var. *obovatum* (Hack.) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum durra* (Forssk.) Stapf var. *coimbatoricum* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum durra* (Forssk.) Stapf var. *mediocre* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum guineense* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum halepense* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum laxiflorum* F.M. Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum nitidum* (Vahl.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum roxburghii* Stapf var. *hians* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *subglabrescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *compactum* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *irungiforme* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *oviforme* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *rubidum* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum versicolor* Anderss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spinifex littoreus* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spodiopogon rhizophorus* (Steud.) Pilger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sporobolus capillaris* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sporobolus coromandelianus* (Retz.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sporobolus hajrae* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sporobolus indicus* (L.) R. Br. var. *diander* (Retz.) Jovet & Guedes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sporobolus indicus* (L.) R. Br. var. *fertilis* (Steudd.) Jovet & Guedes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sporobolus maderaspatanus* Bor and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sporobolus piliferus* (Trin.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sporobolus spicatus* (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sporobolus tenuissimus* (Schränk) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sporobolus tremulus* (Willd.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sporobolus virginicus* (L.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sporobolus wallichii* Munro ex Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stenotaphrum dimidiatum* (L.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Teinostachyum wightii Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Themeda cymbaria* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Themeda quadrivalvis* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Themeda tremula* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Themeda triandra* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thysanolaena maxima* (Roxb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trachys muricata* (L.) Pers ex Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tragus roxburghii* Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tripogon bromoides* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tripogon jacquemontii* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tripogon lisboae* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tripogon pungens* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tripogon wightii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tripsacum laxum* Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Triticum aestivum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Triticum dicoccum* Schubler and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Urochloa panicoides* P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vetiveria lawsonii* (Hook. f.) Blatter & Mc Cann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vetiveria zizanioides* (L.) Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vulpia bromoides* (L.) Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vulpia megalura* (Nutt.) Rydb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vulpia myuros* (L.) Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zea mays* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Zenkeria elegans Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zenkeria sebastinei* Henry & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zenkeria stapfii* Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zoysia matrella* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zoysia pungens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andropogon schoenanthus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andropogon sorghum* BROT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andropogon squarrosus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Androsace rotundifolia* HARDW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aneilema conspicuum* KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aneilema lineolatum* KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aneilema nudiflorum* BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aneilema scapiflorum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aneilema tuberosum* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anemarrhena asphodeloides* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anemone falconeri* THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anemone narcissiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anemone obtusiloba* D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anemone rivularis* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anemone rupicola* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anemone tetrasepala* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anemone vitifolia* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aneseia martinicensis* (JACQ.) CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Anethum foeniculum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Anethum graveolens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Anethum sowa KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Angelica archangelica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Angelica archangelica L. himalayana (C.B.CLARKE)BADHWAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Angelica glauca EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Angelica polymorpha MAXIM. SINENSIS OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Angelonia salicariaefolia HUMB. & BONPL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Angiopteris evecta* (FORST.) HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aniseia martinicensis* (JACQ.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anisochilus carnosus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anisochilus carnosus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anisochilus eriocephalus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anisomeles indica* (L.) O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anisomeles malabarica* R.BR. EX SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anisomeles ovata* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anisonema multiflorum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Annona cherimola* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Annona muricata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Annona reticulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Annona squamosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anodendron paniculatum* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anoectochilus regalis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Anoectochilus roxburghii BL. REGALIS (BL.) PRADHAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anoectochilus setaceus* (BLUME) LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anogeissus acuminata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anogeissus latifolia* WALL. EX. GUILL. & PERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anogeissus pendula* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anotis foetida* (DALZ.) BENTH.& HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anplectrum assamicum* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anthemis cotula* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anthemis gayana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anthemis nobilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anthemis odontostephana* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anthemis pyrethrum* GOUAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anthocephalus cadamba* MIQ.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anthocephalus chinensis* (LAM.) A.RICH. EX WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anthocephalus indicus* A. RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anthoxanthum odoratum* L. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anthriscus cerefolium* (L.) HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anthriscus sylvestris* HOFFM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anthyrium filix-femina* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Antiaris innoxia* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Antiaris saccidora* DALZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Antiaris toxicaria* (PERS.) LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anticharis glandulosa* ASCHERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Antidesma acidum RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Antidesma buniis* (L.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Antidesma diandrum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Antidesma ghaesembilla* GAERTN. FRUCT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Antidesma menasu* (TULASNE) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Antidesma zeylanicum* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Antirrhinum cymbalaria* GUELLENST EX LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Antirrhinum majus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Antirrhinum orantium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Apama siliquosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Apama tomentosa* (BL.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aphanamixis polystachya* (WALL.) PARKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aphananthe cuspidata* (BL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Apium graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Apium leptophyllum* F.MUELL. EX.BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Apilotaxis auriculata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Apluda mutica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Apluda varia* HACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Apocynum foetidum* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Apollonias arnottii* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aponogeton monostachyon* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aponogeton natans* (L.) ENGL. & KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aporusa dioica* (ROXB.) MUELL.- ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Aporosa lindleyana BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aporosa octandra* (BUCH.- HAM. EX D. DON) VICK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aquilaria agallocha* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aquilaria malaccensis* LAM., NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aquilaria ovata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aquilegia fragrans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aquilegia vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arabidopsis thaliana* (L.) HEYNH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arabidopsis wallichii* (HOOK.F.&T.) N. BUSH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arabis chinensis* ROTTLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arabis recta* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arabis tribetica* HK. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arachis hypogaea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arachne cordifolia* (DECNE) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aralia armata* SEEM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aralia cachemirica* DECNE. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aralia pseudo-ginseng* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aralia quinquefolia* DECNE. & PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aralia racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arbutus unedo* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arceuthobium minutissimum* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Archangelica himalaica* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Archangelica officinalis* HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Archidendron clypearia (JACK) NIELSEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Archidendron monadelphum* (ROXB.) NIELSEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arctium lappa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arctostaphylos uva ursi* SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ardisia colorata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ardisia humilis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ardisia odontophylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ardisia oxyphylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ardisia solanacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Areca catechu* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Areca concinna* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Areca nagensis* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Areca triandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arenaria serpyllifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arenga obtusifolia* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arenga pinnata* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arenga saccharifera* LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arenga wightii* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argemone alba* LESTIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argemone mexicana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia aggregata* (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia argentea* ARN. EX CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia cuneata* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Argyreia daltonii CLARKE IN HOOK.F. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia fulgens* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia imbricata* (ROTH) SANT. & PATEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia involucrata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia kleiniana* (ROEM.&SCHULT.) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia malabarica* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia nervosa* (BURM.F.) BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia petaloidea* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia pomacea* (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia sericea* Dalz. & Gib. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia setosa* (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia speciosa* SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aricennia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arikuryroba schizophylla* BECC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arisaema alba* N. E. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arisaema curvatum* KUNTH. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arisaema decipiens* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arisaema flavum* (FORSK.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arisaema jacquemontii* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arisaema leschenaultii* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arisaema murrayi* (GRAHAM) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arisaema speciosum* (WALL.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arisaema tortuosum* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Arisaema triphyllum SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arisaema wallichianum* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristida adscensionis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristida depressa* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristida humilis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristida setacea* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristolochia bracteata* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristolochia bracteolata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristolochia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristolochia labiosa* KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristolochia longa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristolochia reticulata* NUTTAL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristolochia rotunda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristolochia roxburghiana* KLOTZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristolochia saccata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristolochia serpentaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aristolochia tagala* CHAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Armoracia rusticana* GAERTN. MEY. & SCHERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arnebia benthamii* (WALL. EX G.DON) JOHNSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arnebia euchroma* (ROYLE) JOHN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arnebia guttata* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arnica montana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artabotrys hexapetalus* (L.F.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Artabotrys odoratissimus R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artabotrys suaveolens* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artanema longifolia* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artanema longifolium* (L.) VATAKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artanema sesamoides* (VAHL) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia abrotanum* SAVI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia absinthium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia austriaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia biennis* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia brevifolia* WALL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia capillaris* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia cina* BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia dracunculus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia gmelinii* WEBER EX. STECHM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia indica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia japonica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia macrocephala* JACQ. EX BESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia maderaspatana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia moorcroftiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia nilagirica* (CLARKE) PAMP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia pallens* WALL. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Artemisia parviflora BUCH. HAM. EX ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia persica* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia roxburghiana* BESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia sacrorum* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia scoparia* WALDST.& KIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia sieversiana* EHRH. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia vestita* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia vulgaris* AUCT.NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arthraxon nudus* (STEUD.) HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arthrocnemum indicum* MOQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arthrophyllum blumeianum* ZOLL. & MOR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artocarpus chaplasha* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artocarpus communis* J. & G. FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artocarpus gomezianus* WALL. EX TREC. zeylanicus JANET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artocarpus heterophyllus* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artocarpus hirsutus* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artocarpus integra* (THUNB.) MERRILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artocarpus integrifolia* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artocarpus lakoocha* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arum campanulatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arum colocasia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arum macrorhizon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arum numphaeifolium* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Aruncus dioicus (WALTER) FERNALD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arundina graminifolia* (D.DON) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arundinella nepalensis* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arundo donax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arundo karka* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asagraea officinalis* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asarum europaeum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asclepias asthmatica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asclepias curassavica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asclepias gigantea* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asclepias lactifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asclepias proliferata* ROTTLE EX W. AINSLIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asclepias volubilis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asclepias vomitoria* KOEN. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asechynanthus gracilis* PARISH EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aspalathus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aspalathus linearis* (BURM.F.) R. DAHLGR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asparagus adscendens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asparagus curillus* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asparagus filicinus* BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asparagus gonoclados* BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asparagus laevis* STEND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asparagus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Asparagus punjabensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asparagus racemosus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asparagus rotteri* BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asparagus sarmentosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asperugo procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asphodelus fistulosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asphodelus tenuifolius* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aspidium polymorphum* (WALL.); BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asplenium adiantoides* (L.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asplenium adiantum-nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asplenium alternans* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asplenium ceterach* L. ceterach Khullar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asplenium dalhousiae* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asplenium falcatum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asplenium furcatum* THUMB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asplenium laciniatum* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asplenium nidus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asplenium parasiticum* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asplenium polyodon* G. FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asplenium ruta-muraria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asplenium septentrionale* HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asplenium trichomanes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asplenium viride* HUDSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Aster amellus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aster asteroides* (DC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aster falconeri* HUTCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aster indamellus* GRIERSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aster tibeticus* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aster trinervius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asteracantha longifolia* (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asteriastigma macrocarpa* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Astilbe rivularis* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Astraeus hygrometricus* (PERS.) MORG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Astragalus aegacanthoides* PARKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Astragalus candolleanus* ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Astragalus ciliolatus* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Astragalus graveolens* BUCH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Astragalus hamosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Astragalus heratensis* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Astragalus himalayanus* KLOTZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Astragalus jacquemontii* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Astragalus multiceps* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Astragalus munori* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Astragalus nivalis* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Astragalus polyacanthus* ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Astragalus psilocentrus* FISCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Astragalus rhizanthus ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Astragalus sarcocolla* DYMOCK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Astragalus strobiliferus* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Astragalus tribuloides* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Astragalus verus* OSKIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asystasia coromandeliana* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asystasia dalzelliana* SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asystasia gangetica* (L.) T. ANDERSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asystasia violacea* DALZ. EX CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Atalantia monophylla* CORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Atalantia racemosa* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Athyrium filix-femina* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Athyrium hohenackerianum* BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Athyrium puncticaule* (BL.) MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Athyrium schimperi* (FEE) MOUG. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Atriplex hortensis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Atropa acuminata* ROYLE EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Atropa belladonna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Atylosia barbata* (BENTH.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Atylosia candollei* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Atylosia goensis* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Atylosia lineata* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Atylosia mollis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Atylosia platycarpa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Atylosia scarabeoides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Atylosia volubilis* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Auricularia sambucina* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Avena fatua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Avena sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Averrhoa acida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Averrhoa bilimbi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Averrhoa carambola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Avicennia alba* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Avicennia marina* (FORSK.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Avicennia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Avicennia tomentosa* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Azanza lampas* (CAV.) ALEF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Azima tetraantha* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Baccaurea ramiflora* LOUR. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Balanites aegyptiaca* (L.) DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Balanites roxburghii* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Balanocarpus utilis* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Balanophora dioica* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Balanophora fungosa* J.R. & G. FORST. indica (ARN.) Hans. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Balanophora involucrata* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Balanophora polyandra* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Baliospermum axillare BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Baliospermum calycinum MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Baliospermum montanum (WILLD.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Baliospermum sinuatum MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Baliospermum solanifolium (J.BURM.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Balsamodendron agallocha WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Balsamodendron kataf KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Balsamodendron mukul HOOK. EX STOCKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Balsamodendron myrrha* N.& E. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Balsamodendron stocksiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bambusa arundinacea* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bambusa balcooa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bambusa bambos* DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bambusa nana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bambusa nutans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bambusa oSkiniana* GAMBLE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bambusa tulda* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bambusa vulgaris* SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barbarea vulgaris* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria acanthoides* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria acuminata* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria buxifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria courtallica* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Barleria cristata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Barleria cuspidata HEYNE EX. NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Barleria dichotoma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Barleria involucrata NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Barleria longiflora L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Barleria longifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Barleria lupulina LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Barleria montana NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria mysorensis* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria noctiflora* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria prattensis* SANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria prionitis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria strigosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barringtonia acutangula* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barringtonia asiatica* (L.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barringtonia racemosa* (L.) K.SPENG. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barringtonia speciosa* FORST. CHAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Basella alba* L. rubra (L.) STEWART and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Basella alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Basella cordifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Basella rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Basilicum polystachyon* (L.) MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bassia butyracea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Bassia latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bassia longifolia* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bassia malabarica* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia acuminata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia candida* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia diphylla* BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia macrostachya* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia malabarica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia phoenicea* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia phoenicea* HEYNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia racemosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia retusa* HAM. EX. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia roxburghiana* VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia rufescens* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia scandens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia tenuiflora* WATT EX CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia vahlii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia wallichii* MACBRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Begonia cathcartii* J.D. HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Begonia hatacoa* BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Begonia inflata C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Begonia josephii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Begonia laciniata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Begonia luxurians* SCHEIDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Begonia malabarica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Begonia palmata* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Begonia picta* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Begonia rex* PUTZEYS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Begonia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Begonia rubro-venia* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Begonia thomsonii* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *NripaticmKalam chinensis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Benincasa cerifera* SAVI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Benincasa hispida* (THUNB.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Benkara malabarica* (LAM.) TIRVENGADUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bentinckia condapanna* BERRY EX ROXB. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Berberis aristata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Berberis asiatica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Berberis chitria* EDWARDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Berberis insignis* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Berberis jaeschkeana* SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Berberis kashmiriana* AHRENDT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Berberis kumaoensis* SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Berberis lamberti PARKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Berberis lycium* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Berberis nepalensis* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Berberis pachyacantha* JAFRI *zabeliana* JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Berberis petiolaris* WALL. EX G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Berberis pseudumbellata* PARKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Berberis tinctoria* LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Berberis ulicina* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Berberis umbellata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Berberis vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Berberis wallichiana* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Berchemia lineata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bergenia ciliata* (HOW.) STERN. fa ligulata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bergenia ciliata* (HOW.) STERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bergenia ligulata* SENSU BAILEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bergenia purpurascens* (HOOK.F. & TH.) and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bergenia stracheyi* (HOOK.F.& THOMS.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bergera koenigii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bergia capensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bergia odorata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bergia suffruticosa* (DEL.) FENZL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Beta benghalensis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Beta maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Beta vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Betula alnoides BUCH.-HAM. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Betula bhojpatra WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Betula utilis DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Bidens biternata (LOUR.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Bidens cernua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Bidens pilosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Bidens tripartita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Biebersteinia odora* STEPH. EX FISH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bignonia chelonoides* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bignonia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bigonia longifolia* (WILLD.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Biophytum apodisciac* TUREZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Biophytum candolleanum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Biophytum nervifolium* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Biophytum petersianum* KLOTZ and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Biophytum reinwardtii* (ZUCC.) KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Biophytum sensitivum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bischofia javanica* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bistorta amplexicaulis* GREENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bixa orellana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blastania garcini* COG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blechnum orientale* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Blechnum spicant (L.) WITH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blepharis boerhaviifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blepharis edulis* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blepharis linariaefolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blepharis maderaspatensis* (L.) ROTH. *maderaspatensis* NAPPER *maderaspatensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blepharis persica* (BURM.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blepharispermum subsessile* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blepharistemma serratum* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blighia sapida* KOEN. & SIMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea aurita* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea balsamifera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea densiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea erientha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea fistulosa* (ROXB.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea hieracifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea lacera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea laciniata* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea lanceolaria* (ROXB.) DRUCE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea membranacea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea mollis* (D.DON) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea myriocephala* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea obliqua* DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea oxyodonta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Blumea pubigeru (L.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea riparia* (BLUME) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea sessiliflora* DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea wightiana* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumeopsis falcata* (D.DON) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumeopsis flava* (DC.) GAGNEP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blyxa octandra* (ROXB.) PLANCH.EX.THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bocagea dalzellii* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boehmeria macrophylla* HORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boehmeria nivea* (L.) GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boehmeria repens* NEES & MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boenninghauseni albiflora* (HK.) REICHB. EX MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boenninghausenia albiflora* (HOOK. F.) REICHB. EX MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boerhavia chinensis* (L.) ASCH. & SCHW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boerhavia diffusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boerhavia erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boerhavia repKalam* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boerhavia repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boerhavia verticillata* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boesenbergia rotunda* (L.) MANSF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bolbitis subcrenata* (HOOK. & GREV.) CHING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boletus crocatus* BATSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bombax ceiba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Bombax cibaricum DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bombax insigne* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bombax malabaricum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bombax pentandrum* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bongardia chrysogonum* (L.) SPACH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bongardia rauwolfii* C.A.MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bonnaya oppositifolia* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bonnaya reptans* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Borago officinalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Borassus flabellifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Borassus flabelliformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Borreria articularis* (L.F.) WILLIAMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Borreria hispida* (L.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Borreria pusilla* (WALL) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bosea amherstiana* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boswellia carteri* BIRDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boswellia frereana* BIRDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boswellia glabra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boswellia ovalifoliolata* BAL & HENRY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boswellia serrata* ROXB. *glabra* (ROXB.) BENNETT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boswellia serrata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boswellia thurifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bothriochloa odorata* (LISBOA) A. CAMUS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Botrychium lunaria (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Botrychium ternatum* (THUNB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Botrychium virginianum* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boucerosia aucheriana* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bougainvillea spectabilis* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brachiaria eruciformis* (J.E.SMITH) GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brachiaria ramosa* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brachiaria reptans* (L.) C.A. GARDNER & C.E. HUBBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brachyaetis roylei* WEND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bragantia tomentosa* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bragantia wallichii* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brasenia sachreberi* J.F. GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brasenia schreberi* J.F. GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brassaiopsis glomerulata* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brassica alba* (L.) RABENH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brassica campestris* L. *dichotoma* (ROXB.) WATT. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brassica campestris* L. *glauc*a and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brassica campestris* L. *rapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brassica campestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brassica cernua* (THUNB.) FORBES & HEMSLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brassica integrifolia* (WEST) SCHULZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brassica juncea* (L.) CZERN. *integrifolia* (WEST) SINSKAJA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brassica juncea* (L.) CZERN. SSP. *JUNCEA* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Brassica napus L. *dichotoma* (ROXB.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brassica napus* L. *glauca* (ROXB.) SCHULZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brassica nigra* (L.) KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brassica nigra* (L.) KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brassica oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brassica oleracea* L. *capitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brassica oleracea* L. *gongylodes* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brassica rapa* L. *campestris* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brassica tournefortii* GOUAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Breera arvensis* (L.) LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bremekampia verticillata* (ROXB.) SREEMADHAVAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Breynia patens* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Breynia retusa* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Breynia rhamnoides* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Breynia vitis-idaea* (BURM.F.) FISCHER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bridelia crenulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bridelia montana* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bridelia retusa* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bridelia scandens* (ROXB.) WILLD, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bridelia squamosa* (LAM.) GEHRM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bridelia stipularis* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bridelia tomentosa* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bromelia ananas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Bromus unioloides H.B.N.NOV. GEN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Broussonetia papyrifera* (L.) VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brucea javanica* (L.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brucea mollis* WALL. EX KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bruguiera cylindrica* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bruguiera gymnorrhiza* (L.) SOVIGY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brunfelsia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brunfelsia calycina* BENTH. MACRANTHA RAFFILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bruxanellia indica* DENNST. EX KOSTEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bryonia epigoea* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bryonia grandis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bryonia laciniata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bryonia rostrata* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bryonia scabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bryonia umbellata* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bryonopsis laciniata* NAUD. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bryophyllum calicynum* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bryophyllum pinnatum* (LAM.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bryum bicolor* DICKSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Buchanania angustifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Buchanania axillaris* (DESR.) RAMAMOORTHY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Buchanania angustifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Buchanania latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Buddleja asiatica LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Buddleja davidii* FRANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Buddleja macrostachys* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Buddleja neemda* HAM. EX ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Buettneria herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bulbophyllum congestum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bulbophyllum neilgherrense* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bulbophyllum sterile* (LAM.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bulbostylis barbata* (ROTTB.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bunium persicum* (BOISS.) FEDT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bupleurum falcatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bupleurum jucundum* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bupleurum lanceolatum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bupleurum longicaule* WALL. EX DC. *himalayense* (KI.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bupleurum setaceum* FENZL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bupleurum thompsoni* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bursera serrata* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Butea buteiformis* (VOIGT) GRIERSON & LONG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Butea frondosa* ROXB. ET KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Butea monosperma* (LAM.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Butea parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Butea superba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Butia yatay* (MART.) BECC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Buxus sempervirens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Buxus wallichiana* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Byttneria Kalammanensis* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Byttneria herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Byttneria pilosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cacalia kleinia* HERB. MADR. EX. C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cacalia pentaloba* HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cacalia sonchifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caccinia crassifolia* O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cachrys pabularia* (LINDL.) HERRNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cactus ficus-indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cadaba farinosa* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cadaba fruticosa* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cadaba indica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cadaba trifoliata* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caesalpinia bonduc* (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caesalpinia bonducella* (L.) FLEMING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caesalpinia coriaria* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caesalpinia crista* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caesalpinia cuculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caesalpinia decapetala* (ROTH) ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caesalpinia digyna* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caesalpinia jayabo* NAZA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Caesalpinia mimosoides LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caesalpinia nuga* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caesalpinia paniculata* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caesalpinia pulcherrima* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caesalpinia sappan* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caesalpinia sepiaria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caesalpinia spicata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caesulia axillaris* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cajanus bicolor* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cajanus cajan* (L.) MILLSP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cajanus indicus* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calacanthus grandiflorus* (DALZ.) RADLK.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caladium bicolor* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caladium sagittaeifolium* SUBER. EX ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calamintha clinopodium* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calamintha umbrosa* FISH. & MEY. NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calamus draco* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calamus erectus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calamus extensus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calamus huegelianus* MART, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calamus latifolius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calamus rheedei* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calamus rotang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Calamus tenuis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calamus thwaitesii* BECC. canaranus Becc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calamus travancoricus* BEDD. EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calamus viminalis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calanthe masuca* (D.DON) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calanthe sylvatica* (THOU.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calanthe triplicata* (WILLEM.) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calanthe veratrifolia* (WILLD.) KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calendula arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calendula officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Callicarpa arborea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Callicarpa cana* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Callicarpa lanata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Callicarpa longifolia* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Callicarpa macrophylla* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Callicarpa psilocalyx* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Callicarpa rubella* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Callicarpa tomentosa* (L.) MURRAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calligonum polygonoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Callistemon lanceolatus* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Callitris inophyllum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calonyction bona-nox* BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calonyction muricatum* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Calophyllum apetalum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calophyllum calaba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calophyllum elatum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calophyllum inophyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calosanthus indica* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calotropis gigantea* (L.) R.BR. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calotropis gigantea* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calotropis procera* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caltha alba* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caltha palustris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calvatia cyathiformis* (BOSC.) MORGAN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calycopteris floribunda* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calyptanthus caryophyllifolia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calyptanthus jambolana* MOON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Camellia kissi* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Camellia sinensis* (L.) O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Camellia thea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Campanula colorata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Camphora officinarum* NEES. EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Campsis grandiflora* (THUNB.)SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Campsis radicans* (LINN.) SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cananga odorata* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canangium odoratum* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Canarium bengalense ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Canarium commune L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Canarium euphyllum KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Canarium resiniferum BRUCE EX KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Canarium strictum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Canarium vulgare LEENH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Canavalia ensiformis SENSU BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Canavalia gladiata (JACQ.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canavalia lineata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canavalia rosea* (SW.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canavalia virosa* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canella alba* Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canella winterana* (L.) GAERTNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canna coccinea* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canna indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canna orientalis* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cannabis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cannabis sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canscora andrographioides* GRIFF. EX C. B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canscora decussata* SCHULTES & SCHULTES.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canscora diffusa* (VAHL) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canscora perfoliata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cansjera rheedii* J.F. GMELIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Canthium angustifolium ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canthium coromandelicum* (N.BURM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canthium dicoccum* (GAERTN.) TEIJSM. & BINN. *dicoccum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canthium parviflorum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canthium rheedei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canthium umbellatum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caoxylon indicum* (BL.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis aphylla* ROTH. NOV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis assamica* HK. F. & TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis bisperma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis corundas* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis decidua* (FORSK.) EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis diffusa* RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis divaricata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis grandis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis heyneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis horrida* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis micrantha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis moonii* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis olacifolia* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis pedunculosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis rheedii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Capparis sepiaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capsella bursa-pastoris* MEDIC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capsella thomsoni* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capsicum annuum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capsicum festigiatum* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capsicum frutescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capsicum grossum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capsicum minimum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caragana crassicaulis* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caragana cuneata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caragana pygmaea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carallia brachiata* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carallia integerrima* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caralluma adscendens* (ROXB.) HAW. NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caralluma attenuata* WT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caralluma edulis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caralluma tuberculata* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caralluma umbellata* HAW. SYN. PL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carapa granatum* (KOENIG) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carapa gromatum* (KOENIG) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carapa moluccensis* LAM. EXCYCL. METH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Carapa obovata BL. BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cardamine impatiens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cardamine loxostemonoides* O.E. SCHULZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cardamine pratensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cardamine scutata* THUNB. *flexuosa* (WITH.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cardanthera uliginosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cardaria draba* (L.) DESV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cardiocrinum giganteum* (WALL.) MAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cardiospermum canescens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cardiospermum halicacabum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carduus edelbergii* RECH.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carduus gigas* UCRIA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carduus nutans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex atrata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex cernua* BOOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex nivalis* BOOTT NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex notha* KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carex nubigena* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Careya arborea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Careya herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carica cKalammarcensis* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carica papaya* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carissa carKalams* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Carissa congesta WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carissa opaca* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carissa paucinervia* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carissa spinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carmona microphylla* (LAM.) G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carmona retusa* (VAHL) MASAMUNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carpesium abrotanoides* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carpesium cernuum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carpopogon pruriens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carthamus lanatus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carthamus oxyacantha* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carthamus tinctorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carum bulbocastanum* Auct. Non Koch: C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carum carvi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carum copticum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carum roxburghianum* KURZ. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carum strictocarpum* C.B.CLARK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caryophyllus aromaticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caryopteris odorata* ROBIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caryota mitis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caryota urens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *CascaNripati thevetia* (L.) LIPPOLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Casearia elliptica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Casearia esculenta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Casearia esculenta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Casearia graveolens* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Casearia grewiaefolia* VENT. *deglabrata* KOORD. & VAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Casearia ovata* (LAM.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Casearia tomentosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Casearia vareca* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Casearia zeylanica* (GAERTN.) RHW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia absus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia acutifolia* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia alata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia angustifolia* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia arborea* MACFAD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia auriculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia didymobotrya* FRESEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia elongata* LEMAIRE - LIS and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia fistula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia fistula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia glauca* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia italica* (MILL.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia javanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia kleinii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cassia laevigata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia lanceolata* COLLAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia marginata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia mimosoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia montana* HEYNE EX. ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia obovata* COLLOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia obtusifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia occidentalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia pumila* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia senna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia siamea* LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia sophera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia surattensis* BRUN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia tora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia uniflora* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassine glauca* (ROTTB.) O.KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassiope fastigiata* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassytha filiformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Castanea sativa* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Castanopsis indica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Castanopsis tribuloides* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Castanospermum australe* A. CUNN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Casuarina equisetifolia FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Catha edulis FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Catharanthus pusillus (MURR.) G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Catharanthus roseus (L.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Catimbium malaccense (BURM.F.) HOLTTUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Catimbium speciosum (WENDL.) HOLTTUM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Catunaregam rugulosa (THW.) TIRUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Catunaregam uliginosa (RETZ.) SIVARAJAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Catunaregum spinosa* (THUNB.) TIRVENGADUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caulophyllum thalictroides* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cayratia auriculata* (ROXB.) GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cayratia carnososa* (WALL.) GAGNEP. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cayratia mollissima* (WALL.) GAGNEP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cayratia pedata* (LAM.) JUSS. EX GAGNEP. glabra GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cayratia pedata* JUSS. EX GAGNEPAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cayratia trifolia* (L.) DOMIN and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cedrela serrata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cedrela toona* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cedrus deodara* (ROXB.) LOUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cedrus libani* BARREL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cedrus libani* BARREL deodara HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceiba pentandra* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Celastrus paniculatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Celosia argentea L. *cristata* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Celosia argentea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Celosia cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Celosia cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Celsia coromandeliana* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Celtis australis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Celtis cinnamomea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Celtis orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Celtis philippensis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Celtis tetrandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Celtis timorensis* SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Celtis wightii* PLANCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cenchrus barbatus* SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cenchrus biflorus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cenchrus ciliaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Centaurea behen* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Centaurea calcitrapa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Centaurea cyanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Centaurea iberica* TREV. EX SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Centaurea picris* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Centaurea solstitialis* ASSO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Centaureum centaurioides* (ROXB.) ROLLA RAO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Centaureum roxburghii* (G.DON) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Centella asiatica (L.) URBAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Centipeda minima* (L.) A.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Centipeda orbicularis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Centranthera grandiflora* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Centranthera indica* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Centrathium anthelminticum* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Centrosema pubescens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Centrostachys aquatica* (R.BR.) WALL. EX MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cepa alba* RENAULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cepa flava* MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cephaelis ipecacuanha* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cephalandra indica* NAUDIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cephalanthera ensifolia* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cephalanthera longifolia* (L.) FRITZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cephalostachyum capitatum* MUNRO NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cephalostachyum pergracile* MUNRO. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cephalotaxus griffithi* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cerastium cerastoides* (L.) BRITH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cerastium fontanum* BAUMG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cerastium glomeratum* THUILL.FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cerastium indicum* THUILL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cerastium thomsoni* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cerastium vulgatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cerasus hexagonus MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceratocephalus falcatus* (L.) PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceratonia siliqua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceratophyllum demersum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceratopteris siliquosa* COPELAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceratopteris thalictroides* (L.) BRONGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cerbera manghas* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cerbera odollam* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cereus grandiflorus* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceriops candolleana* ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceriops roxburghiana* ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceriops tagal* C.B. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceriscoides turgida* (ROXB.) TIRUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia bulbosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia candelabrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia hirsuta* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia juncea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia tuberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cestrum diurnum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cestrum nocturnum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cestrum parqui* L'HERIT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceterach officinarum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chaerophyllum acuminatum* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Chaerophyllum villosum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chamaemelum nobile* (L.) ALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chamaerops ritchieana* GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Champereia griffithii* PLANCH. EX KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Champereia manillana* (BL.) MORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chasallia chartacea* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chassalia chartacea* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chassalia chartacea* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chassalia curviflora* (WALL. EX KURZ) THW. *ophioxyloides* (WALL.) DEB & KRISHNA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chassalia ophioxyloides* (WALL.) CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chavica betle* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chavica roxburghii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cheilanthes albomarginata* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cheilanthes farinosa* (FORST.) KAULF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cheilanthes fragrans* (L.F.) SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cheilanthes rufa* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cheilanthes tenuifolia* (N.BURM.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cheiranthus cheiri* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chenopodium album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chenopodium ambrosioides* BERT. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chenopodium blitum* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chenopodium botrys* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chenopodium murale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Chesneya nubigena (D.DON)ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysanthemum segetum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cichorium endivia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cichorium intybus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cirsium wallichii* DC. var. *wightii* (Hook.f.) Vivek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cissampelopsis ansteadii* (Tad. & Jacob) C. Jeffrey & Y.L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cissampelopsis corymbosa* (DC.) C. Jeffrey & Y. L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cissampelopsis walkeri* (Arn.) C. Jeffrey & Y. L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Conyza aegyptiaca* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Conyza bonariensis* (L.) Cronquist and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Conyza japonica* (Thunb.) Less. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Conyza leucantha* (D.Don) Ludlow & Raven and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Conyza stricta* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coreopsis grandiflora* Nutt. ex Chapm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coreopsis tinctoria* Nutt var. *tinctoria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coreopsis tinctoria* Nutt var. *atkinsoniana* (Douglas) H. M. Parker and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cosmos caudatus* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cosmos sulphureus* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cotula australis* (Sieb. ex Spreng.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crassocephalum crepidioides* (Benth.) S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyathocline purpurea* (Ham. ex D.Don) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dahlia coccinea* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dahlia imperialis* Roezel ex E. Ortgies and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Dendranthema x grandiflorum (Ramat.) Kitam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dichrocephala chrysanthemifolia* (Blume) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dichrocephala integrifolia* (L.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dicoma tomentosa* Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Echinops echinatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eclipta prostrata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elephantopus scaber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Emilia coccinea* (Sims) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Emilia javanica* (Burm.f.) C. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Emilia ramulosa* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Emilia scabra* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Emilia sonchifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Emilia zeylanica* Clarke var. *zeylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Emilia zeylanica* Clarke var. *paludosa* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Epaltes divaricata* (L.) Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Epaltes pygmaea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erigeron alpinus* L. var. *wightii* (DC.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erigeron canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erigeron karvinskianus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erigeron multiradiatus* (DC.) C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erigeron sublyratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eupatorium ianthinum* Hemsl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eupatorium repandum* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Filago arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flaveria contrayerba* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flaveria trinervia* (Spreng.) C. Mohr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gaillardia pulchella* Foug. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Galinsoga parviflora* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Galinsoga quadriradiata* Ruiz. & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gamochaeta coarctata* (Willd.) M. Kerguelen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gamochaeta pensylvanica* (Willd.) Cavrera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gamochaeta purpurea* (L.) Cavrera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gazania linearis* (Thunb.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gerbera jamesonii* Bolus ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glossocardia bosvallea* (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glossogyne bidens* (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gnaphalium hypoleucum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gnaphalium luteo-album* L. subsp. *luteo-album* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gnaphalium luteo-album* L. subsp. *affine* (D. Don.) Koster and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gnaphalium polycaulon* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Goniocaulon indicum* (Klein ex Willd.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grangea maderaspatana* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Guizotia abyssinica* (L.f.) Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gynura aurantiaca* (Blume) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gynura bicolor* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gynura lycopersicifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Gynura nitida DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gynura pseudo-china* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gynura travancorica* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Helianthus annuus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Helianthus debilis* Nutt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Helianthus tuberosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Helichrysum buddleioides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Helichrysum perlanigerum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Helichrysum wightii* Clarke ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Helipterum citrinum* Harv. & Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Helipterum roseum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypochoeris glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypochoeris radicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kleinia grandiflora* (Wall. ex DC.) Rani and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lactuca hastata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lactuca sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lagascea mollis* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Laggera crispata* (Vahl) Hepper & Wood and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Launaea acaulis* (Roxb.) Babc. ex Kerr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Launaea intybacea* (Jacq.) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Launaea procumbens* (Roxb.) Ramayya & Rajagopal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Launaea sarmentosa* (Willd.) Sch.-Bip. ex Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucanthemum x superbum* (J.W. Ingram) D. H. Kent and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Montanoa bipinnatifida C. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Moonia heterophylla* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myriactis wightii* DC. var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myriactis wightii* DC. var. *bellidioides* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Notonia shevaroyensis* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Notonia walkeri* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Olearia cassiniae* F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oligochaeta ramosa* (Roxb.) Wagenitz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osteospermum ecklonis* (DC.) Norl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osteospermum moniliferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parthenium hysterophorus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pentanema cernuum* (Dalzell) Ling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pentanema indicum* (L.) Ling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllocephalum courtallense* (Wight) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllocephalum indicum* (Less.) Kirkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllocephalum phyllolaenum* (DC.) Narayana and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllocephalum rangacharii* (Gamble) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllocephalum scabridum* (DC.) Kirkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllocephalum sengaltherianum* (Narayana) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Picris hieracioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pluchea tomentosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Proustia pyrifolia* Lagasca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psiadia ceylanica* (Arn.) Grierson var. *ceylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Psiadia ceylanica (Arn.) Grierson var. *beddomei* (Gamble) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pulicaria angustifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pulicaria wightiana* (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rudbeckia maxima* Nutt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Santolina chamaecyparissus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sclerocarpus africanus* Jacq.ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio ansteadii* Tad. & Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio articulatus* (Haw.) Sch.-Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio calcadensis* Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio candicans* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio cineraria* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio confusus* Elmer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio edgeworthii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio hohenackeri* Hook.f. var. *hohenackeri* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio hohenackeri* Hook.f. var. *rupestris* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio intermedius* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio kundaicus* Fishcher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio lavandulaefolius* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio lessingianus* (Wight & Arn.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio ludens* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio neelgherryanus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio polycephalus* (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Senecio tenuifolius Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio wightii* (DC.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio zeylanicus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sigesbeckia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Silybum marianum* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solidago canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solidago gigantea* Aiton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solidago microglossa* Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solidago nemoralis* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solidago virga-aurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonchus asper* (L.) Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonchus jainii* Chandrabose, Chandrasekaran & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonchus oleraceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonchus wightianus* DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sphaeranthus africanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sphaeranthus amaranthoides* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sphaeranthus indicus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spilanthes calva* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spilanthes radicans* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spilanthes uliginosa* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stokesia laevis* (Hill) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Struchium sparganophorum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Synedrella nodiflora (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tagetes erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tagetes lucida* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tagetes minuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tagetes patula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tanacetum parthenium* (L.) Sch. bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Taraxacum javanicum* Soest and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Taraxacum officinale* Weber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tanacetum cinerariaefolium* Sch.Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tithonia diversifolia* (Hemsl.) A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tricholepis radicans* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tridax procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Verbesina encelioides* (Cav.) Benth. & Hook.f. ex A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia albicans* Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia anamallica* Bedd. ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia anthelmintica* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia arborea* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia bourneana* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia cinerascens* Sch.-Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia cinerea* (L.) Less. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia comorinensis* W.W.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia conyzoides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Vernonia dalzelliana Drumm. & Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia divergens* (Roxb.) Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia elaeagnifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia fysonii* Calder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia gossypina* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia heynei* Bedd. ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia indica* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia malabarica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia membranacea* Bedd. ex S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia monosis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia pectiniformis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia peninsularis* (Clarke) Clarke ex Hook.f. var. *peninsularis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia peninsularis* (Clarke) Clarke ex Hook.f. var. *kodayarensis* Henry & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia pothigaiana* Chelladurai & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia ramaswamii* Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia recurva* Bedd. ex S. Moore and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia saligna* DC. var. *nilghirensis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia salvifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia setigera* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia shevaroyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia travancorica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vittadinia australis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wedelia chinensis* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Wedelia trilobata (L.)A. Hitchi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Wedelia urticaefolia (Blume) DC. var. urticaefolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Wedelia urticaefolia (Blume) DC. var. wightii DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Xanthium indicum Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Youngia fuscipappa Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Youngia japonica (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Youngia nilgiriensis Babc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Zinnia elegans Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scaevola plumieri* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scaevola sericea* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asyneuma fulgens* (Wall.) Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Campanula alphonсии* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Campanula benthamii* Wall. ex Kitam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Campanula drabifolia* Sibth. & Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Campanula latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Campanula medium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Campanula ramulosa* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Campanula rapunculoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Campanula wightii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Laurentia longiflora* (L.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wahlenbergia erecta* (Roth ex Schultes) Tuyn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wahlenbergia flexuosa* (Hook.f. & Thoms.) Thulin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wahlenbergia marginata* (Thunb.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Lobelia alsinoides Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lobelia angulata* Forst.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lobelia chinensis* Lour and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lobelia courtallensis* K.K.N.Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lobelia heyneana* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lobelia leschenaultiana* (Presl) Skottsb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lobelia nicotianifolia* Roth ex Schultes var. *nicotianifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lobelia nicotianifolia* Roth ex Schultes var. *trichandra* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sphenoclea zeylanica* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vaccinium leschenaultii* Wight var. *leschenaultii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vaccinium leschenaultii* Wight var. *pubescens* S.M. Rajendran, S.C. Agarwal & H.N. Verma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vaccinium leschenaultii* Wight var. *rotundifolia* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vaccinium leschenaultii* Wight var. *zeylanica* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vaccinium neilgherrense* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arbutus unedo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calluna vulgaris* (L.) Hull and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erica arborea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erica vagans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gaultheria fragrantissima* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhododendron arboreum* J.E. Smith subsp. *nilagirium* (Zenk.) Tagg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhododendron indicum* (L.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhododendron mucronatum* G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhododendron ponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Rhododendron simsii Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clethra arborea* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limonium sinuatum* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plumbago auriculata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plumbago indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plumbago zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anagallis arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anagallis pumila* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lysimachia candida* Lindl. subsp. *obovata* (Buch.-Ham.ex Hook.f.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lysimachia leschenaultii* Duby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lysimachia procumbens* Baudo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aegiceras corniculatus* (L.) Blanco and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Antistrophe serratifolia* (Bedd.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ardisia amplexicaulis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ardisia blatteri* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ardisia littoralis* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ardisia missionis* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ardisia paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ardisia pauciflora* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ardisia rhomboidea* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ardisia solanacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ardisia sonchifolia* Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Embelia adnata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Embelia basaal (Roem. & Schultes) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Embelia gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Embelia ribes* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Embelia tsjeriam-cottam* (Roem. & Schultes) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maesa indica* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myrsine wightiana* Wall. ex. A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rapanea capitellata* (Wall.) Mez var. *capitellata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rapanea capitellata* (Wall.) Mez var. *sessilis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rapanea daphnoides* Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rapanea thwaitesii* Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jacquinia barbasco* (Loefl.) Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jacquinia aculeata* Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysophyllum cainito* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysophyllum roxburghii* G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isonandra lanceolata* Wight forma *lanceolata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isonandra lanceolata* Wight forma *anfractuosa* (Clarke) Jeuken and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isonandra montana* (Thw.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isonandra perrottetiana* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isonandra stocksii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Madhuca indica* J. F. Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Madhuca longifolia* (Koen.) Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Madhuca neriifolia* (Moon) H.J. Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Manilkara hexandra* (Roxb.) Dubard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Manilkara roxburghiana (Wight) Dubard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Manilkara zapota* (L.) P. Royen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimusops elengi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Palaquium bourdillonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Palaquium ellipticum* (Dalz.) Baillon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xantolis tomentosa* (Roxb.) Rafin. var. *tomentosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xantolis tomentosa* (Roxb.) Rafin. var. *elengioides* (A.DC.) Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros affinis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros assimilis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros barberi* Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros bourdillonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros buxifolia* (Blume) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros candolleana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros chloroxylon* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros cordifolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros ebenum* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros ferrea* (Willd.) Bakh. var. *buxifolia* (Rottb.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros ferrea* (Willd.) Bakh. var. *neilgherrensis* (Wight) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros foliolosa* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros humilis* Bourd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros insignis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros malabarica* (Desr.) Kostel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros melanoxylon* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Diospyros montana Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros nigresens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros nilgirica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros oocarpa* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros paniculata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros pruriens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros racemosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros sylvatica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros walkeri* (Wight) Guerke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos anamallayana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos authilingomii* Henry & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos cochinchinensis* (Lour.) Moore subsp. *laurina* (Retz.) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos foliosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos macrocarpa* Wight ex Clarke subsp. *macrocarpa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos macrocarpa* Wight ex Clarke subsp. *kanarana* (Talbot) Nooteb. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos macrophylla* Wall. ex A.DC. subsp. *macrophylla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos macrophylla* Wall. ex A.DC. subsp. *microphylla* (Wight) Nootb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos macrophylla* Wall. ex A.DC. subsp. *rosea* (Bedd.) Nootb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos monantha* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos nairii* Henry, Gopalan & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos obtusa* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos oligandra* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Symplocos pendula Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos pulchra* Wight subsp. *pulchra* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos pulchra* Wight subsp. *coriacea* Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos racemosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos wynadense* (Kuntze) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chionanthus leprocarpa* Thw. var. *courtallensis* (Bedd.) K.K.N. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chionanthus linocieroides* (Wight) Bennet & Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chionanthus macrophylla* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chionanthus mala-elengi* (Dennst.) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chionanthus ramiflorus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chionanthus zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum angustifolium* (L.) Willd. var. *angustifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum angustifolium* (L.) Willd. var. *sessiliflorum* (Vahl) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum arborescens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum auriculatum* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum azoricum* L. var. *azoricum* and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum azoricum* L. var. *travancorensis* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum bignoniaceum* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum brevifolium* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum calophyllum* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum cordifolium* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum cuspidatum* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum grandiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Jasminum malabaricum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum mesnyi* Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum multiflorum* (Burm.f.) Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum polyanthum* Franch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum ritchiei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum rottlerianum* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum sambac* (L.) Ait. var. *sambac* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum sambac* (L.) Ait. var. *heyneanum* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum scandens* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum trichotomum* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ligustrum decaisnei* Clarke var. *decaisnei* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ligustrum decaisnei* Clarke var. *microphylla* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ligustrum gamblei* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ligustrum lucidum* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ligustrum perrottetii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ligustrum robustum* (Roxb.) Blume subsp. *walkeri* (Decne.) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ligustrum travancoricum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myxopyrum serratum* A.W. Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Olea dioica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Olea paniculata* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Olea polygama* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Schrebera swietenoides Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nyctanthes arbor-tristis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Azima tetracantha* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvadora persica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adenium obesum* Roem & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aganosma cymosa* (Roxb.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aganosma dichotoma* (Roth) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *AllamKalam cathartica* L. var. *nobilis* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *AllamKalam violacea* Gardn. & Field and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alstonia scholaris* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alstonia venenata* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anodendron paniculatum* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Beaumontia grandiflora* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Beaumontia jerdoniana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carissa carKalams* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carissa congesta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carissa grandiflora* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carissa hirsuta* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carissa inermis* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carissa paucinervia* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carissa salicina* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carissa spinarum* L. var. *spinarum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Catharanthus pusillus* (Murr.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Catharanthus roseus (L.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cerbera odollam* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chonemorpha fragrans* (Moon) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ellertonia rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Funtumia africana* (Benth.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Holarrhena pubescens* (Buch. - Ham) Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hunteria zeylanica* (Retz.) Gard. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ichnocarpus frutescens* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kopsia fruticosa* (Ker-Gawl.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mandevilla laxa* (Ruiz & Pavon) Woodson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nerium oleander* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parsonsia alboflavescens* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plumeria obtusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plumeria rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rauvolfia hookeri* Srinivasan & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rauvolfia micrantha* Hook.f. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rauvolfia serpentina* (L.) Benth. ex Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rauvolfia tetraphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rauvolfia verticillata* (Lour.) Baill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strophanthus wightianus* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tabernaemontana divaricata* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tabernaemontana gamblei* Subram. & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tabernaemontana heyneana* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Thevetia peruviana K.Schum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vallaris solanacea* (Roth) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vinca major* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Voacanga grandiflora* (Miq.) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wrightia arborea* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wrightia indica* Ngan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wrightia tinctoria* (Roxb.) R.Br. var. *tinctoria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wrightia tinctoria* (Roxb.) R.Br. var. *rothii* (G.Don) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asclepias curassavica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brachystelma bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brachystelma brevitybulatum* (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brachystelma maculatum* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brachystelma rangacharii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calotropis gigantea* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calotropis procera* (Ait.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caralluma adscendens* (Roxb.) Haw. var. *adscendens* and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caralluma adscendens* (Roxb.) Haw. var. *attenuata* (Wight) Grav. & Mayuranathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caralluma bhupinderana* Sarkaria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caralluma diffusa* (Wight) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caralluma indica* (Wight & Arn.) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caralluma nilagiriana* Kumari & Subba Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caralluma pauciflora* (Wight) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caralluma procumbens* Grav. & Mayuranathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caralluma stalagmifera* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caralluma umbellata* Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia barnesii* Bruce & Chatterjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia bulbosa* Roxb. var. *bulbosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia bulbosa* Roxb. var. *lushii* (Graham) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia candelabrum* L. var. *candelabrum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia candelabrum* L. var. *biflora* (L.) M.Y. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia ciliata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia decaisneana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia elegans* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia ensifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia fimbriifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia hirsuta* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia intermedia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia juncea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ceropegia maculata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia mannarana* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia metziana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia oculata* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia omissa* Huber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia pusilla* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia spiralis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceropegia thwaitesii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cosmostigma racemosum* (Roxb.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynanchum alatum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynanchum callialatum* Buch.-Ham. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynanchum tunicatum* (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gomphocarpus fruticosus* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gomphocarpus physocarpus* E. Meyer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnema alterniflorum* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnema elegans* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnema hirsutum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnema lactiferum* (L.) R. Br. ex. Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnema montanum* (Roxb.) Hook.f. var. *montanum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnema montanum* (Roxb.) Hook.f. var. *beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnema montanum* (Roxb.) Hook.f. var. *pubiflora* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnema sylvestre* (Retz.) R.Br. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnema tingens* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Heterostemma tanjorensis Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Holastemma ada-kodien* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hoya alexicaca* (Jacq.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hoya kanyakumariana* Henry & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hoya ovalifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hoya pauciflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hoya wightii* Hook.f.subsp. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hoya wightii* Hook.f. subsp. *palniensis* K .T. Mathew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leptadenia reticulata* (Retz.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Marsdenia brunoniana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Marsdenia tenacissima* (Roxb.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Marsdenia tirunelvelica* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pentatropis capensis* (L.f.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pergularia daemia* (Forrsk.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Raphionacme purpurea* Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sarcostemma acidum* (Roxb.) Voigt and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sarcostemma brunonianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sarcostemma intermedium* Decne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sarcostemma secamone* (L.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Secamone emetica* (Retz.) R.Br. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stapelia gigantea* N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stapelia grandiflora* Masson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Telosma minor* (Andr.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Telosma pallida (Roxb.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Toxicarpus beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Toxicarpus kleinii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Toxicarpus palghatensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tylophora capparifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tylophora fasciculata* Buch.-Ham. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tylophora indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tylophora macrantha* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tylophora mollissima* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tylophora multiflora* (Wight & Arn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tylophora pauciflora* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tylophora rotundifolia* Buch.-Ham. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tylophora subramanii* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tylophora tertrapetala* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tylophora zeylanica* Decne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),
Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Wattakaka volubilis (L.f.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bacolepis nervosa* (Wight & Arn.) Decne. ex Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cryptolepis buchananii* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cryptolepis grandiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cryptostegia grandiflora* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Decalepis hamiltonii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hemidesmus indicus* (L.) R.Br. var. *indicus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hemidesmus indicus* (L.) R.Br. var. *pubescens* (Wight & Arn.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Decalepis arayalpathra* Joseph & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Utlaria salicifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fagraea ceilanica* Thub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gardneria ovata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mitrasacme indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spigelia anthelmia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strychnos lenticellata* Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strychnos minor* Dennst. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strychnos nux-vomica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strychnos potatorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strychnos vanprukii* Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strychnos wallichiana* Steud. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Buddleja asiatica* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Buddleja davidii* Franch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Buddleja madagascariensis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Buddleja volubilis Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canscora decurrens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canscora decussata* (Roxb.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canscora diffusa* (Vahl) R.Br. ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canscora heteroclita* (L.) Gilg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canscora perfoliata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canscora roxburghii* Arn. ex Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Enicostema axillare* (Lam.) Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Exacum anamallayanam* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Exacum atropurpureum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Exacum courtallense* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Exacum grande* Klack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Exacum lawii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Exacum pedunculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Exacum petiolare* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Exacum pumilum* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Exacum sessile* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Exacum tetragonum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Exacum travancoricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Exacum wightianum* Arn. var. *wightianum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Exacum wightianum* Arn. var. *uniflorum* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gentiana pedicellata* Griseb. var. *wightii* Kusnezov and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gentiana quadrifaria* Blume var. *zeylanica* (Griseb.) Kusnezov and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Halenia perrottetii Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hoppea dichotoma* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hoppea fastigiata* (Griseb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia angustifolia* Buch.-Ham. var. *pulchella* (Buch.-Ham. ex D. Don) Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia beddomei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia corymbosa* (Griseb.) Wight ex Clarke var. *corymbosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia corymbosa* (Griseb.) Wight ex Clarke var. *grisebachiana* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia densifolia* (Griseb.) Kashyapa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia minor* (Griseb.) Knobl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia trichotoma* (Wight & Arn. ex Wight) Wall. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nymphoides aurantiacum* (Dalz.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nymphoides hydrophylla* (Lour.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nymphoides indicum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydrolea zeylanica* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wigandia canacasana* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phlox drummondii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carmona retusa* (Vahl) Masamune and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coldenia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordia alba* Roem. & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordia diffusa* Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordia domestica* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordia evolution* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordia gharaf* (Forssk.) Ehrenb. ex Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cordia macleodii (Griff.) Hook.f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordia monoica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordia obliqua* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordia wallichii* G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordia sebestena* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordia subcordata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynoglossum zeylanicum* (Vahl ex Hornem.) Thunb. ex Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Echium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ehretia aspera* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ehretia canarensis* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ehretia laevis* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ehretia ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ehretia pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ehretia wightiana* Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium arborescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium bracteatum* R. Br. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium curassavicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium marifolium* Retz. subsp. *marifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium marifolium* Retz. subsp. *wallichii* (Clarke) Kazmi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium ovalifolium* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium peruvianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium rottleri* Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Heliotropium strigosum Willd. subsp. *brevifolium* (Wall.) Kazmi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium subulatum* (Hochst.ex DC.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium supinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium zeylanicum* (Burm.f.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rotula aquatica* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symphytum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tournefortia argentea* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tournefortia heyneana* Wall. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tournefortia reticosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tournefortia wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichodesma indicum* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichodesma inaequale* Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichodesma zeylanicum* (Burm.f.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aniseia martinicensis* (Jacq.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia argentea* Choisy var. *venusta* (Choisy) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Argyreia coonoorensis W.W. Smith & Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia cuneata* (Willd.) Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia cymosa* (Roxb.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia daltonii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia elliptica* (Roth) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia fulgens* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia hirsuta* Wight & Arn. var. *hirsuta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia imbricata* (Roth) Sant. & Patel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia involucrata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia kleiniana* (Roem. & Schultes) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia nellygherya* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia nervosa* (Burm.f.) Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia osyrensis* (Roth) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia pilosa* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia pomacea* (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia populifolia* Choisy and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia sericea* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyreia setosa* (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bonamia evolvuloides* (Choisy) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bonamia Semidigyna* (Roxb.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Convolvulus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Convolvulus flavus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Convolvulus rotterianus* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cressa cretica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cuscuta campestris* Decne. ex Engelm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cuscuta chinensis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cuscuta hyalina* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cuscuta reflexa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erycibe paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Evolvulus alsinoides* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Evolvulus nummularius* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hewittia sublobata* (L.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea aquatica* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea asarifolia* (Desr.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea barlerioides* (Choisy) Benth.ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea batatas* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea cairica* (L.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea campanulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea carnea* Jacq. subsp. *carnea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea carnea* Jacq. subsp. *fistulosa* (Mart. ex Choisy) D.F. Austin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea coptica* (L.) Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea deccana* Austin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea dichroa* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea diversifolia* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea eriocarpa* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ipomoea hederifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea involucrata* Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea marginata* (Desr.) Verdc . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea mauritiana* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea nil* (L.) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea obscura* (L.) Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea pes-caprae* (L.) R.Br. var. *pes-caprae* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea pes-caprae* (L.) R. Br. var. *perunkulamensis* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea pes-tigridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea pileata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea purpurea* (L.) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea quamoclit* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea rumicifolia* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea sepiaria* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea sinensis* (Desr.) Choisy and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea staphylinea* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea tuberculata* Ker - Gawl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea turbinata* Lag. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea violacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea wightii* (Wall.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jacquemontia caerulea* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jacquemontia paniculata* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Jacquemontia pentantha (Jacq.) D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepistemon leiocalyx* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Merremia aegyptia* (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Merremia dissecta* (Jacq.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Merremia emarginata* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Merremia hederacea* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Merremia quinata* (R.Br.) Ooststr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Merremia quinquefolia* (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Merremia tridentata* (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Merremia umbellata* (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Merremia umbellata* (L.) Hall.f. subsp. *Orientalis* Hall.f. Ooststr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Merremia vitifolia* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Operculina turpethum* (L.) Silva Manso and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Porana paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Porana racemosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rivea hypocrateriformis* (Desr.) Choisy and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rivea ornata* (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stictocardia tiliifolia* (Desr.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Browallia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Browallia speciosa* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Browallia viscosa* Kunth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brugmansia arborea* (L.) Lagerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brugmansia suaveolens* (Humb. & Bonpl. ex Willd.) Bercht. & Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Brugmansia versicolor Lagerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brunfelsia undulata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capsicum annuum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capsicum frutescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cestrum aurantiacum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cestrum corymbosum* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cestrum diurnum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cestrum elegans* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cestrum fasciculatum* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cestrum nocturnum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cestrum parqui* L'Herit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyphomandra betacea* (Cav.) Sendtner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Datura cornigera* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Datura innoxia* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Datura metal* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Datura ferox* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Datura sanguinea* Ruiz & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Datura stramonium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Iochroma coccinea* Scheid. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lycium barbatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lycianthes laevis* (Dunal) Bitter subsp. *laevis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lycianthes laevis* (Dunal) Bitter subsp. *bigeminata* (Nees) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lycianthes laevis* (Dunal) Bitter subsp. *kaitisis* (Dunal) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Lycianthes laevis (Dunal) Bitter subsp. *kaitisis* (Dunal) Deb var. *gouakai* (Dunal) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lycopersicon esculentum* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nicandra physalodes* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nicotiana glauca* Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nicotiana glauca* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nicotiana glutinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nicotiana plumbaginifolia* Viv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nicotiana repKalam* Willd. ex Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nicotiana tabacum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nierembergia gracilis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Petunia axillaris* (Lam.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Petunia x hybrida* Vilm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Physalis ixocarpa* Brot. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Physalis angulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Physalis lagascae* Roem. & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Physalis pruinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Physalis peruviana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schizanthus pinnatus* Ruiz & Pav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schizanthus wisetonensis* Hort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solandra grandiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum americanum* Mill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum anguivi* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum ariculari* G. Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Solanum barbisetum Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum capsicastrum* Link & Schau. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum capsicoides* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum clavatum* Rusby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum convolvulus* Sendtner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum elaeagnifolium* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum erianthum* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum giganteum* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum grandiflorum* Ruiz & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum hispidum* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum jasminoides* Paxt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum kurzii* Brace ex Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum macrocarpon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum macrophyllum* Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum marginatum* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum mauritianum* Scop. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum melongena* L. var. *melongena* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum insanum* J.B.Fisch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum lasiocarpum* Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum pseudo-capsicum* L. var. *pseudo-capsicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum pseudo-capsicum* L. *difflorum* (Vell.) Bitter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum pubescens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum robustum* H. Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Solanum seaforthianum Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum sisymbriifolium* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum stramonifolium* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum torvum* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum trilobatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum tuberosum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum vagum* Heyne ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum viarum* Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum violaceum* Ortega Subsp. *violaceum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum violaceum* Ortega Subsp. *multiflorum* (C. B. Clarke) K. M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum virginianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum wendlandii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum wrightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Streptosolon jamesonii* (Benth.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Withania somnifera* (L.) Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adenosma indianum* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Angelonia biflora* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Antirrhinum majus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Antirrhinum orontium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Antirrhinum purpureum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artanema longifolia* (L.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bacopa floribunda* (R.Br.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bacopa hamiltoniana* (Benth.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Bacopa monnieri (L.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Buchnera hispida* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calceolaria gracilis* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Celsia arcturus* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Centranthera indica* (L.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Centranthera tranquebarica* (Spreng.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbalaria muralis* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Digitalis purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dopatrium junceum* (Roxb.) Buch.-Ham. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dopatrium lobelioides* (Retz.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dopatrium nudicaule* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glossostigma diandrum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hebe speciosa* (A.Cunn) Andersen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hebe andersonii* Cockayne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kickxia ramosissima* (Wall.) Janchen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limnophila aromatica* (Lam.) Merr. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limnophila chinensis* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limnophila connata* (Buch.-Ham. ex D.Don) Handb.-Mazz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limnophila heterophylla* (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limnophila indica* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limnophila polystachya* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limnophila repens* (Benth.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limnophila rugosa* (Roth) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Lindenbergia indica (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia anagallis* (Burm.f.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia antipoda* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia caespitosa* (Blume) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia ciliata* (Colsm.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia crustacea* (L.) F.v.Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia hyssopioides* (L.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia minima* (Benth.) Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia nummulariifolia* (D.Don) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia oppositifolia* (Retz.) Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia parviflora* (Roxb.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia procumbens* (Krock.) Philcox and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia rotundifolia* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia ruellioides* (Colsm.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia srilankana* Cramer & Philcox and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia sessiliflora* (Benth.) Wettst. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia tenuifolia* (Colsm.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia viscosa* (Hornem.) Boldingh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maurandya barclaiana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maurandya erubescens* (D.Don) Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maurandya lophospermum* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maurandya semperflorens* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mazus pumilus* (Burm.f.) Steenis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Mecardonia procumbens (Mill.) Small and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Micrargeria wightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microcarpaea minima* (Koen.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paulownia tomentosa* (Thunb.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pedicularis perrottetti* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pedicularis zeylanica* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Penstemon azureus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Penstemon campanulatus* (Cav.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peplidium maritimum* (L.f.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Russelia equisetiformis* Schlecht. & Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scoparia dulcis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sopubia delphiniifolia* (L.) G.Don var. *delphiniifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sopubia delphiniifolia* (L.) G.Don var. *parviflora* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sopubia stricta* G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sopubia trifida* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stemodia viscosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Striga angustifolia* (D.Don) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Striga asiatica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Striga densiflora* (Benth.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Striga gesnerioides* (Willd.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Striga masuria* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sutera dissecta* (Del.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Torenia bicolor* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Torenia cordifolia Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Torenia courtallensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Torenia fournieri* Linden ex Fourn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Torenia hirsuta* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Torenia travancorica* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Torenia vagans* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Verbascum chinense* (L.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Verbascum thapsus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Verbascum virgatum* Stokes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Veronica arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Veronica javanica* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Veronica polita* Fries and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Veronica speciosa* R.Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Veronica persica* Poir.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aeginetia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aeginetia pedunculata* Wall. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Christisonia bicolor* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Christisonia neilgherrica* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Christisonia saulierei* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Christisonia subacaulis* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Christisonia tubulosa* (Wight) Benth. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orobancha cernua* Loefl. var. *nepalensis* Reut. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Utricularia aurea* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Utricularia australis R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Utricularia bifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Utricularia caerulea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Utricularia exoleta* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Utricularia graminifolia* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Utricularia hirta* Klein ex Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Utricularia minutissima* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Utricularia nayarii* Jana. & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Utricularia polygaloides* Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Utricularia reticulata* J.E.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Utricularia roseo-purpurea* Stapf ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Utricularia scandens* Benj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Utricularia smithiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Utricularia stellaris* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Utricularia striatula* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Utricularia uliginosa* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Utricularia wightiana* Taylor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aeschynanthus ceylanica* Gard. var. *pinguis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aeschynanthus perrottetii* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Didymocarpus fischeri* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Didymocarpus gambleanus* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Didymocarpus humboldtianus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Didymocarpus innominatus* Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Didymocarpus lyrata Wight var. *lyrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Didymocarpus lyrata* Wight var. *prostrata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Didymocarpus meeboldii* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Didymocarpus missionis* Wall. ex R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Didymocarpus ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Didymocarpus repens* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Didymocarpus tomentosus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Didymocarpus wightii* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Epithema carnosum* (G.Don) Benth. var. *hispidum* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gesneria cardinalis* Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jerdonia indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchoglossum notonianum* (Wall) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchoglossum obliquum* Blume var. *parviflora* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchochloa permolle* (Nees) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arrabidaea magnifica* Sprague ex Steenis Bull and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bignonia megapota* Spreng. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Campsis radicans* (L.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Catalpa bignonioides* Walter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clytostoma callistegioides* (Cham.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clytostoma purpureum* (Lodd. ex Sweet) Rehder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parmentiera alata* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crescentia cujeta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dolichandrone arcuata* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Dolichandrone atrovirens (Heyne ex Roth) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dolichandrone falcata* (Wall.ex DC.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Haplophragma adenophyllum* (DC.) Dop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *JacarKalam mimosifolia* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kigelia africana* (Lam.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macfadynea unguis-cati* (L.) A. Gentry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Markhamia stipulata* Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Millingtonia hortensis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nyctocalos cuspidata* (Blume) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oroxylum indicum* (L.) Benth. ex Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pandorea jasminoides* (Lindl.) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phaedranthus buccinatorius* (DC.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllarthron bojerianum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pleonotoma jasminifolia* (H.B.K.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Podranea ricasoliana* (Tranf.) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pyrostegia venusta* (Ker-Gawl.) Presl and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Radermachera xylocarpa* (Roxb.) K.Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spathodea campanulata* Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stereospermum colais* (Buch.-Ham. ex Dillw.) Mabberley var. *colais* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stereospermum colais* (Buch.-Ham. ex Dillw.) Mabberley var. *angustifolium* (Haines) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tabebuia rosea* (Bertol.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tabebuia arjentea* Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tabebuia pallida* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tabebuia palmeri* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tecoma stans* (L.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tecomaria capensis* (Thunb.) Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cobaea scandens* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pedaliium murex* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesamum alatum* Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesamum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesamum laciniatum* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesamum prostratum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesamum radiatum* Schumach. & Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Martynia annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acanthus ilicifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acanthus mollis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis affinis* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis alata* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Andrographis atropurpurea (Dennst.) A. Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis ceylanica* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis echinoides* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis elongata* (Vahl) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis explicata* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis lineata* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis lobelioides* Wight var. *lobelioides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis lobelioides* Wight var. *composita* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis longipedunculata* (Sreemadh.) L.H. Cramer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis macrobotrys* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis neesiana* Wight var. *neesiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis neesiana* Wight var. *producta* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis neesiana* Wight var. *rotundifolia* Sreemadh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis ovata* (T. And. ex Bedd.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis paniculata* (Burm.f.) Wall. ex Nees and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis rothii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis serpyllifolia* (Rottl. ex Vahl) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis stellulata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis stenophylla* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Andrographis viscosula* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aphelandra deppeana* Schlecht. & Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asystasia chelonoides* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Asystasia crispata Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asystasia dalzelliana* Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asystasia gangetica* (L.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Asystasia travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria acuminata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria buxifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria courtallica* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria cuspidata* Heyne ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria gibsonii* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria involucrata* Nees var. *elata* (Dalz.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria longiflora* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria montana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria mysorensis* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria nitida* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria noctiflora* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria paniculata* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria pilosa* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria prattensis* Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria prionitis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria strigosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria tomentosa* Roth var. *tomentosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barleria tomentosa* Roth var. *glandulosa* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Barleria vestita T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Blepharis maderaspatensis (L.) Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Blepharis repens (Vahl) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Clinacanthus nutans (Burm.f.) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Crossandra infundibuliformis (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Dicliptera cuneata Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Dicliptera foetida (Forssk.) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Dicliptera verticillata (Forssk.) Christensen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diotacanthus albiflorus* (Bedd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diotacanthus grandis* (Bedd.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dipteracanthus beddomei* (C. B. Clarke) Santapau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dipteracanthus patulus* (Jacq.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dipteracanthus prostratus* (Poir.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dyschoriste madurensis* (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dyschoriste nagchana* (Nees) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dyschoriste vagans* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ecbolium ligustrinum* (Vahl) Vollesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ecbolium viride* (Forssk.) Alston var. *viride* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ecbolium viride* (Forssk.) Alston var. *dentata* (Klein ex Link) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ecbolium viride* (Forssk.) Alston var. *rotundifolia* (Nees) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elytraria acaulis* (L.f.) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eranthemum capense* L. var. *capense* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eranthemum capense* L. var. *concanensis* (T.And.ex Clarke) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Eranthemum nervosum (Vahl) R.Br. ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eranthemum purpurascens* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eranthemum roseum* (Vahl) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Graptophyllum hortense* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnostachyum canescens* (Nees) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnostachyum ceylanicum* Arn. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnostachyum latifolium* (Dalz.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Haplanthodes neilgherryensis* (Wight) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Haplanthodes verticillatus* (Roxb.) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hemigraphis latebrosa* (Heyne ex Roth) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hygrophila balsamica* (L.f.) Rafin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hygrophila heinei* Sreemadh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hygrophila quadrivalvis* (Buch.-Ham.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hygrophila salicifolia* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hygrophila schulli* (Hamilt.) M.R.Almeida & S.M. Almeida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jacobinia carnea* (Lindl.) G. Nicholson and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia adhatoda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia beddomei* (Clarke) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia betonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia diffusa* Willd. var. *diffusa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia diffusa* Willd. var. *hedyotidifolia* (Nees) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia diffusa* Willd. var. *orbiculata* (Wall. ex T.And.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia gendarussa* Burm.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Justicia glabra Koen.ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia glauca* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia latispica* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia neesii* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia nilgherrensis* (Nees) Wall. ex T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia prostrata* (Roxb. ex Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia salsoloides* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia santapau* Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia simplex* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia tranquebariensis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia trinervia* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia vahlii* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia wynaadensis* (Nees) Heyne ex T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidagathis barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidagathis cristata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidagathis cuspidata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidagathis diffusa* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidagathis fasciculata* (Retz.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidagathis incurva* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidagathis mitis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidagathis pungens* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Lepidagathis scariosa Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidagathis spinosa* Wight ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidagathis subarmata* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leptostachya wallichii* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Meyenia hawtayneana* (Wall.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Monotheций aristatum* (Wall. ex Nees) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neuracanthus neesianus* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peristrophe montana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peristrophe paniculata* (Forssk.) Brummitt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Petalidium barlerioides* (Roth) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phaulopsis imbricata* (Forssk.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pseuderanthemum malabaricum* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhinacanthus nasutus* (L.) Kurz var. *nasutus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhinacanthus nasutus* (L.) Kurz var. *montana* (Clarke) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ruellia colorata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ruellia tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rungia apiculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rungia crenata* T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rungia laeta* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rungia latior* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rungia parviflora* (Retz.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rungia pectinata* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rungia repens* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Rungia sisparensis T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rungia wightiana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sanchezia nobilis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sanchezia parvibracteata* Sprague & Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Santapaua madurensis* Balakr. & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Staurogyne glauca* (Nees) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Staurogyne zeylanica* (Nees) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stenosiphonium confertum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stenosiphonium cordifolium* (Vahl) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stenosiphonium parviflorum* T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stenosiphonium russellianum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stenosiphonium wightii* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes asperimus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes amabilis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes anamallai* J. R. I. Wood and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes andersonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes barbatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes bolampattiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes ciliatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes consanguineus* (Nees) T. Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes cuspidatus* (Benth.) Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes decurrens* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes foliosus* (Wight) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Strobilanthes gracilis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes heyneanus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes hamiltoniana* (Steud.) Bosser & Heine and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes heteromallus* T. Anderson ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes homotropus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes humilis* (Nees) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes isophylla* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes ixiocephala* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes kunthianum* (Nees) Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes lanatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes lupulinus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes luridus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes matthewiana* R. W. Scotland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes micranthes* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes microstachya* Benth. ex Hohen. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes neoasper* Venu & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes neilgherrensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes papillosus* T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes perrottetianus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes pulneyensis* C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes rubicundus* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes sessilis* Nees var. *sessilis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Strobilanthes sessilis Nees var. *sessiloides* (Wight) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes sexennis* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes tristis* (Wight) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes urceolaris* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes violaceus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes walkeri* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes wightianus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes walkeri* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes wightianus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes zenkerianus* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thunbergia alata* Boj. ex Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thunbergia bicolor* (Wight) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thunbergia erecta* (Benth.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thunbergia fragrans* Roxb. var. *fragrans* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thunbergia fragrans* Roxb. var. *vestita* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thunbergia grandiflora* (Roxb. ex Rottl.) Roxb. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thunbergia mysorensis* (Wight) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thunbergia tomentosa* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aloysia triphylla* (L'Herit.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bouchea hyderabadense* Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Callicarpa arborea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Callicarpa tomentosa* (L.) Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citharexylum fruticosum* L. forma *subseriatum* (Sw.) Moldenke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Clerodendrum aculeatum Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clerodendrum cordatum* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clerodendrum indicum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clerodendrum inerme* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clerodendrum infortunatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clerodendrum neriifolium* Wall.ex Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clerodendrum paniculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clerodendrum philippinum* Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chionachne koenigii* (SPRENG.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chionanthus macrophylla* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chionanthus mala-elengi* (DENNST.) GREEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chondrus crispus* LYNGBYE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chloranthus elatior* LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chloranthus glaber* (THUNB.) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chloranthus inconspicuus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chloranthus officinalis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chloris barbata* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chloris virgata* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chlorophora excelsa* BENTH. & HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chlorophytum arundinaceum* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chlorophytum attenuatum* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chlorophytum laxum* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chlorophytum tuberosum* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Chloroxylon dupada BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chloroxylon swietenia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chondrus crispus* STACKH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chonemorpha fragrans* (MOON) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chonemorpha macrophylla* (ROXB.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chorchorus trilocularis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Christella arida* (DON) HOLT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Christella contiguum* (ROSENT) HOLTTUM F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Christella crinipes* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Christella parasitica* (L.) LEV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Christella subpubescens* (BL.) HOLTTUM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chromolaena odorata* (L.) R.M. KING & H. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrozophora plicata* A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrozophora prostrata* DALZ . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrozophora rottleri* (GEIS.) A.JUSS. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrozophora tinctoria* A.JUSS. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysanthellum americanum* (L.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysanthellum indicum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysanthemum cinerariifolium* (TREV.) VIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysanthemum coccineum* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysanthemum coronarium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysanthemum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysanthemum purethroides* (KAR. & KIR.) FEDT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Chrysanthemum roxburghii DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysobalanus icaco* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysophyllum cainito* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysophyllum roxburghii* DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysopogon aciculatus* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysopogon fulvus* (SPRENG.) CHIOV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chukrasia tabularis* A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cibotium barometz* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cicca acida* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cicca disticha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cicer arietinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cicer microphyllum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cichorium endivia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cichorium intybus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cichorium noeanum* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cicuta virosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cimicifuga foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cimicifuga racemosa* NUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinchona calisaya* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinchona calisaya* WEDD. *ledgeriana* HOWARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinchona excelsa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinchona ledgeriana* MOENS EX TRIMEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinchona officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cinchona robusta HOWARD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinchona succirubra* PAV. EX KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum aromaticum* NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum bejolghota* (BUCH.-HAM.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum camphora* (L.) PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum cassia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum cecidodaphne* MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum glanduliferum* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum glaucescens* (NEES) HAND-MEZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum impressinervium* MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum iners* REINW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum javanicum* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum macrocarpum* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum malabathrum* BATKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum obtusifolium* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum parthenoxylon* MEISSN. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum pauciflorum* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum sulphuratum* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum tamala* NEES & EBERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum travancoricum* GAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum verum* PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum wightii* C.F.W.MEISSN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinnamomum zeylanicum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cipadessa baccifera (ROTH.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Circaea alpina* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Circaea cordata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cirrhopetalum sutepense* (ROLFE) SEIDENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cirsium argyranthum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cirsium arvense* (L.) SCOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cirsium sinense* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cirsium verutum* (DON) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cirsium wallichii* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cissampelos pareira* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cissus acida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cissus adnata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cissus discolor* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cissus javanica* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cissus lanceolata* MALME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cissus latifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cissus pallida* (WIGHT & ARN.) PLANCHON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cissus pedata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cissus quadrangularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cissus repKalam* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cissus repens* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cissus setosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cissus trilobata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cissus vitiginea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cistanche tubulosa* WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cistus creticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citharexylum suberratum* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrullus colocynthis* (L.) SCHRADER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrullus lanatus* (THUNB.) MATSUMARA & NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrullus lanatus* (THUNB.) MATSUMURA & NAKAI fistulosus (STOCKS) CHAKRAVARTHY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrullus vulgaris* SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrullus vulgaris* SCHRAD. *fistulosus* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus acida* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus aurantifolia* (CHRISTM.) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus aurantium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus aurantium* L. *bergamia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus bergamia* RISSO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus bigaradia* LOISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus decumana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus grandis* (L.) OSBECK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus hystrix* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus jambhiri* LUSH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus karna* RAFIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus latipes* (SWINGLE) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus limetta* RISSO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus limon* (L.) BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Citrus limonum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Citrus macroptera Montr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Citrus madurensis LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Citrus maxima MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Citrus medica L. medica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Citrus medica L. limetta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Citrus medica L. limonum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Citrus medica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus paradisi* MACF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus pyxidata* (LINN.) FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus reticulata* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus sinensis* (L.) OSBECK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cladonia alpestris* (L.) RABH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Claoxylon indicum* HASSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Claoxylon polot* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clausena dentata* (WILLD.) ROEM and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clausena excavata* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clausena heptaphylla* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clausena lansium* (LOUR.) SKEELS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clausena pentaphylla* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clausena wampi* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clausena willdenowii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Claviceps purpurea* (FR.) TUL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Claxylon indicum (BL.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cleidion nitidum* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cleisostoma tenuifolium* (L.) GARAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cleisostoma williamsonii* (RCHB.F.) GARAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cleistanthus collinus* (ROXB.) BENTH. & HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clematis barbellata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clematis buchananiana* DC. *vitifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clematis connata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clematis gouriana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clematis grata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clematis graveolens* LINDL. IN JOURN. HORT. SOC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clematis hedysarifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clematis montana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clematis napaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clematis orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clematis smilacifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clematis triloba* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clematis wightiana* WALL. EX WT. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cleome brachycarpa* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cleome burmanni* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cleome chelidonii* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cleome felina* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cleome gynandra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cleome heptaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cleome icosandra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cleome monophylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cleome pentaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cleome vahliana FAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cleome viscosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Clerodendrum colebrookianum WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Clerodendrum indicum (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clerodendrum inerme* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clerodendrum infortunatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clerodendrum kaempferi* (JACQ.) SIEB. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clerodendrum multiflorum* (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clerodendrum nutans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clerodendrum paniculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clerodendrum philippinum* SCHAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clerodendrum phlomides* L.F. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clerodendrum serratum* (L.) MOON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clerodendrum siphonanthus* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clerodendrum splendens* G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clerodendrum viscosum* H.W. MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clerodendrum wallichii* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clinogyne dichotoma* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clinogyne grandis* BENTH. HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Clinopodium umbrosum (BIEB.) KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clinopodium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clitoria mariana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clitoria ternatea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coccinia cordifolia* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coccinia glauca* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coccinia grandis* (L.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coccinia indica* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coccoloba uvifera* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cocculus cordifolius* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cocculus hirsutus* (L.) DIELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cocculus laurifolius* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cocculus laeaba* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cocculus macrocarpus* W. & A. PRODR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cocculus pendulus* (JR. & G. FORST) DIELS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cocculus suberosus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cocculus villosus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cochlearia armoracia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cochlearia cochlearioides* (ROTH) SANTAPAU & MAHESHWARI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cochlospermum gossypium* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cochlospermum religiosum* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cocos schizophylla MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Codiaeum variegatum* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Codonacanthus pauciflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Codonopsis clematidea* (SCHR.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Codonopsis ovata* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coelodepas calycinum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coelogyne cristata* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coelogyne ovalis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coelogyne punctulata* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coelogyne stricta* (DON) SCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coffea arabica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coffea bengalensis* HEYNE EX ROEM. & SCHULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coffea travancorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coix gigantea* KOENIG EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coix lachryma* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coix lacryma-jobi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cola nitida* (VENT.) SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Colchicum autumnale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Colchicum luteum* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Colchicum variegatum* BIVONA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coldenia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Colebrookea oppositifolia* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coleus ambonicus* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Coleus aromaticus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coleus barbatus* (ANDR.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coleus forskohlii* (POIR.) BRIQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coleus osmirrhizon* W.ELLIOT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coleus rotundifolius* (POIR.) A. CHEV. & PERROT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coleus scutellarioides* (L.) BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coleus vettiveroides* K.C. JACOB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coleus zeylanicus* (BENTH.) CRAMEV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Colocasia antiquorum* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Colocasia esculenta* (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Colocasia macrorrhiza* SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Colocasia virosa* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Colophospermum mopane* KIRK EX LEON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Colubrina asiatica* (L.) BRONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Colutea arborescens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Colutea nepalensis* SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Combretum acuminatum* (ROXB.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Combretum decandrum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Combretum extensum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Combretum latifolium* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Combretum nanum* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Combretum pilosum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Combretum roxburghii* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Commelina benghalensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commelina communis* EUGELM. EX KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commelina diffusa* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commelina longifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commelina nudiflora* (L.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commelina obliqua* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commelina paludosa* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commelina salcifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commelina suffruticosa* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commicarpus chinensis* (L.) HEIMERL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commicarpus helenae* (J.A.SCHULTES) MEIKLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commicarpus verticillatus* STANDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commiphora abyssinica* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commiphora agallocha* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commiphora berryi* (ARN.) ENGLR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commiphora caudata* (WIGHT & ARN.) ENGLER NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commiphora molmol* ENGL. EX. TSCHIRAH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commiphora mukul* (HOOK. EX. STOCKS) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commiphora myrrha* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commiphora opobalsamum* (L.) ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commiphora playfairii* HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commiphora roxburghii* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commiphora schimperi* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Commiphora stocksiana ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Commiphora wightii* (A.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Conium maculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Connarus monocarpus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Conocarpus latifolia* ROXB. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Conocephalus suaveolens* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Consolida ajacis* (L.) SCHUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Consolida ambigua* (L.) BALL. & HEYWOOD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Consolida regalis* S.F. GRAY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Convallaria majalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Convolvulus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Convolvulus auricomus* (A. RICH.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Convolvulus gemellus* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Convolvulus grandiflorus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Convolvulus malabaricus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Convolvulus microphyllus* SIEB.EX SPRENG. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Convolvulus nil* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Convolvulus paniculatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Convolvulus pluricaulis* CHOIS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Convolvulus prostratus* FORSSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Convolvulus scammonia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Convolvulus speciosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Convolvulus spinosus* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Convolvulus turpethum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Conyza bonariensis* (L.) CRONQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Conyza cinerea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Conyza japonica* (THUNB.) LESS. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Conyza stricta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Copernicia cerifera* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coptis teeta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corallocarpus epigaea* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corallocarpus epigaeus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corbichonia decumbens* EXELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corchorus acutangulus* AUCT.NON FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corchorus aestuans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corchorus antichorus* ROEUSCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corchorus capsularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corchorus depressus* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corchorus fascicularis* LAM. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corchorus olitorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corchorus trilocularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corchorus urticifolius* WIGHT & ARM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordia dichotoma* FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordia gharaf* (FORSK.) EHRENB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordia grandis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordia latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cordia macleodii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordia monoica* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordia myxa* SENU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordia obliqua* WILLD. wallichii (G.DON) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordia obliqua* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordia rothii* ROEM.& SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordia sebestena* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordia vestita* HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordia wallichii* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordyceps sinensis* (BERK.)SAAC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordyline fruticosa* GOEPPERT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordyline terminalis* (L.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coriandrum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coriaria nepalensis* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coronilla picta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coronopus didymus* (L.) SM. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cordia depressa* (DON) NORM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corydalis adiantifolia* HK.F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corydalis flabellata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corydalis govaniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corydalis meifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corydalis ramosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corydalis rutifolia* (SMITH) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Corydalis vaginans ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corylus avellana* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corylus colurna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corylus jacquemonti* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corymbis veratrifolia* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corymborkis veratrifolia* (REINW.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corypha umbraculifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coscinium fenestratum* (GAERTN.) COLEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cosmostigma racemosa* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Costus arabicus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Costus speciosus* (KOEN. EX RETZ.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cotinus coggygia* SCOP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cotinus racemiflora* (DESF.) C. KOCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cotoneaster bacillaris* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cotoneaster buxifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cotoneaster microphylla* WALL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cotoneaster microphyllus* WALL. EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cotoneaster nummularia* FISCH. & MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cotula anthemoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cotula aurea* Loeffl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cousinia thomsonii* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crambe cordifolia* STEVEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crassocephalum crepidioides* (BTH.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Crataegus laevigata (POIR.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crataegus oxyacantha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crataegus songarica* KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crataeva adansonii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crataeva magna* (LOUR.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crataeva marmelos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crataeva nurvala* SENSU KANJ. & DAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crataeva religiosa* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crataeva tapia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cratogeomys cochinchinense* (LOUR.) BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cratogeomys neriifolium* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cremanthodium arnicoides* DC. GOOD trigida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cremanthodium decaisnei* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cremanthodium plantagineum* MAX. maximowiczii GOOD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cremanthodium appendiculata* (D.DON) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cremanthodium wallichiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crepidium acuminatum* (D.DON) SZLAC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crepis flexuosa* (DC) BETH. & HK.F. EX CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crepis japonica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crescentia cujete* VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cressa cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crinum amoenum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crinum asiaticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Crinum defixum KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Crinum latifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Crinum powellii HORT. album HORT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Crinum pratense HERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Crinum revolutum HERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Crinum viviparum (LAM.) HEMADRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Crocus sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Crossandra infundobuliformis (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crossandra undulaefolia* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria alata* BUCH.-HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria albida* HEYNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria anagyroides* H.B. & K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria angulosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria benghalensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria bialata* SCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria biflora* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria burhia* BUCH-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria calycina* SHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria juncea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria laburnifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria linifolia* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria medicaginea* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria mucronata* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Crotalaria mysorensis ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria pallida* DRY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria paniculata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria prostrata* ROTTLE. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria pulchra* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria quinquefolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria ramosissima* ROXB. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria retusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria saltiana* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria sericea* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria spectabilis* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria striata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria trifoliatum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria verrucosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Croton argyrateus* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Croton aromaticus* L. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Croton bonplandianum* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Croton caudatus* GEISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Croton joufra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Croton malabaricus* BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Croton oblongifolius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Croton plicatum* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Croton polyandrum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Croton reticulatus HEYNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Croton roxburghii* BALAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Croton sebiferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Croton sparsiflorus* MORONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Croton tiglium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Croton zeylanicus* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cryptocarya wightiana* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cryptocoryne spiralis* FISCH. EX WYDLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cryptolepis buchananii* ROEMER & SCHULTES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cryptolepis elegans* WALL. EX G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cryptolepis grandiflora* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cryptostegia grandiflora* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ctenitis apiciflora* (WALL. & METT) CHING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ctenolepis cerasiformis* NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ctenolepis garcinii* BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cubeba officinalis* RAFIN and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucubalus baccifer* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucumis acutangulus* DESCOURT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucumis agrestis* NAUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucumis anguinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucumis callosus* (ROTTL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucumis colocynthis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucumis hardwickii* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cucumis lagenarius DUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cucumis madraspatanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cucumis melo L. utilissimus DUTHIE & FULLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cucumis melo L. momordica DUTHIE & FULLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cucumis melo L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cucumis momordica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cucumis myriocarpus NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cucumis prophetarum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucumis pseudo-colocynthis* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucumis pubescens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucumis sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucumis trigonus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucumis utilissimus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucurbita citrullus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucurbita lagenaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucurbita maxima* DUCHESNE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucurbita moschata* (LAM.) DUCHESNE EX POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucurbita pepo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cudrania javanensis* TREC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cullenia exarillata* ROBYNS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cuminum cyminum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cupressus sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curanga amara* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Curanga fel-terrae MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curculigo capitulata* (LOUR) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curculigo crassifolia* GEARTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curculigo orchioides* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curculigo prainiana* (DEB.) BENNET & RAIZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curculigo recurvata* DRYAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curcuma amada* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curcuma angustifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curcuma aromatica* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curcuma caesia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curcuma domestica* (MEDIK) VALH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curcuma inodora* BLAT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curcuma leucorhiza* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curcuma longa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curcuma montana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curcuma pseudomontana* GRAHAM NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curcuma rubescens* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curcuma zedoaria* (CHRIST.) ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Curcuma zerumbet* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cuscuta capitata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cuscuta chinensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cuscuta europaea* BOVE & ENGELM. *indica* ENGELM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cuscuta hyalina* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cuscuta reflexa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyamopsis psoralioides* (LAM). DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyamopsis tetragonoloba* (L.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyamopsis tetragonoloba* (L.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyanotis axillaris* (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyanotis concanensis* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyanotis cristata* (L.) DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyanotis papilionaceae* (L.) SCHULT. & SCHULT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyanotis tuberosa* (ROXB.) SCHULT. AND SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyathea albo-setacea* (BEDD.) COPEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyathea gigantea* (WALL. EX HOOK.) HOLTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyathea spinulosa* WALL. EX HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyathocline purpurea* (DON) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyathostemma micranthum* J.SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyathula prostrata* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyathula tomentosa* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyathus limbatus* TULSANE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyathus stercoreus* (SCHW.) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cycas beddomei* DYER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cycas circinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cycas revoluta* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cycas rumphii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyclamen europaeum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cyclamen persicum MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyclea arnotii* MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyclea bicristata* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyclea burmanni* (DC.) HOOK.F. TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyclea fissicalyx* DUNN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyclea peltata* (LAM.) HOOK. F. & THOMSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyclosorus dentatus* (FORSK.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyclosorus gongylodes* (SCH.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyclosorus parasiticus* (L.) FOREWELL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cydonia oblonga* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cydonia vulgaris* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cylista scariosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbalaria muralis* G.M. SCHREB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbidium aloifolium* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbidium aloifolium* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbidium grandiflorum* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbidium hookerianum* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbidium pendulum* (ROXB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbopogon caesius* STAPH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbopogon citratus* (DC.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbopogon coloratus* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbopogon flexuosus* WATS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbopogon jwarancusa* (JONES) SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cymbopogon jwarancusa (JONES) SCHULT. *olivieri* (BOISS.) SOENARKO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbopogon martini* (ROXB.) WATS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbopogon nardus* (L.) RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cymbopogon schoenanthus* (L.) SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynanchum arnottianum* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynanchum extensum* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynanchum heydei* HOOK.F.CYNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynanchum vincetoxicum* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynanthus lobatus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynara scolymus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynodon dactylon* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynodon linearis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynoglossum denticulatum* A. DC. *zeylanicum* HORNEM. CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynoglossum glochidiatum* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynoglossum lanceolatum* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynoglossum micranthum* DESF. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynoglossum wallichii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynoglossum zeylanicum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynometra cauliflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynometra iripa* KOSTEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynometra mimosoides* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynometra ramiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynometra ramiflora* Linn. bijuga (Span.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cynosurus coracanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus alopecuroides* ROTTL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus amabilis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus articulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus brevifolius* (ROTTB.) HASSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus bulbosus* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus compactus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus compressus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus corymbosus* ROTTLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus cyperoides* (LINN.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus denticulatus* SCHRAD EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus diffusus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus distans* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus esculentus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus exaltatus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus haspan* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus inundatus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus iria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus jemicus* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus juncifolius* ROTTLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus kyllingia* ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus laevigatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus longus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cyperus malaccensis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus michelianus* (L.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus nutans* VAHL. *eleusinoides* (KUNTH) HAINES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus pangorei* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus pedunculatus* (R.BR.) KERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus pertenus* BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus pilosus* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus platyphyllus* ROEM. & SCHULT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus platystylis* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus rohita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus rotundus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus scariosus* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus stoloniferus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus triceps* (ROTTB.) ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus tuberosus* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyperus undulatus* KUKENTH. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyphostemma setosum* (ROXB.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyrtomium caryotideum* (WALL.) PRESL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyrtomium falcatum* (L. F.) BERNH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyrtophyllum peregrinum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cythocline purpurea* (DON.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cytisus scoparius* (L.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dactylis glomerata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Dactyloctenium aegyptium BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dactyloctenium indicum* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dactyloctenium aegyptium* (L.) W. and A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Daedalacanthus roseus* T. ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Daemia cordata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Daemia extensa* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Daemonorops draco* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dahlia rosea* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia arborea* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia candenatensis* (DENNST.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia emarginata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia horrida* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia lanceolaria* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia oogeinensis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia pinnata* PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia sissooides* GRAHAM EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia sissoo* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia spinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia stipulacea* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia sympathetica* NIMMO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia tamarindifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Dalbergia volubilis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia spinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalechampia indica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalhousiea bracteata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Daphne cannabina* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Daphne oleo* SCHRAB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Daphne oleoides* SCHREB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Daphne papyracea* WILLD. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Daphniphyllum himalayense* MUELL.- ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Daphniphyllum neilgherrense* ROSENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Datisca cannabina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Datura alba* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Datura fastuosa* L. alba (NEES) C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Datura fastuosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Datura innoxia* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Datura metel* L. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Datura metel* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Datura nilhummatu* DUN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Datura stramonium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Datura tatula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Daucus carota* L. sativa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Daucus carota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Davallia tenuifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Davallia trichomanoides BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Debregeasia longifolia* (BURM.F.) WEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Decalepis hamiltonii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Decaspermum fruticosum* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Deeringia amaranthoides* (LAMK.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Delima scandens* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Delonix elata* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Delonix regia* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Delphaenium denudatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Delphaenium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Delphinium altissimum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Delphinium bruonianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Delphinium caeruleum* JACQ. EX CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Delphinium cashmirianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Delphinium denudatum* WALL. EX HOOK. F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Delphinium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Delphinium glaciale* HOOK.F. & THOMSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Delphinium kashmirianum* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Delphinium kohatense* (BRUHL.) MUNZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Delphinium paciflorum* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Delphinium roylei* MUNZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Delphinium saniculifolium* AUCT NON BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Delphinium semibarbatum* BLENERT EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Delphinium speciosum JANKA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Delphinium vestitum* WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Delphinium viscosum* HK. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Delphinium zalil* AITCH & HEMSLEIGH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium aduncum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium aggregatum* - JENKINS K. & P. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium amoenum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium chrysanthum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium coerulescens* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium crumenatum* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium crumentum* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium densiflorum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium jenkinsii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium macraei* AUCT. NON LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium moschatum* (BUCH.-HAM.) SW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium nobile* LINDL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium ovatum* (L.) KRAENZL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrobium paxtonii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrocalamus hamiltonii* NEES EX ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrocalamus strictus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrocnide sinuata* (BL.) CHEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrophthoe elastica* (DESR.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dendrophthoe falcata* (L.F) ETTING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Dendrophthoe pentandra (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dentella repens* (L.) J.R. & G. FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Derris elliptica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Derris ferruginea* (ROXB.) BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Derris indica* (LAM.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Derris malaccensis* PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Derris robusta* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Derris scandens* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Derris trifoliata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Derris uliginosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Descurainia sophia* (L.) WEBB. EX PRANTL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmanthus cinereus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmanthus virgatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmochaeta atropurpurea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium biarticulatum* (L.) F.V.MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium dichotomum* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium elegans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium gangeticum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium gyrans* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium gyroides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium heterocarpon - strigosum* VAN MEEWUEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium heterocarpon* (LINN.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium heterophyllum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Desmodium lasiocarpum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium latifolium* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium laxiflorum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium microphyllum* (THUNB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium motorium* (HOUTT.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium oojeinense* (ROXB.) OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium polycarpum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium pseudotriquetrum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium pulchellum* BENTH.EX. BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium retroflexum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium styracifolium* (OSB.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium tiliaefolium* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium triangulare* (RETZ.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium triflorum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium triquetrum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium umbellatum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium velutinum* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmos chinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmos cochinchinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmos dumosa* (ROXB.) SAFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmos longiflorus* (ROXB.) SAFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmostachya bipinnata* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmotrichum fimbriatum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Deutzia scabra THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dianthus anatolicus* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dianthus caryophyllus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dianthus chinensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dicaelospermum ritchiei* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dicentra chrysantha* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dicentra thalictrifolia* HF.& T. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dichanthium caricosum* (L.) A. CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dichanthium pertusum* CLYTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dichopsis ellipticum* BENTH & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dichroa febrifuga* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dichrocephala bicolor* (ROTH) SCHLECHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dichrocephala integrifolia* (L.F.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dichrocephala latifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dichrostachys cinerea* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dicliptera bupleuroides* NEES and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dicliptera cuneata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dicliptera micranthus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dicliptera roxburghiana* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dicliptera verticillata* (FORSK.) CHRISTENS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dicoma tomentosa* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dicranopteris linearis* (BURM.F.) UNDERW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dictamnus albus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Didymocarpus aromaticus WALL. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Didymocarpus pedicellata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dieffenbachia seguine* (L.) SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dienia muscifera* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Digera arvensis* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Digera muricata* (L.) MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Digitalis lanata* EHRH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Digitalis purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dillenia aurea* SIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dillenia bracteata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dillenia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dillenia pentagyna* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dimocarpus longan* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dimorphocalyx glabellus* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dinebra arabica* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dinebra retroflexa* (VAHL) PANZER *retroflexa* and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dinochloa Kalammanica* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dionysia diapiensiaefolia* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea alata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea belophylla* VOIGT EX HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea bulbifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea composita* HEMSL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Dioscorea crispata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea daemona* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea deltoidea* WALL. EX KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea esculanta* (LOUR.) BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea glabra* AUCT. NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea globosa* ROXB. ET. PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea hamiltonii* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea hirsuta* DENNST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea hispida* DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea oppositifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea prazeri* PRAIN & BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea puber* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea purpurea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea rubella* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea sativa* AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea tomentosa* KOEN. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea triphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dioscorea wallichii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros bourdillonii* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros buxifolia* (BLUME) HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros candolleana* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros chloroxylon* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Diospyros cordifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros ebenum* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros embryopteris* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros exsculpta* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros ferrea* (WILLD.) BATCH. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros glutinosa* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros insignis* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros kaki* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros lancaefolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros lotus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros malabarica* (DESR.) KOSTEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros melanoxylon* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros montana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros oocarpa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros paniculata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros peregrina* (GAERTN.) GURKE. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros quaesita* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros racemosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros sylvatica* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros tomentosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros tomentosa* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros tomentosa* WEBB & BERTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diospyros tomentosa* (RETZ.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Diplazium stoliczkae BEDD. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diploclisia glaucescens* (BL.) DIELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diplocyclos palmatus* (L.) JAFFREY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diploknema butyraceae* (ROXB.) H.J. LAMK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diplospora singularis* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diplospora sphaerocarpa* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dipsacus fullonum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dipsacus inermis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dipsacus mitis* D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dipteracanthus patulus* (JACQ.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dipteracanthus prostratus* (POIR.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dipteracanthus suffruticosus* (ROXB.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dipterocarpus alatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dipterocarpus bourdilloni* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dipterocarpus gracilis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dipterocarpus indicus* BEDD. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dipterocarpus laevis* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dipterocarpus pilosus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dipterocarpus tuberculatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dipterocarpus turbinatus* GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dischidia rafflesiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Disporum cantoniense* (LOUR.)MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Distemon indicum* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Dittelasma raraka (DC.) HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dodonaea angustifolia* (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dodonaea burmanniana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dodonaea viscosa* (L.) JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dodonaea viscosa* JACQ. *angustifolia* (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dolichandrone arcuata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dolichandrone atrovirens* (HEYNE EX. ROTH) SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dolichandrone falcata* SEEMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dolichandrone spathacea* (L.F.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dolichandrone stipulata* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dolichos biflorus* SENSU AUCT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dolichos bulbosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dolichos catieng* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dolichos catjang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dolichos cylindricus* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dolichos falcatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dolichos gladiatus* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dolichos lablab* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dolichos lablab* L. *typicus* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dolichos pruriens* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dolichos sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dolichos trilobus* (L.) AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dolichos uniflorus* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Dolomaea macrocephala DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dombeya cayeuxii* HORT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Donax connaeformis* (FORST.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dopatrium junceum* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dopatrium lobelioides* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dopatrium nudicaule* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dorema ammoniacum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dorema aureum* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Doronicum falconeri* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Doronicum hookeri* C.B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Doronicum pardalianches* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Doronicum roylei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dorstenia indica* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dosma bracteatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Douepia tortuosa* CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Draba muralis* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Draba setosa* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dracaena angustifolia* (MEDIC.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dracaena cinnabari* BALF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dracaena petiolata* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dracaena terminalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dracaena terniflora* ROXB. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dracocephalum heterophyllum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Dracocephalum moldavica LINN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dracocephalum royleanum* ROYLE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dracocephalum stamineum* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dracontium polyphyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dregea volubilis* (L.F.) BENTH. EX.HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Drimia indica* (ROXB.) J.P. JESSOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Drimys winteri* FORST. CHAR. GEN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Drosera burmannii* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Drosera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Drosera lunata* HAM. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Drosera peltata* SM.WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Drymaria cordata* (L.) WILLD. EX R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Drymaria cordata* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Drymaria diandra* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Drymoglossum carnosum* (WALL.)SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Drynaria quercifolia* (L.) J.SMITH and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dryobalanops aromatica* GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dryopteris barbigera* (MOORE) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dryopteris blanfordii* (HOPE) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dryopteris cochleata* (DON) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dryopteris filix-mas* (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dryopteris marginata* (WALL.) CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dryopteris odontoloma* (MOORE) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Dryopteris schimperiana (HOCHST.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dryopteris sparsa* (DON)KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dryopteris confertiflora* (HOOK. F.) PAX & HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dryopteris macrophylla* (BLUME) PAX & HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dryopteris roxburghii* (WALL.) HURUSAWA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dryopteris zeylanica* (MUELL.-ARG.) HURUSAWA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Duboisia myoporoides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Duchesnea indica* (ANDR.) FOCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Duranta repens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Durio zibethinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dyschoriste madurensis* (BURM.F.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dysophylla auricularia* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dysophylla rugosa* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dysophylla stelata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dysophylla stellata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dysoxylum alliarum* (BUCH.-HAM.) BALAK. NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dysoxylum binectariferum* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dysoxylum hamiltonii* HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dysoxylum malabaricum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dysoxylum procerum* HIERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ebermaiera glutinosa* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ecbolium linneanum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ecbolium viride* (FORSK.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ecbolium virids (FORSSK.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Echeveria glauca* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Echinacea angustifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Echinochloa colona* LINK. frumentacea BLATTER & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Echinochloa crusgalli* (L.) P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Echinochloa frumentacea* LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Echinochloa stagnina* (RETZ.) BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Echinops cornigerous* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Echinops echinatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Echioglossum williamsonii* (RCHB.F.) SZLAC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Echites dichotoma* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eclipta alba* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eclipta erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eclipta parviflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eclipta prostrata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Edgeworthia gardneri* (WALL.) MEISSN. NULL and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Edgeworthia tomentosa* NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Edwardsia griffithii* (STOCKS) PHILIP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ehretia acuminata* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ehretia aspera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ehretia buxifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ehretia canarensis* MIQ. EX CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ehretia laevis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ehretia laevis ROXB. pubescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ehretia microphylla* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ehretia obtusifolia* HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eichhornia crassipes* SOLMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Codariocalyx motorius* (Houtt.) H. Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria acicularis* Buch.-Ham. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria agatiflora* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria alata* Buch.-Ham & Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria albida* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria anagyroides* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria angulata* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria barbata* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria berteriana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria bidiei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria bifaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria bourneae* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria calycina* Schrank and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria candicans* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria clarkei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria clavata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria conferta* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria digitata* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria dubia* Graham ex benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Crotalaria epunctata Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria evolvuloides* Wight ex Wight & Arn. var. *evolvuloides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria evolvuloides* Wight ex Wight & Arn. var. *acutifolia* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria formosa* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria fysonii* Dunn var. *fysonii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria fysonii* Dunn var. *glabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria globosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria grahamiana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria hebecarpa* (DC.) Rudd and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria heyneana* Grahma ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria hirta* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria humifusa* Graham ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria juncea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria laburnifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria laevigata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria beddomeana* Thoth. & A. A. Ansari and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria spectabilis* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria linifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria longipes* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria lunulata* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria madurensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria medicaginea* Lam. var. *medicaginea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria medicaginea* Lam. var. *neglecta* (Wight & Arn.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Crotalaria multiflora Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria mysorensis* Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria nana* Burn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria notonii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria obtecta* Graham ex Wight & Arn. var. *obtecta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria obtecta* Graham ex Wight & Arn. var. *glabrescens* (Benth.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria orixensis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria ovalifolia* Wall. ex Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria pallida* Dryand. var. *pallida* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria pallida* Dryand. var. *obovata* (G.Don) Polhill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria paniculata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria peduncularis* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria priestleyoides* Benth ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria prostrata* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria pulchra* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria pusilla* Neyne ex Roth and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria quinquefolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria ramosissima* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria retusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria rigida* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria salicifolia* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria scabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria scabrella* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Crotalaria semperflorens Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria shevaroyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria speciosa* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria subperfoliata* Wight ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria tecta* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria trifoliatum* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria triquetra* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria umbellata* Wight ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria verrucosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria walkerii* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria wightiana* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria willdenowiana* DC. subsp. *willdenowiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crotalaria willdenowiana* DC. subsp. *glabrifoliolata* Ellis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyamopsis tetragonoloba* (L.) Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cytisus canariensis* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cytisus hirsutus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cytisus monspessulanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cytisus multiflorus* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cytisus proliferus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cytisus scoparius* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cytisus supinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia congesta* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia coromandeliana* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Dalbergia gardneriana Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia horrida* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia lanceolaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia latifolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia malabarica* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia melanoxylon* Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia pinnata* (Lour.) prain var. *acaciaefolia* (Dalz.) Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia pseudo-siso* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia rubiginosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia sissooides* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia sissoo* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia spinosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia tinneveli* Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dalbergia volubilis* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Derris benthamii* (Thw.) Thw. var. *benthamii* and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Derris benthamii* (Thw.) Thw. var. *wightii* (Baker) Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Derris brevipes* (Benth) Baker var. *brevipes* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Derris brevipes* (Benth) Baker var. *coriacea* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Derris canarensis* (Dalz.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Derris scandens* (Roxb.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Derris thothathrii* Bennett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Derris trifoliata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Desmodium alysicarpoides Van Meeuwen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium barbatum* (L.) Benth. subsp. *sauliereri* (Schind.) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium dichotomum* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium dolabriforme* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium ferrugineum* Wall ex Thw. subsp. *ferrugineum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium ferrugineum* Wall ex Thw. subsp. *wynaadense* (Bedd. ex Gamble) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium gangeticum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium heterocarpon* (L.) DC. var. *heterocarpon* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium heterocarpon* (L.) DC. var. *strigosum* Van Meeuwen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium heterophyllum* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium laxiflorum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium laxum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium microphyllum* (Thunb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium oojeinense* (Roxb) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium pryonii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium pulchellum* (L.) Benth. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium repandum* (Vahl) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium styracifolium* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium tortuosum* (Sw.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium triangulare* (Retz.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium triflorum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium triquetrum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmodium velutinum* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Desmodium zonatum Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dicerma biarticulatum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dolichos trilobus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dumasia villosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dunbaria ferruginea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dunbaria heynei* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eleiotis monophylla* (Burm.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erythrina crista-galli* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erythrina stricta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erythrina suberosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erythrina subumbrans* (Hassk.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erythrina variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flemingia grahamiana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flemingia lineata* (L.) Roxb. Ex Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flemingia macrophylla* (Willd.) Prain ex Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flemingia nilgherensis* (Baker) Wight ex Cooke and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flemingia Semialata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flemingia stricta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flemingia strobilifera* (L.) R. Br. ex Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flemingia tuberosa* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flemingia wallichii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flemingia wightiana* Grahams ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Galactia longifolia* Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Galactia tenuiflora (Klein ex Willd.) Wight & Arn var. *lucida* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Galactia tenuiflora* (Klein ex Willd.) Wight & Arn var. *villosa* (Wight & Arn.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>. Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geissaspis cristata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gliricidia sepium* (Jacq.) Kunth ex Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glycine max* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hardenbergia comptoniana* (Link) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera aspalathoides* Vahl ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera astragalina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera caerulea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera cassioides* Rottl. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera colutea* (Buem. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera constricta* (Thwaites) Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera cordifolia* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Indigofera glandulosa Roxb. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera hochstetteri* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera karnatakana* Sanjappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera karuppiana* Pallithanam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera linifolia* (L.f.) Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera linnaei* Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera longiracemosa* Boiv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera mysorensis* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera nummularifolia* (L.) Skina ex Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera oblongifolia* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera parviflora* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera pedicellata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera prostrata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera spicata* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera stachyodes* Lindl. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera tinctoria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera tirunelvelica* Sanjappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera trifoliata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera trita* L.f. var. *trita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera trita* L. f. var. *maffeii* (Chiov.) Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera trita* L. f. var. *marginulata* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera uniflora* Buch. - Ham. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Indigofera vicioides Jaub. & Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera wightii* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera zollingeriana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lablab purpureus* (L.) Sweet var. *purpureus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lablab purpureus* (L.) Sweet var. *lignosus* (Prain) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Laburnum anagyroides* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lathyrus aphaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lathyrus latifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lathyrus odoratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lathyrus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lens culinaris* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leptodesmia congesta* (Wight) Benth. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lespedeza cuneata* (Dum. Cours.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lonchocarpus violaceus* Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lupinus angustifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lupinus luteus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lupinus pilosus* Murray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macroptilium atropurpureum* (DC.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macroptilium lathyroides* (L) Urban var. *semierectum* (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macrotyloma ciliatum* (Willd.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macrotyloma uniflorum* (Lam.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Medicago sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melilotus alba* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Millettia racemosa (Wight & Arn.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Millettia rubiginosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Millettia splendens* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mucuna atropurpurea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mucuna gigantea* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mucuna monosperma* DC. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mucuna pruriens* (L.) DC. var. *pruriens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mucuna pruriens* (L.) DC. var. *hirsuta* (Wight & Arn.) Wilmot - Dear and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mundulea sericea* (Willd.) A. Cheval and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neonotonia wightii* (Graham ex Wight & Arn.) Lackey var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neonotonia wightii* (Wight & Arn.) Lackey var. *coimbatorensis* (Ajita Sen) Karthik. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ormocarpum cochinchinense* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ormosia travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ougeinia oojeinensis* (Roxb.) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paracalyx scariosa* (Roxb.) Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parochetus communis* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phaseolus coccineus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phaseolus lunatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phaseolus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllodium pulchellum* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pisum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pongamia pinnata* (L.) Pierre and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pseudarthria viscida* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Psophocarpus tetragonolobus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psoralea corylifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psoralea pinnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pterocarpus marsupium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pterocarpus santalinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pueraria triloba* (Lour.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pueraria tuberosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pycnospora lutescens* (Poir.) Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchosia albiflora* (Sims) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchosia aurea* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchosia cana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchosia capitata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchosia densiflora* (Roth) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchosia filipes* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchosia heynei* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchosia jacobii* Chandrabose & Shetty and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchosia nummularia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchosia rothii* Benth ex Aitch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchosia rufescens* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchosia suaveolens* (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchosia velutina* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchosia viscosa* (Roth) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Robinia pseudo-acacia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rothia indica* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesbania bispinosa* (Jacq.) W. F. Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesbania grandiflora* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesbania procumbens* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesbania sesban* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesbania speciosa* Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Shutteria involucrata* (Wall.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smithia bigemina* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smithia blKalam* Wall. ex Wight & Arn. var. *blKalam* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smithia blKalam* Wall. ex Wight & Arn. var. *racemosa* (Heyne ex Wight & Arn.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smithia capitata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smithia conferta* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smithia gracilis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smithia hirsuta* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smithia sensitiva* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smithia setulosa* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sophora glauca* Lesh.ex DC. Ann. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sophora interrupta* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sophora wightii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spartium junceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stylosanthes fruticosa* (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stylosanthes sunaica* Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Tephrosia barberi Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia calophylla* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia candida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia canarensis* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia fusca* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia hookeriana* Wight & Arn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia maxima* Pres. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia pulcherrima* (Wight ex Baker) Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia pumila* (Lam.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia purpurea* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia spinosa* (L.f.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia strigosa* (Dalz.) Sant. & Mahesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia tinctoria* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia vegellii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia villosa* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Teramnus labialis* (L.F.) Spreng. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Teramnus mollis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trifolium alexandrinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trifolium cernuum* Brot. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trifolium dubium* Sibth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trifolium incarnatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trifolium pratense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trifolium repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Trifolium subterraneum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trigonella foenum-graecum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ulex europaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Uraria alopecuroides* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Uraria lagopodioides* (L.) Desv. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Uraria rufescens* (DC.) Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vicia faba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vicia hirsuta* (L.) S. F. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vicia sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vicia villosa* Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna aconitifolia* (Jacq.) Marechal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna adenantha* (G. F. W. Meyer) Marechal, Mascherpa & Stainier and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna bourneae* Ganble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna dalzelliana* (Kuntze) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna grahamiana* (Wight & Arn.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna hosei* (Craib) Backer and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna khKalamlensis* (Sant.) Ragh. & Wadhwa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna mungo* (L.) Hepper and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna radiata* (L.) Wilczek var. *radiata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna radiata* (L.) Wilczek var. *sublobata* (Roxb.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna subramaniana* (Raizada) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna trilobata* (L.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna umbellata* (Thunb.) Ohwi & Ohahsi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Vigna unguiculata (L.) Walp. subsp. *cylindrica* (L.) Eselt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna vexillata* (L.) A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna wightii* Benth. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Virgilia oroboides* (Berg.) Salter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wisteria sinensis* (Sims) Sweet. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zornia diphylla* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zornia gibbosa* Span. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acrocarpus fraxinifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amherstia nobilis* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia acuminata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia malabarica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia phenicea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia racemosa* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia vahlii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bauhinia variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brownea grandiceps* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brownea macrophylla* Linden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caesalpinia bonduc* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caesalpinia coriaria* (Jacq.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caesalpinia cucullata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caesalpinia decapetala* (Roth) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Caesalpinia mimosoides Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caesalpinia pulcherrima* (L.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Caesalpinia sappan* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia fistula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia grandis* L. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia javanica* L. var. *javanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia javanica* L. var. *nodosa* Buch. - Ham. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia javanica* L. var. *renigera* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia montana* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia siamea* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassia spectabilis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceratonia siliqua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chamaecrista absus* (L.) H. Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chamaecrista auricoma* (Graham ex Benth.) Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chamaecrista kleinii* (Wight & Arn.) K. M. Matthew and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chamaecrista lechenaultiana* (DC.) O. Deg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chamaecrista mimosoides* (L.) Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chamaecrista nigricans* (Vahl) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chamaecrista pumilla* (Lam.) K. Larsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynometra cauliflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cynometra travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Delonix elata* (L.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Delonix regia (Boj. ex Hook) Rafin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hardwickia binata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Humboldtia bourdillonii* Prian and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Humboldtia brunonis* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Humboldtia decurrense* Bedd. ex Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Humboldtia unijuga* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Humboldtia vahliana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kingiodendron pinnatum* (Roxb. ex DC.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parkinsonia aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peltophorum africanum* Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peltophorum pterocarpum* (DC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pterolobium hexapetalum* (Roth.) Sant. & Wagh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saraca asoca* (Roxb.) Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saraca thaipingensis* Cantley ex. Prain. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schizolobium parahybum* (Vell.) S. F. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senna alata* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senna alexandrina* Gars. ex Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senna auriculata* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senna didymobotrya* (Fresn.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senna hirsuta* (L.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senna intermedia* (Sharma et al.) Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senna italica* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senna multiglandulosa* (Jacq.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Senna occidentalis (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senna pallida* (Wall) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senna septumtrionalis* (Viv.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senna sophora* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senna surattensis* (Burm.f) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senna timoriensis* (DC.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senna tora* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tamarindus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia armata* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia auriculiformis* A. Cunn ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia baileyana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia caesia* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia catechu* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia chundra* (Roxb. ex Rottl.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia confusa* Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia cultriformis* A. Cunn. ex G. Don and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia concurrens* Pedley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia dealbata* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia decora* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia decurrens* (Wendl.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia eburnea* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia elata* Cunn. Ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia farnesiana* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Acacia ferruginea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia grahamii* Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia hohenackeri* Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia homalophylla* A. Cunn. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia holosericea* A.Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia horrida* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia leucophloea* (Roxb.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia longifolia* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia maidenii* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia mearnsii* Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia melanoxylon* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia myrtifolia* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia neriifolia* A. Cunn. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia nilotica* (L.) Willd. ex Del. subsp. *indica* (Benth) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia pennata* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia planifrons* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia podalyriifolia* A. Cunn ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia polyacantha* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia pruinescens* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia pruinosa* A. Cunn ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia pulchella* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia pycnantha* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia retinodes* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Acacia saligna (Labill.) H. L. Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia sinuata* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia tomentosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia torta* (Roxb.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia verticillata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acacia wightii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adenanthera pavonina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Albizia amara* (Roxb.) Boivin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Albizia chinensis* (Osbeck.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Albizia lathamii* Hole and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Albizia lebbbeck* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Albizia odoratissima* (L.f.) Benth. var. *odoratissima* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Albizia odoratissima* (L.f.) Benth var. *mollis* Benth ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Albizia procera* (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Albizia Kalamn* (Jacq.) F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Albizia thompsonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Archidendron clypearia* (Jack) Nilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Archidendron monadelphum* (Roxb.)Nielsen var. *monadelphum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Archidendron monadelphum* (Roxb.)Nielsen var. *gracile* (Bedd.) Sanj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calliandra brevipes* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calliandra calothyrsus* Meisn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calliandra haematocephala* Hassk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calliandra inmeris* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cathormion umbellatum (Wall) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmanthus virgatus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dichrostachys cinerea* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dichrostachys muelleri* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dichrostachys santapau* Sebastine & Raman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Entada pursaetha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Enterolobium cyclocarpum* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Haematoxylum campechianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucaena leucocephala* (L.) Gills and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimosa intsia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimosa hamata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimosa pudica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neptunia prostrata* (Lam.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neptunia plena* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neptunia triquetra* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paraserianthes falcataria* (L.) I.C. Nielsen and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paraserianthes lophantha* (Willd.) I.C. Nielsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parkia biglandulosa* Wight Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pithecellobium dulce* (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prosopis cineraria* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prosopis juliflora* (Sw.) Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alchemilla indica* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chaenomeles speciosa* (Sweet) Nakai and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cotoneaster bacillaris Wall ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cotoneaster buxifolia* Wall ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cotoneaster microphyllus* Wall ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cotoneaster transens* G. Klotz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriobotrya japonica* (Thunb.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fragaria chiloensis* (L.) Duchesne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fragaria nilgerrensis* Schlecht. ex Gay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fragaria vesca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kerria japonica* (L.) Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malus baccata* (L.) Borkh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malus sylvestris* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Photinia integrifolia* Lindl. var. *sublanceolata* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Photinia serratifolia* (Desf.) Kalkman var. *serratifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Photinia serratifolia* (Desf.) Kalkman var. *tomentosa* (Gamble) Vivek. & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Potentilla indica* (Andr.) Wolf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Potentilla leschenaultiana* Ser. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Potentilla sundaica* (blume) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prinsepia utilis* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus armeniaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus avium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus cerasoides* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus ceylanica* (Wight) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus domestica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Prunus laurocerasus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus persica* (L.) Batsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus salicina* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus serrulata* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pyrus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quillaja saponaria* Molina and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosa banksiae* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosa brunonii* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosa x centifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosa x damascena* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosa gigantea* Collett ex Crop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosa indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosa laevigata* Michx. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosa leschenaultiana* Red. & Thory ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosa multiflora* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubus ellipticus* Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubus fairholmianus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubus glomeratus* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubus idaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubus indicus* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubus micropetalus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubus niveus* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubus racemosus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Rubus rugosus Smith var. *rugosus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubus rugosus* Smith var. *thwaitesii* Focke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spiraea canescens* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spiraea cantoniensis* Lour. var. *cantoniensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spiraea cantoniensis* Lour var. *florepleno* Maxim. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spiraea japonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spiraea nipponica* Maxim. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Atuna indica* (Bedd.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Atuna travancorica* (Bedd.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysobalanus icaco* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saxifraga stolonifera* Meerb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vahlia dichotoma* (Murr.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vahlia digyna* (Retz.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parnassia mysorensis* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parnassia wightiana* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Deutzia scabra* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydrangea macrophylla* (Thunb.) Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Philadelphus coronarius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Escallonia rubra* (Ruiz & Pav.) Pers. var. *macrantha* Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Escallonia montevidensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aeonium arboreum* (L.) Webb & Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bryophyllum fedtschenkoi* (Raym.-Hamet & H.Perrier) C.Y.Cheng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Crassula multicava* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Crassula quadrifida Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kalanchoe bhidei* Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kalanchoe grandiflora* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kalanchoe lanceolata* (Forsk.) Pers. var. *lanceolata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kalanchoe lanceolata* (Forsk.) Pers. var. *glabra* (Clarke) Srinivasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kalanchoe lanceolata* (Forsk.) Pers. var. *glandulosa* (Hochst. ex A. Rich.) Cufod. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kalanchoe olivacea* Dalz. & Gibs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kalanchoe pinnata* (Lam.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kalanchoe schweinfurthii* Penzig and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kalanchoe tubiflora* Hamet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rochea coccinea* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sedum mexicanum* Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tillaea pentandra* Royle ex Edgew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Drosera burmannii* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Drosera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Drosera peltata* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Exbucklandia populnea* (R.Br. Ex Griffith) R. W. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Liquidambar styraciflua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lauremburgia coccinea* (Blume) Kan. var. *coccinea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lauremburgia coccinea* (Blume) Kan. var. *zeylanica* (Arn. ex Clarke) Meyden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myriophyllum oliganthum* (Wight & Arn.) F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Callitriche stagnalis* Scop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bruguiera cylindrica* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Bruguiera gymnorrhiza (L.) Savigny and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carallia brachiata* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassipourea ceylanica* (Gard.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceriops decandra* (Griff.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceriops tagal* (Perr.) Robins and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kandelia candel* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhizophora x annamalayana* Kathir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhizophora apiculata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhizophora mucronata* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anogeissus acuminata* (Roxb. ex DC.) Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anogeissus latifolia* (Roxb. Ex DC.) Wall ex Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calycopteris floribunda* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Combretum albidum* G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Combretum coccineum* (Sonner.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Combretum nanum* Willd. Buch. - Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lumnitzera racemosa* Willd. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quisqualis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quisqualis malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia bellirica* (Gaertn.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia catappa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia chebula* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia cuneata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia elliptica* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Terminalia gella Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia pallida* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia paniculata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia travancorensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acca sellowiana* (Berg) Burret and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agonis flexuosa* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Angophora costata* (Gaertn.) Britt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Angophora intermedia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Angophora lanceolata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Angophora subvelutina* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Baeckea virgata* (Forst.) Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Callistemon brachyandrus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Callistemon citrinus* (Curtis) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Callistemon polandii* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Callistemon rigidus* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Callistemon salignus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Callistemon viminalis* (Gaertn.) Don ex Loudon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus alpina* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus amygdalina* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus blakelyi* Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus bosistoana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus botryoides* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus bridgesiana* R. T. Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Eucalyptus calophylla R. Br. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus camaldulensis* Dehnh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus cephalocarpa* Blakely and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus citriodora* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus cladocalyx* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus crebra* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus cypellocarpa* L.A.S. Johnson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus elata* Dehnh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus diversicolor* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus eugenoides* Sieb. ex Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus ficifolia* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus globulus* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus grandis* W.Hill ex Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus hemiphloia* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus leucadendron* Reinz. ex DeVriese and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus leucoxydon* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus longifolia* Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus macarthurii* Deane & Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus maculata* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus megacornuta* C. A. Gardener and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus microcorys* F. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus melliodora* A. Cunn ex Schau. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus nitida* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Eucalyptus nova-anglica Deane & Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus obliqua* L. Her. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus ovata* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus paniculata* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus pauciflora* Sieb ex Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus pipertia* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus polyanthemos* Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus ptychocarpa* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus punctata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus radiata* Sieb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus regnans* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus resinifera* Sm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus robusta* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus rossii* R. T. Baker & H. G. Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus saligna* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus siderophloia* Benth. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus sideroxylon* A. Cunn.ex.Woolls and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus staigeriana* F. v. Muell. ex Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus tereticornis* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus torelliana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus viminalis* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eugenia bracteata* (Willd.) Roxb ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eugenia calcadensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Eugenia continifolia Jacq. subsp. *codyensis* (Munro ex Wight) Ashton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eugenia discifera* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eugenia floccosa* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eugenia indica* (Wight) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eugenia mabaeoides* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eugenia manickamia* Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eugenia rottleriana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eugenia singampattiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eugenia thwaitesii* Duthie and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eugenia uniflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leptospermum flavescens* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leptospermum scoparium* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leptospermum stellatum* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lophostemon confertus* (R.Br.) Peter G.Wilson & J.T.Waterh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melaleuca armillaris* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melaleuca hypericifolia* Sm. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melaleuca leucadendron* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melaleuca nesophylla* F.v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melaleuca quinquenervia* S. T. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melaleuca styphelioides* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Meteoromyrtus wynaadensis* (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myrtus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pimenta dioica* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Psidium cattleianum Sabine and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psidium guajava* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhodomyrtus tomentosa* (Ait.) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syncarpia glomerulifera* (Sm.) Nied. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syncarpia laurifolia* Tenore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium alternifolium* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium aqueum* (Burm. F.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium aromaticum* (L.) Merr. & Perry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium beddomei* (Duthie) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium benthamianum* (Wight ex Duthie) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium bourdillonii* (Gamble) Rathakr. & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium calophyllifolium* Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium caryophyllatum* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium chandrasekharanii* Chandrabose & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium courtallense* (Gamble) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium cumini* (L.) Skeels and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium densiflorum* Wall ex. Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium fergusonii* (Trimen) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium gambelanum* Rathakr. & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium gardneri* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium hemisphericum* (Wight) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium jambos* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium laetum* (Buch. - Ham.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Syzygium lanceolatum (Lam.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium malabaricum* (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium malaccensis* (L.) Merr. & Perry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium megacarpum* (Craib) Rathakr. & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium mundagam* (Bourd.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium munronii* (Wight) Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium myhendrae* (Bedd. ex Brandis) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium rama - varmae* (Bourd.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium revolutum* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium rubicundum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium scoparium* Wallich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium spathulatum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium sriganesanii* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium tamilnadensis* Rathakr. & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium travancoricum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium venosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium zeylanicum* (L.) DC. var. *zeylanicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium zeylanicum* (L.) DC. var. *ellipticum* Henry, Chandrabose and Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium zeylanicum* (L.) DC. var. *lineare* (Duthie) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium zeylanicum* (L.) DC. var. *megamalayanum* K. Ravik. & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Couroupita guianensis* Aubl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gustavia superba* Berg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barringtonia acutangula* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barringtonia asiatica* (L.) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barringtonia racemosa* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Careya arborea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kendrickia walkeri* (Wight) Hook. f. ex Triana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Medinilla beddomei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Medinilla fuchsioides* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Medinilla malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melastoma malabathricum* L. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Memecylon angustifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Memecylon bremeri* Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Memecylon depressum* Benth ex Triana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Memecylon edule* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Memecylon flavescens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Memecylon gracile* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Memecylon gracillimum* Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Memecylon grande Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Memecylon heyneanum Benth ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Memecylon kollimalayana Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Memecylon lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Memecylon leucanthemum Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Memecylon lushingtonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Memecylon manickamii C. Murugan V. Sundaresan & G.J. Jothi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Memecylon molestum (Clarke) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Memecylon mundanthuraianum* Viswanathan & ManikKalamn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Memecylon randerianum* S.M. & M.R. Almeida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Memecylon rivulare* Bremer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Memecylon rostratum* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Memecylon sisparens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Memecylon subcordatum* Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Memecylon subramanii* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Memecylon talbotianum* Brandis & Lakshmanan and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Memecylon tirunelvelicum* Murugan Manickam & Sundaresan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Memecylon umbellatum* Burm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Memecylon variens* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia aspera* (L.) Blume var. *aspera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia aspera* (L.) Blume var. *travancorica* (Bedd. ex gamble) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia aspera* (L.) Blume var. *wightiana* (Benth ex Wight & Arn.) Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia brachystemon* Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Osbeckia buxifolia Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia gracilis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia leschenaultiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia muralis* Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia reticulata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia rubicunda* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia parvifolia* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia stellata* Buch. Ham. ex Ker-Gawl. var. *hispidissima* (Wight) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia stellata* Buch. Ham. ex Ker-Gawl. var. *rostrata* (D. Don) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia tirunelvelica* Manickam & Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia virgata* D. Don ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia wynaadensis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia zeylanica* L f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonerila brunonis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonerila clarkei* Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonerila devicolamensis* Nayar and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonerila elegans* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonerila grandiflora* R. Br. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonerila inaequalis* Murugan et Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonerila kanyakumariana* Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonerila longipetiolata* Josephine Manickam Murugan Sundaresan & Jothi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonerila parameswaranii* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonerila pulneyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Sonerila rheedii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonerila rotundifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonerila sadasivanii* Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonerila speciosa* Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonerila tenera* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonerila tinneveli* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonerila travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonerila versicolor* Wight var. *versicolor* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonerila versicolor* Wight var. *axillaris* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonerila wallichii* Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonerila zeylanica* Wifht & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tibouchina urvilleana* (DC.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ammania baccifera* L. subsp. *baccifera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ammania baccifera* L. subsp. *aegyptiaca* (Willd.) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ammania multiflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ammania octandra* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cuphea hyssopifolia* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cuphea ignea* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cuphea platycentra* Lemaire and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lagerstroemia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lagerstroemia microcarpa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lagerstroemia parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lagerstroemia reginae* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Lawsonia inermis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nesaea brevipes* Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nesaea prostrata* (Ham. ex Dillwyn) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pemphis acidula* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rotala densiflora* (Roth ex Roem. & Schultes) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rotala fimbriata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rotala illecebroides* (Arn. ex Clarke) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rotala indica* (Willd.) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rotala macrKalam* Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rotala rosea* (Roiret.) C. Cook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rotala rotundifolia* (Buch. Ham. Ex D. Don) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rotala verticillaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonneratia apetala* Buch. -Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Punica granatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Circaea alpina* L. subsp. *imaicola* (Asch. & Magn.) Kitamura and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fuchsia arborescens* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fuchsia boliviana* Carr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fuchsia magellanica* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ludwigia adscendens* (L.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ludwigia hyssopifolia* (G. Don) Exell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ludwigia octovalvis* (Jacq.) Raven subsp. *sessiliflora* (Mich.) Raven and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ludwigia perennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ludwigia peruviana* (L.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ludwigia prostrata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oenothera biennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oenothera glazioviana* Mich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oenothera nocturna* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oenothera odorata* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oenothera rosea* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oenothera stricta* Ledeb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oenothera tetraptera* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trapa natans* L. var. *bispinosa* (Roxb.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Turnera subulata* Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Turnera ulmifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adenia hondala* (Gaertn.) Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adenia wightiana* (Wall. ex Wight & Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Passiflora alba* Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Passiflora antioquiensis* Karsten and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Passiflora caerulea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Passiflora edulis* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Passiflora foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Passiflora holoserica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Passiflora laurifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Passiflora leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Passiflora ligularis* Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Passiflora mollissima* (H. B. K.) Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Passiflora quadrangularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Passiflora suberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Passiflora subpeltata* Ortega and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carica papaya* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Benincasa hispida* (Thunb.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrullus colocynthis* (L.) Schrader and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrullus lanatus* (Thunb.) Matsumura & Nakai and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coccinia grandis* (L.) Voigt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corallocarpus epigaeus* (Rottl. & Willd.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ctenolepis garcinii* (Burm.f.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucumis melo* L. var. *melo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucumis melo* L. var. *utilissimus* (Roxb.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucumis prophetarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucumis sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucumis trigonus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucurbita maxima* Duchesne ex Lam. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucurbita moschata* (Duchesne ex Lam.) Duchesne ex Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cucurbita pepo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diplocyclos palmatus* (L.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnopetalum wightii* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gynostemma pentaphyllum* (Thunb.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kedrostis courtallensis* (Arn.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kedrostis foetidissima* (Jacq.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Lagenaria siceraria (Molina) Standley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Luffa acutangula* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Luffa cylindrica* (L.) M.Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Momordica charantia* L. var. *charantia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Momordica charantia* L. var. *muricata* (Willd.) Chakravarty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Momordica cymbalaria* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Momordica dioica* Roxb. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Momordica subangulata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mukia leiosperma* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mukia maderaspatana* (L.) M. Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sechium edule* (Jacq.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solena amplexicaulis* (Lam.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solena angulata* (Chakravarty) Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichosanthes anaimalaiensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichosanthes cucumerina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichosanthes lobata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichosanthes nervifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichosanthes tricuspidata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zehneria maysorensis* (Wight & Arn.) Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zehneria scabra* (L.f.) Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zehneria thwaitesii* (Schweinf.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Begonia albo-coccinea* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Begonia aliciae* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Begonia anamalayana Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Begonia cordifolia* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Begonia floccifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Begonia integrifolia* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Begonia malabarica* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Begonia subpeltata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tetrameles nudiflora* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cereus pterogonus* Lem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cylindropuntia ramosissima* (Engler) Knuth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Epiphyllum oxypetalum* (DC.) Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hylocereus undatus* (Haw.) Britton & Rosc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nopalea cochenillifera* (L.) Salm-Dyck and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Opuntia elatior* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Opuntia ficus-indica* (L.) Miller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Opuntia stricta* (Haw.) Haw. var. *dillenii* (Ker Gawl.) L. D. Benson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Opuntia vulgaris* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pereskia aculeata* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lampranthus spectabilis* (Haw.) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesuvium portulacastrum* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trianthema portulacastrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trianthema triquetra* Rottl. var. *triquetra* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trianthema salsoloides* Oliv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zaleya decandra* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Corbichonia decumbens (Forsk.) Exell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gisekia pharnaceoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glinus lotoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glinus oppositifolius* (L.) A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mollugo cerviana* (L.) Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mollugo disticha* Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mollugo nudicaulis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mollugo pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mollugo stricta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anethum graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Apium graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bupleurum distichophyllum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bupleurum plantaginifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bupleurum wightii* Mukh. var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bupleurum wightii* Mukh. var. *ramosissimum* (Wight & Arn.) Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carum nothum* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Centella asiatica* (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coriandrum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cuminum cyminum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Daucus carota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Foeniculum vulgare* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heracleum aquilegifolium* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heracleum candolleianum* (Wight & Arn.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Heracleum ceylanicum Gard. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heracleum courtallense* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heracleum hookerianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heracleum rigens* Wall ex DC. var. *rigens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heracleum rigens* Wall ex DC. var. *elongatum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heracleum rigens* Wall ex DC. var. *multiradiatum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heracleum sprengeianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydrocotyle conferta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydrocotyle javanica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydrocotyle sibthorpioides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pastinaca sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Petroselinum crispum* (Mill.) Nyman ex auct.non. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peucedanum anamallayense* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pimpinella candolleana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pimpinella heyneana* (Wall ex DC.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pimpinella leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pimpinella pulneyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pimpinella wallichiana* (Miq.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sanicula elata* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trachyspermum ammi* (L.) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trachyspermum roxburghianum* (DC.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vanasushava pedata* (Wight) Mukh. & Constance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aralia malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Hedera australiana F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedera helix* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polyscias acuminata* (Wight) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polyscias fruticosa* (L.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pentapanax leschenaultii* (DC.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schefflera capitata* (Wight & Arn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schefflera clarkiana* Craib. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schefflera maduraiensis* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schefflera racemosa* (Wight) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schefflera rostrata* (Wight) Harms var. *rostrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schefflera rostrata* (Wight) Harms var. *micrantha* (Clarke) Mahesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schefflera roxburghii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schefflera stellata* (Gaertn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schefflera venulosa* (Wgith & Arn.) Harms var. *venulosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schefflera venulosa* (Wgith & Arn.) Harms var. *obliquinervia* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schefflera wallichiana* (Wight & Arn.) Harms and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tetrapanax papyrifer* (Hook.) Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cornus capitata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mastixia arborea* (Wight) Bedd. subsp. *arborea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mastixia arborea* (Wight) Bedd. subsp. *meziana* (Wang.) Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alangium salvifolium* (L.f.) Wang. subsp. *salvifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alangium salvifolium* (L.f.) Wang. subsp. *hexapetalum* (Lam.) Wang and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diervilla florida* Sieb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Lonicera caprifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lonicera etrusca* Santi. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lonicera japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lonicera leschenaultii* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lonicera ligustrina* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lonicera periclymenum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lonicera sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viburnum cylindricum* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viburnum erubescens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viburnum hebanthum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viburnum punctatum* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sambucus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acranthera anamallica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acranthera grandiflora* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aidia gardneri* (Thw.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agrostemma courtallense* Arn. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Agrostemma verticillatum* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Benkara malabarica* (Lam.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Byrsophyllum tetrandrum* (Bedd.) Hook.f. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canthium angustifolium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canthium ficiforme* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canthium neilgherrense* Wight var. *neilgherrense* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canthium neilgherrense* Wight var. *chartacea* (Gamble) Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Canthium coromandelicum (Burm. F.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canthium rheedii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canthium travancoricum* (Bedd.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Catesbaea spinosa* Linn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Catunaregam spinosa* (Thunb.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceriscoides turgida* (Roxb.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chassalia curviflora* (Wall. ex Kurz) Thw. var. *ophioxyloides* (Wall.) Deb & Krishna and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinchona calisaya* Wedd. var. *calisaya* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinchona calisaya* Wedd. var. *ledgeriana* How. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinchona officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cinchona succirubra* Pav. ex Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coffea arabica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coffea canephora* Pierre ex A. Froehner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coffea liberica* Bull. ex Hiern var. *dewevrei* (De Wild. & T. Durand) Leburn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coffea travancorensis* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Deccania pubescens* (Roth) Tirvengadam var. *pubescens* and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Deccania pubescens* (Roth) Tirvengadam var. *candolleana* (Wight & Arn.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dentella repens* (L.) Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dentella serpyllifolia* Wall. ex Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fergusonia tetracocca* (Thw.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Galium asperifolium* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Galium rotundifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gardenia angusta* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gardenia gummifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gardenia latifolia* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gardenia resinifera* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geophila repens* (L.) I.M. Johnston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Guettarda speciosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Haldina cordifolia* (Roxb.) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hamelia patens* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis affinis* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis albo-nervia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis anamalayana* (Gamble) R. Rao & Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis articularis* R.Br. ex Wight & Arn. subsp. *articularis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis articularis* R.Br. ex Wight & Arn. subsp. *santapau* (Shetty & Vivek.) Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis aspera* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis auricularia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis barberi* (Gamble) Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis biflora* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis brachiata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis buxifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis caerulea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis corymbosa* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis devicolamensis* Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis diffusa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis erecta* Manilal & Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis eualata* (Gamble) Henry & Subram. var. *eualata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis eualata* (Gamble) Henry & Subram. var. *agastyamalayana* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis gamblei* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis gracilis* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis graminifolia* L.f. var. *graminifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis graminifolia* L.f. var. *shuteri* (Hook. f.) Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis herbacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis hirsutissima* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis lessertiana* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis nitida* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis ovatifolia* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis pruinosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis pterita* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis puberula* (G.Don) Arn. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis pumila* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis purpurascens* Hook.f. var. *purpurascens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis purpurascens* Hook.f. var. *pallida* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis ramarowii* (Gamble) R.Rao & Hemadri var. *ramarowii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis ramarowii* (Gamble) R. Rao & Hemadri var. *kannikattica* Sundaresan, Manickam ,G.J. Jothi & Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis shettyi* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis sisparensis* Gage and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis leschenaultiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis swertoides* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis villosostipulata* (Gamble) R.Rao & Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis viscida* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydrophylax maritima* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hymenodictyon obovatum* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hymenodictyon orixense* (Roxb.) Mabberley and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ixora brachiata* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ixora coccinea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ixora cuneifolia* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ixora elongata* Heyne ex G.Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ixora finlaysoniana* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ixora johnsoni* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ixora leucantha* Heyne ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ixora malabarica (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ixora monticola* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ixora nigricans* R.Br. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ixora notoniana* Wall.ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ixora pavetta* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Knoxia sumatrensis* (Retz.) DC. var. *sumatrensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Knoxia sumatrensis* (Retz.) DC. var. *glaberrima* Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Knoxia sumatrensis* (Retz.) DC. var. *hookeriana* Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Knoxia sumatrensis* (Retz.) DC. var. *linearis* (Gamble) Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Knoxia wightiana* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lasianthus acuminatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lasianthus blumeanus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lasianthus capitulatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lasianthus ciliatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lasianthus cinereus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lasianthus dichotomous* Wight and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lasianthus jackianus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lasianthus oblongifolius* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lasianthus parvifolius* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lasianthus rostratus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lasianthus strigillosus* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lasianthus truncatus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lasianthus venulosus* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Luculia grandifolia Ghose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Luculia gratissima* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Luculia pinceana* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mitracarpus villosus* (Sw.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mitragyna parvifolia* (Roxb.) Korth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mitragyna tubulosa* (Arn.) Hav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Morinda citrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Morinda pubescens* J.E. Smith var. *pubescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Morinda pubescens* J.E. Smith var. *tomentosa* Rathna Kumari & Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Morinda pubescens* J.E. Smith var. *stenophylla* (Spreng.) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Morinda reticulata* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Morinda umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mussaenda belilla* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mussaenda frondosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mussaenda glabrata* (Hook.f.) Hutchinson ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mussaenda hirsutissima* (Hook.f.) Hutchinson ex Gamble and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mussaenda tomentosa* Wight ex Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mycetia acuminata* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neanotis decipiens* (Hook.f.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neanotis hutchinsonii* Deb & R. Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neanotis indica* (DC.) W.H. Lewis var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neanotis indica* (DC.) W.H. Lewis var. *affinis* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neanotis indica* (DC.) W.H. Lewis var. *deltoidea* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neanotis monosperma* (Wall. ex Wight & Arn.) W.H. Lewis var. *monosperma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neanotis monosperma* (Wall. ex Wight & Arn.) W.H. Lewis var. *tirunelvelica* Henry & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neanotis nummularia* (Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neanotis rheedei* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neanotis richardiana* (Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neanotis tubulosa* (G.Don) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neanotis wightiana* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neolamarckia cadamba* (Roxb.) Bosser and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neonauclea purpurea* (Roxb.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neurocalyx calycinus* (R.Br. ex Benn.) Robins. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nostolachma crassifolia* (Gamble) Deb & Lahiri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ochreinauclea missionis* (Wall. ex G.Don) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Octotropis travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiorrhiza barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiorrhiza brunonis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ophiorrhiza eriantha Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiorrhiza grandiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiorrhiza hirsutula* Wight ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiorrhiza incarnata* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiorrhiza mungos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiorrhiza pectinata* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiorrhiza pykarensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiorrhiza roxburghiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiorrhiza rugosa* Wall. var. *argentea* (Hook.f.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiorrhiza rugosa* Wall. var. *merguensis* (Hook.f.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiorrhiza rugosa* Wall. var. *prostrata* (D.Don.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiorrhiza tirunelvelica* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxyceros rugulosus* (Thw.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavetta blKalam* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavetta breviflora* DC. var. *breviflora* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavetta breviflora* DC. var. *ciliolata* Gamble ex Bremek. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavetta breviflora* DC. var. *glaberrima* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavetta breviflora* DC. var. *pubescens* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavetta breviflora* DC. var. *subcoriacea* Gamble. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavetta brunonis* Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavetta calophylla* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavetta hispidula* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavetta hohenackeri* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Pavetta indica L. var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavetta indica* L. var. *minor* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavetta indica* L. var. *montana* Thw. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavetta laeta* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavetta oblanceolata* Bremek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavetta praeterita* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavetta thomsonii* Bremek. var. *puberula* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavetta tomentosa* Roxb. ex J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavetta wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavetta zeylanica* (Hook.f.) Gamble var. *zeylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavetta zeylanica* (Hook.f.) Gamble var. *puberula* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pentas lanceolata* (Forssk.) Deflers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pentas zanzibarica* (Klotzsch) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pleiocraterium verticillare* (Wight & Arn.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Portlandia grandiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pseudaidea speciosa* (Bedd.) Tirv. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psilanthus wightianus* (Wight & Arn.) J. Leroy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria anamallayana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria beddomei* Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria bisulcata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria connata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria flavida* Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Psychotria fosbergii Sohmer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria globicephala* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria johnsonii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria macrocarpa* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria nigra* (Gaertn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria nilgiriensis* Deb & Gang. var. *nilgiriensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria nilgiriensis* Deb & Gang. var. *astephana* (Hook.f.) Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria nudiflora* Wight & Arn. var. *nudiflora* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria nudiflora* Wight & Arn. var. *latifolia* Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria octosulcata* Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria sarmentosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria subintegra* (Wight & Arn.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria truncata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psydrax dicoccos* Gaertn. var. *dicoccos* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psydrax dicoccos* Gaertn. var. *lanceolatus* (Arn.) Ridsd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psydrax ficiformis* (Hook.f.) Bridson and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psydrax umbellata* (Wight) Bridson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Richardia brasiliensis* Gomes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Richardia scabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubia cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saprosma corymbosum* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saprosma foetens* (Wight) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saprosma fragrans* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Saprosma glomeratum (Gard.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spermacoce articularis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spermacoce assurgens* Ruiz et Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spermacoce hispida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spermacoce latifolia* Aubl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spermacoce mauritiana* Osea Gideon ex Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spermacoce pusilla* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spermacoce ramanii* Sivarajan & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spermacoce ocymoides* Burm.f. var. *ocymoides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spermacoce ocymoides* Burm.f. var. *thekkumalensis* (Sivarajan & Joseph) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tamilnadia ulginosa* (Retz.) Tirvengadam & Sastre and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tarenna alpestris* (Wight) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *asiatica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *asiatica forma rigida* (Wight) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *montana* (Thw.) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Tarenna canarica (Bedd.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tarenna monosperma* (Wight & Arn.) Raju. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tarenna nilagirica* (Bedd.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tricalysia apiocarpa* (Dalz.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tricalysia sphaerocarpa* (Dalz.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Urophyllum ceylanicum* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wendlandia angustifolia* Wight ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wendlandia thyrsoides* (Schultes) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Valeriana arnottiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Valeriana hookeriana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Valeriana leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Valeriana moonii* Arn.ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dipsacus leschenaultii* Coult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scabiosa atropurpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acanthospermum hispidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Achillea millefolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acroclinium roseum* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adenoon indicum* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adenostemma lavenia* (L.) Kuntze var. *lavenia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adenostemma lavenia* (L.) Kuntze var. *madurensis* (DC.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adenostemma lavenia* (L.) Kuntze var. *reticulatum* (DC.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adenostemma lavenia* (L.) Kuntze var. *rugosum* (DC.) Ram Lal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ageratina adenophora* (Spreng.) R. King & H. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ageratum conyzoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ageratum houstonianum* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Amberboa ramosa* (Roxb.) Jafri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphalis aristata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphalis beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphalis bournei* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphalis brevifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphalis busua* (Buch.-Ham.ex D.Don) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphalis elliptica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphalis lawii* (Hook.f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphalis leptophylla* (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphalis marcescens* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphalis meeboldii* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphalis neelgerryana* (Sch. - Bip. ex DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphalis notoniana* (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphalis subdecurrens* (DC.) Gamble and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphalis travancorica* W.W.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anaphalis wightiana* (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arctotis venusta* Norl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argyranthemum frutescens* Sch. Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia nilagirica* (Clarke) Pamp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artemisia pallens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Artemisia sieversiana Ehrh. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aster indamellus* Grierson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aster laevis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aster cordifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aster rotundifolius* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bidens biternata* (Lour.) Merr. & Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bidens pilosa* L. var. *pilosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bidens pilosa* L. var. *minor* (Blume) Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bidens triplinervia* H.B.K. var. *macrantha* (Wedd.) Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blainvillea acmella* (L.) Philipson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blepharispermum petiolare* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blepharispermum subsessile* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea alata* (D.Don) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea aurita* (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea barbata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea Nripatingeriana* DC. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea bifoliata* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea clarkei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea eriantha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea fistulosa* (Roxb.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea hieracifolia* (D.Don) DC. var. *hieracifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea hieracifolia* (D.Don) DC. var. *flexuosa* (Clarke) Randeria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea hieracifolia* (D.Don) DC. var. *hamiltonii* (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Blumea hieracifolia (D.Don) DC. var. *macrostachya* (DC.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea lacera* (Burm.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea lanceolaria* (Roxb.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea malcolmii* (Clarke) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea membranacea* Wall. ex DC. var. *membranacea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea membranacea* Wall. ex DC. var. *jacquemontii* (Hook.f.) Randeria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea mollis* (D.Don) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea obliqua* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea oxyodonta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea virens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Blumea flava* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bracteantha bracteata* (Vent.) Andr. & Haegi var. *bracteata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bracteantha bracteata* (Vent.) Andr. var. *albidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calendula officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Callistephus chinensis* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carpesium cernuum* L. var. *nilagiricum* Clarke and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Carthamus tinctorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Centaurea cyanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Centrantherum punctatum* Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Centipeda minima* (L.) A. Braun & Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chromolaena odorata* (L.) King & Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysanthemum anethifolium* Brouss. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chrysanthemum coronarium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Elaeagnus angustifolia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeagnus caudata* SCHLECHT. EX MOMIYAMA caudata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeagnus conferta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeagnus hortensis* M. BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeagnus indica* SERV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeagnus kologa* SCHLECHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeagnus latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeagnus parvifolia* WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeagnus pyriformis* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeagnus umbellata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeocarpus floribundus* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeocarpus ganitrus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeocarpus lanceolatus* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeocarpus munronii* (WIGHT.) MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeocarpus oblongus* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeocarpus serratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeocarpus sphaericus* (GAERTN.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeocarpus tuberculatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeodendron glaucum* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeodendron roxburghii* W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elatostema lineolatum* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elatostema platyphyllum* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elatostema sessile* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Eleocharis dulcis (BURM.F.) TRIN. EX HENSCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elephantopus scaber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elettaria cardamomum* MATON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elettaria cardamomum* MATON major THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elettaria cardamomum* MATON minor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elettaria cardamomum* MATON miniscula and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elettaria repens* BAILOL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eleusine aegyptiaca* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eleusine coracana* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eleusine indica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eleutherococcus senticosus* (RUPR. & MAXIM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elsholtzia blKalam* (BTH.) BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elsholtzia ciliata* (THUNB.) HYLAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elsholtzia densa* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elsholtzia pilosa* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elsholtzia polystachya* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elsholtzia strobilifera* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elytraria acaulis* (L.F.) LINDAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elytrophorus spicatus* (WILLD.) CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Embelia acutipetalum* (LAM.EX HASSK.) S.M.& M.R. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Embelia ribes* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Embelia robusta* C.B.CLARK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Embelia subcoriacea* (CL.) MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Embelia tsjeriam-cottam A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Embllica officinalis* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Embryopteris glutinifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Emilia javanica* (BURM. F.) C. B. ROBINSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Emilia sonchifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Engelhardia polystachya* RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Engelhardtia roxburghiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Engelhardtia spicata* LESCHEN EX. BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Enhydra fluctuans* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Enhydra fluctuans* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eniada scandens* AUCT. NON BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Enicostemma axillare* (LAM.) RAYNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Enicostemma hyssopifolium* (WILLD.) VERDOORN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Enicostemma littorale* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Enicostemma verticillatum* (L.) ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Entada phaseoloides* MERRILL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Entada pursaetha* DC. *pursaetha* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Entada rheedii* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Entada scandens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Enteropogon dolichostachyus* (LAGAS.) KENG EX LAZAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Epaltes divaricata* (L.) CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ephedra equisetina* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ephedra gerardiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ephedra intermedia SCHR. & MEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ephedra major* HOST NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ephedra nevadensis* WATS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ephedra peduncularis* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ephedra saxatilis* STAPF sikkimensis STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ephedra sinica* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ephedra vulgaris* HOOK.F. NON A.RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ephemerantha macraei* (LINDL.) HUNT & SUMMERH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Epidendrum retusum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Epidendrum tenuifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Epilobium angustifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Epilobium hirsutum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Epilobium roseum* SCHREB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Epilobium royleanum* HOUSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Epimedium elatum* MORR. & DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Epipactis latifolia* ALL. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Equisetum arvense* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Equisetum debile* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Equisetum diffusum* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Equisetum ramosissimum* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis amabilis* (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis ciliata* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis cynosuroides* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Eragrostis gangetica (ROXB.) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis nutans* (RETZ.) NEES EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis tremula* HOCHST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eragrostis viscosa* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eranthemum bicolor* SCHRANK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eranthemum nervosum* (VAHL) R. BR. EX ROEM & SCHULTES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eranthemum purpurascens* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eranthemum roseum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erechtites valerianaefolia* (WOLF.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eremostachys acanthocalyx* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eremostachys loasifolia* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eremostachys superba* ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eremostachys vicaryi* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eremurus himalaicus* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eria calamifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eria pannea* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erianthus arundinaceus* (RETZ.) JESWEIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erianthus munja* JESW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erigeron alpinus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erigeron asteroides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erigeron bellidioides* (DON) BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erigeron bonariensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erigeron canadensis* TENORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Erigeron floribundus (H.B. & K.) SCH.-BIP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erigeron multiradiatus* (DC.) Cl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erigeron sublyratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriglossum rubiginosum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriobotrya japonica* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriobotrya latifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriocaulon setaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriocaulon sexangulare* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriocaulon sieboldianum* S. & Z. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriodendron anfractuosum* BC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erioglossum rubiginosum* (ROXB.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriolaena hookeriana* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriolaena quinquelocularis* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriosema chinense* VOG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriosema himalaicum* OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eritrichium canum* (BTH.) KITAMURA and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erodium cicutarium* (L.) L'HERT EX AIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erodium moschatum* L'HERIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erophila verna* (L.) C.E. MEY. EX GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eruca sativa* GARS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eruca vesicaria* (LINN.) CAV. sativa (mill.)thell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ervatamia coronaria* (JACQ.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ervatamia dichotoma* (ROXB.) BLATTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ervatamia heyneana T.COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ervatamia orientalis* (R.BR.) TURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ervatamia divaricata* (LINN.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erycibe paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erygium caeruleum* BEIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erygium coeruleum* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eryngium biebersteinianum* NEVSKI EX BABROV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eryngium billardieri* DELAR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eryngium caeruleum* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eryngium foetidum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erysimum altaicum* C.A. MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erysimum repandum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erysimum sisymbrioides* C.A. MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erythraea roxburghii* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erythrina arborescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erythrina corallodendron* L. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erythrina fusca* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erythrina indica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erythrina resupinata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erythrina stricta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erythrina suberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erythrina variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erythrina variegata* L. *orientalis* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Erythronium indicum ROTTL. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Erythropalum scandens BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Erythroxylium coca LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Erythroxylium areolatum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Erythroxylium lucidum MOON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Erythroxylium monogyneum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Erythroxylium monogynum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Erythroxylium monogynum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erythroxylum moonii* HOCHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erythroxylum retusum* BAUER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erythroxylum retusum* BAUER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ethulia conyzoides* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus camaldulensis* DENST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus citriodora* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus globulus* LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucalyptus resinifera* HORT. ARG. EX MAIDEN and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euchresta horsfieldii* (LESCH.) BENNETT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euchretia buxifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eucomis undulata* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eugenia aromatica* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eugenia bracteata* (WILD.)ROXB. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eugenia caryophyllaea* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eugenia hemispherica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Eugenia jambolana LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eugenia jambos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eugenia malaccensis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eugenia munroii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eugenia occidentalis* BOURD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eugenia operculata* SENSU DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eugenia racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eugenia spicata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eugenia uniflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eulaliopsis binata* (RETZ.) C.E. HUBBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eulophia Kalammanensis* REICHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eulophia campestris* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eulophia cullenii* (WIGHT) BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eulophia dabia* (D.DON) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eulophia epidendreae* (KOENIG) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eulophia explanata* LINDL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eulophia herbacea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eulophia nuda* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eulophia pratensis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eulophia ramentacea* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eulophia spectabilis* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euodia lanu-ankenda* (GAERTN.)MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euonymus atropurpureus* JACQ.B.P. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Euonymus crenulatus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euonymus hamiltonianus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euonymus indicus* HEYNE EX. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euonymus javanicus* BL.BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euonymus pendulus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euonymus serratifolius* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euonymus theophrasti* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euonymus tingens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eupatorium adenophorum* SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eupatorium ayapana* VENT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eupatorium birmanicum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eupatorium cannabinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eupatorium glandulosum* SCH. BIP. EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eupatorium odoratum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eupatorium perfoliatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eupatorium triplinerve* VAHL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia acaulis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia antiquorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia atoto* G.FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia barnhartii* CROIZAT, EUPHORB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia bombaiensis* SANT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia caducifolia* HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia chamaesyce* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Euphorbia cognata BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia dracunculoides* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia fusiformis* BUCHY.-HAM. EX D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia granulata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia helioscopia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia hirta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia hispida* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia hypericifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia inaequilatera* SOND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia laeta* HEVNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia lathyris* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia ligularia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia longan* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia longifolia* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia microphylla* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia milii* DESMOUL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia neriifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia nivulia* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia onicophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia orbiculata* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia pilosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia pilulifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia prostrata* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Euphorbia pulcherrima WILLD. EX KLOT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia resinifera* BERQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia rosea* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia rothiana* SPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia royleana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia sanguinea* HOCHST. & STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia splendens* BOI EX HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia stracheyi* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia thomsoniana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia thymifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia tibetica* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia tirucalli* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia tortilis* ROTTLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia trigona* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia turcomanica* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia uniflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia wallichii* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphorbia longana* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphrasia himalaica* WETTST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphrasia odontites* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphrasia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euphrasia platyphylla* PENNEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eurya acuminata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Eurya japonica AUCT. NON THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eurya nitida* KOTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euryale ferox* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euryangium sumbul* KAUFFMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eurycoma longifolia* JACK. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Evodia fraxinifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Evodia lunu-ankenda* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Evodia meliaefolia* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Evodia roxburghiana* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Evodia rutaecarpa* HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Evodia trichotoma* (LOUR.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Evolvulus alsinoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Evolvulus emarginatus* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Evolvulus nummularius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Exacum bicolor* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Exacum lawii* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Exacum pedunculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Exacum tetragonum* ROXB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Excoecaria acerifolia* F. DIDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Excoecaria agallocha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Excoecaria crenulata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Exogonium purga* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fabiana imbricata* RUIZ & PAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Fagonia arabica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fagonia bruguieri* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fagonia cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fagonia indica* L. *schweinfurthii* HADIDI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fagopyrum cymosum* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fagopyrum dibotrys* (DON) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fagopyrum esculentum* MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fagopyrum tataricum* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fagraea ceilanica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fagraea imperialis* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fagraea obovata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fagraea racemosa* JACK, ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Farsetia aegyptiaca* TURRA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Farsetia edgeworthii* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Farsetia hamiltonii* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Farsetia jacquemontii* HOOK. F. & TH. *jacquemontii* and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Farsetia jacquemontii* HOOK.F. TH. *edgeworthii* (HOOK. F. & TH.) JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Feronia elephantum* CORREA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Feronia limonia* (L.) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ferula alliacea* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ferula assa-foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ferula foetida* REGEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ferula galbaniflua* BOISS. & BUHSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ferula jaeschkeana VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ferula narthex* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ferula orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ferula persica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ferula suaveolens* AITCH. & HEMSEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ferula sumbul* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ferula thomsoni* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Festuca indica* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fibraurea chloroleuca* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fibraurea tinctoria* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus altissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus amplissima* SMITH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus arnottiana* (MIQ.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus asperrima* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus auriculata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus bengalensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus benjamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus callosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus carica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus cunia* HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus dalhousiae* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus drupacea* THUNB. pubescens (ROTH) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus elastica* ROXB. EX. HORNEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ficus exasperata VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus fistulosa* REINW. EX BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus fulva* REINW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus gibbosa* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus glabella* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus glomerata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus heterophylla* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus hirta* VAHL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus hispida* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus infectoria* SENSU ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus lacor* BUCH.- HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus lacor* BUCH.- HAM. infectoria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus lacor* BUCH.- HAM. lambertiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus lacor* BUCH.- HAM. wightiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus lucescens* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus microcarpa* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus mollis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus oppositifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus palmata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus religiosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus retusa* AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ficus ribes REINW. EX BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus rumphii* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus scandens* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus semicordata* BUCH. EX J. E. SMITH conglomerata (ROXB.) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus talboti* G.KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus tinctoria* FORST. F. *parasitica* *parasitica* (WILLD.) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus tinctoria* FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus tomentosa* ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus tsiela* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus tsjakela* BURM .F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus virens* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ficus wightiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Filago arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Filicium decipiens* (WIGHT & ARN.) THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis annua* (ALL.) ROOM & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis argentea* (ROTTB.) VAHL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis bisumbellata* (FORSK.) BUB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis diphylla* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis falcata* (VAHL) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis junciformis* KUNTH ENUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis miliacea* L. & VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis ovata* (BURM.F.) KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fimbristylis polytrichoides* (RELZ.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Fimbristylis sietiniana KUNTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fioria vitifolia* (L.) MATTEI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Firmiana colorata* (ROXB.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fissendocarpa linifolia* (VAHL) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fissistigma polyanthum* MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flacourtia cataphracta* ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flacourtia indica* (BURM.F.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flacourtia jangomas* (LOUR.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flacourtia ramontchi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flacourtia sapida* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flacourtia sepiaria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flagellaria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flaveria australasica* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flemingia bracteata* (ROXB.) WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flemingia chappar* BUCH.-HAM. EX BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flemingia congesta* ROXB. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flemingia grahamiana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flemingia macrophylla* (WILLD.) O.KTZE. EX MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flemingia nana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flemingia paniculata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flemingia procumbens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flemingia semialata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flemingia stricta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Flemingia strobilifera (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flemingia tuberosa* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flemingia wightiana* GRAHAM EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fleurya interrupta* (L.) GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flickingeria fugax* (RCHB.F.)SEODEMF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flickingeria macraei* (LINDL.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flickingeria nodosa* (DALZ.) SEIDENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Floscopa scandens* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flueggea leucopyrus* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flueggea leucopyrus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flueggea microcarpa* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flueggea virosa* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Foeniculum capillaceum* GILB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Foeniculum vulgare* GAERTN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Foeniculum vulgare* GAERTN dulce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fomes officinalis* (VILL EX. FR.) LLOYD. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fortunella japonica* (THUNB.) SWINGLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fragaria indica* ANDR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fragaria nilgherrensis* SCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Francoeria crispa* CASS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Frankenia pulverulenta* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fraxinus excelsior* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fraxinus floribunda* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Fraxinus hookeri WENZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fraxinus ornus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fritillaria cirrhosa* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fritillaria imperialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fritillaria roylei* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fucus distichus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fucus nodosus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fucus vesiculosus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fumaria indica* PUGSLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fumaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fumaria parviflora* AUCT. NON. LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fumaria vaillantii* LOISEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Furcraea foetida* (L.) HAW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fynura bicolour* (WILLD.)DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gaillonia aucheri* JAUB. & SPACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Galega purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Galega spinosa* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Galeopsis tetrahit* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Galidium cartilagineum* (L.) GAILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Galinsoga parviflora* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Galium acutum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Galium aparine* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Galium asperifolium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Galium elegans BLOCKI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Galium mullugo* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Galium rotundifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Galium triflorum* MICHX. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Galium verum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ganophyllum falcatum* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia atroviridis* GRIFF. EX T. ANDER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia cambogia* GAERTN. DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia cornea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia cowa* ROXB. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia dulcis* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia echinocarpa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia gummi-gutta* (L.) ROBS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia hanburyi* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia heterandra* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia indica* (DUP.) CHOISY and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia kydia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia mangostana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia morella* (GAERTN.) DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia pedunculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia pictoria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia purpurea* G.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia rubro-echinata* KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Garcinia spicata (WIGHT & ARN.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia talbotii* RAIZADA EX SANTAPAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia tinctoria* (DC.) W.F. WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia travancorica* BEDDOME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia wightii* T.ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia xanthochymus* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gardenia augusta* (L.) MERR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gardenia campanulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gardenia dumetorum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gardenia floribunda* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gardenia florida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gardenia gummifera* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gardenia incida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gardenia jasminoides* ELLIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gardenia latifolia* AITON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gardenia lucida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gardenia nummularioides* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gardenia resinifera* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gardenia turgida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garuga pinnata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gastrochilus longiflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gastrochilus pandurata* RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gaultheria fragrantissima* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Gaultheria nummularioides D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gaultheria procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gaultheria trichophylla* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gelidium cartilagineum* GAILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gelonium bifarium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gelsemium elegans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gelsemium semepervirens* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gemphostemma ovatum* WALL. EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gendarussa vulgaris* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geniosporum gracilo* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geniosporum prostratum* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geniosporum tenuiflorum* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gentiana algida* PALLAS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gentiana argentea* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gentiana borealis* GRISEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gentiana carinata* GRISEB. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gentiana chirayta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gentiana decumbens* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gentiana desonasa* (ROTTB.) G. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gentiana kurroo* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gentiana lutea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gentiana moorcroftiana* WALL. EX. G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gentiana olivieri* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Gentiana quadrifaria Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gentiana renella* FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gentiana stipitata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gentiana tenella* FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gentiana thianschanica* RUPR. EX KUSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gentianella moorcroftiana* (WALL. EX GRISEB.) AIRY-SH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gentianella pedunculata* (ROYLE) H. SM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gentianella tenella* (ROTTB.) BORNER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gentianopsis detonsa* (ROTTB.) MA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geodorum densiflorum* (LAM.) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geodorum dilatatum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geophila herbacea* KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geophila reniformis* D. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geophila repens* (L.) I.M.JOHNSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geranium himalayense* KLOT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geranium lucidum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geranium mascatense* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geranium molle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geranium nepalense* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geranium ocellatum* CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geranium pratense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geranium pusillum* BURM.F.SPEC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geranium rivulare* VILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Geranium robertianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Geranium rotundifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Geranium sibiricum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Geranium wallichianum DON EX SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Gerbera gossypina (ROYLE) BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Gerbera lanuginosa BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Gerbera piloselloides (L.) CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Geum alatum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geum elatum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geum roylei* WALL. EX BOLLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geum urbanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Giesekia pharnacoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ginkgo biloba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Girardinia diversifolia* (LINK) FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Girardinia heterophylla* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Girardinia leschenaultiana* DECNE. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Girardinia zeylanica* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Girardinia cuspidata* (BL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Girardinia reticulata* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gisekia pharnaceoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Givotia rottleriformis* GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gleditsia sinensis* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gleditsia triacanthos* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Gleichenia longissima BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glinus dictamnoides* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glinus lotoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glinus oppositifolius* (L.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gliricidia maculata* (H.B. & K.) STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Globba clarkei* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Globba marantina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Globba multiflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Globba orixensis* ROXB. ASIAT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Globba pauciflora* KING EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glochidion calocarpem* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glochidion calocarpum* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glochidion ellipticum* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glochidion heyneanum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glochidion hohenackeri* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glochidion lanceolarium* VOIGT. NON DALZ. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glochidion multiloculare* MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glochidion oblatum* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glochidion sumatrana* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glochidion tomentosum* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glochidion zeylanicum* A. JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gloriosa superba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glossocardia bosvallea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Glossocardia linearifolia CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glossogyne bidens* (RETZ.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glossogyne pinnatifida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glossonema varians* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gluta travancorica* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glycine labialis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glycine max* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glycine pentaphylla* DLAZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glycine soja* SIEB. & ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glycosmis arborea* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glycosmis cochinchinensis* PIERRE EX ENGLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glycosmis macrocarpa* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glycosmis mauritiana* (LAMK.) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glycosmis mauritiana* (LAMK.) TANAKA *Kalammanensis* (NARAY.) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glycosmis pentaphylla* (RETZ.) DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glycyrrhiza glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glycyrrhiza glabra* L. violace and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glycyrrhiza radix* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glycyrrhiza uralensis* FISCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gmelina arborea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gmelina asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gmelina elliptica* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gmelina parviflora* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Gmelina philippensis CHAMP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Gnaphalium indicum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Gnaphalium luteo-album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Gnaphalium polycaulon PER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Gnetum edule (WILLD.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Gnetum gnemon L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Gnetum montanum MARKGRAF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Gnetum scandens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gnetum ula* BRONGN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gnidia glauca* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Goldfussia thomsonii* (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gomphia angustifolia* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gomphia serrata* (GAERTN.) KANIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gomphostemma crinitum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gomphostemma parviflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gomphostemma wallichii* PRAIN. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gomphrena celosioides* MART. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gomphrena globosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gonatanthus pumilus* (DON) E. & KRAUSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Goniothalamus sequipedalis* HK.F.& TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Goniothalamus waynaadensis* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Goniothalamus wightii* HOOK.F. & THOMAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gonostegia hirta* (BL.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Gonystylus macrophyllus (MIQ.) AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Goodyera repens* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Goodyera schlectKalamliana* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Goodyera secundiflora* (GRIFF.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gordonia obtusa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gossypium acuminatum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gossypium arboreum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gossypium barbadense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gossypium herbaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gossypium hirsutum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gossypium indicum* TOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gossypium obtusifolium* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gossypium purpurascens* POIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gossypium religiosum* WATT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gossypium stocksii* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gouania leptostachya* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gouania microcarpa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gouania tiliaefolia* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gouania leptostachya* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gracilaria lichenoides* GERV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grangea maderaspatana* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Graptophyllum hortense* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Graptophyllum pictum* (L.) GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Gratiola monniera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grevillea robusta* A. CUNN. EX R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia abutilifolia* VENT. EX JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia asiatica* L. vestita MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia asiatica* MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia carpinifolia* JUSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia elastica* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia helicterifolia* WALL. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia heterotricha* MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia hirsuta* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia microcos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia obtusa* WALL. EX GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia oppositifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia optiva* DRUMMOND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia orbiculata* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia polygama* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia populifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia rhamnifolia* HEYNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia rothii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia salvifolia* HEYNE. EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia sapida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia scabrophylla* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Grewia sclerophylla ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia subinaequalis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia tenax* (FORSK.) FIORI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia tiliaefolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia umbellata* AUCT.NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia villosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Guaiacum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Guazuma tomentosa* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Guazuma ulmifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Guettarda speciosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Guilandina bonducella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Guizotia abyssinica* CASS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gynadenia himalayica* SCHLTR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gynadenia orchidis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnema aurantiaca* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnema balsamicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnema hirsutum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnema kalamense* SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnema lactiferum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnema latifolium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnema montanum* (ROXB.) HOOK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnema spartium* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnema sylvestre* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Gymnocladus assamica Kanjilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnopetalum cochinchinensis* (LOUR.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnopetalum wightii* WT. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnosporia montana* (ROTH.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnosporia royleana* M.LAWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnosporia spinosa* MERILL & ROLFE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gymnostachyum febrifugum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gynandropsis gynandra* BRIQUET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gynandropsis pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gynocardia odorata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gynostemma pentaphyllum* (THUNB.) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gynura angulosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gynura cusimbua* (D.DON) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gynura hispida* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gynura pseudo-china* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gyrocarpus americanus* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria commelinifolia* (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria crinifera* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria diphylla* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria edgeworthii* HOOK. F. EX COLLETT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria grandiflora* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria intermedia* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria longicorniculata* GRAH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Habenaria orchidis (LINDL.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria ovalifolia* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria plantaginea* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria rariflora* A.RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria rotundifolia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Habenaria roxburghii* (PERS.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hackelochloa granularis* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Haemanthus multiflorus* MARTYN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Haematoxylon campechianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hagenia abyssynica* GMEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Haldina cordifolia* (ROXB.) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Halophila ovalis* (R.BR.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Haloxylon multiflorum* (MOQ.) BUNGE EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Haloxylon recurvum* BUNGE EX BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Haloxylon salicornicum* BUNGE EX BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hamamelis virginiana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hamelia patens* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hamiltonia suaveolens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Haplanthodes verticillata* (ROXB.) MAJUMDAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Haplanthus tentaculatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Haplanthus verticillata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hardwickia binata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hardwickia pinnata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Harpagophytum procumbens DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Harpullia arborea (BLANCO) RADLK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Hebanthe paniculata MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Hedeoma pulegioides (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Hedera helix C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Hedera nepalensis C. KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Hedgsonia macrocarpa (BI.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Hedychium acuminatum ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedychium coccineum* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedychium coronarium* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedychium ellipticum* HAMILT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedychium gardnerianum* SHEPPARD EX KER- GAWLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedychium glaucum* ROSC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedychium gracile* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedychium marginatum* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedychium spicatum* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedychium wardii* C.E.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis articularis* R.BR. EX WIGHT & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis auricularia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis auriculata* (LINN.). AURICULARIA ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis biflora* (L.) LAMK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis brachypoda* (DC.) SIVAR. ET AL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis capitellata* WALL. EX. G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Hedyotis corymbosa (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis costata* (ROXB.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis diffusa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis glabra* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis gracilis* WALL. O.GR. (WALL.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis herbacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis hispida* (BENTH.) RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis lineata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis pinifolia* WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis pruinosa* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis puberula* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis pumila* L.F. O.PU(L.F.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis scandens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis tenelliflora* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis umbellata* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis uncinella* HK. & ARN. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis verticillata* (L.) LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedyotis vestita* R.BR. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedysarium sennoides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedysarum alhagi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedysarum gangeticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedysarum purpureum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hedysarium sennoides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Hedysarum triflorum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Hedysarum tuberosum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Helianthus annuus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Helianthus tuberosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Helicanthes elastica (DESR.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Helicia excelsa BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Helicia robusta (ROXB.) R. BR. EX BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Helicteres isora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Helicteres isora* L. *glabrescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Helicteres isora* L. *tomentosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliophyllum indicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium bacciferum* FORSK. *tuberosum* (BOISS.) KAZMI *bacciferum* NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium brevifolium* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium curassavicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium eichwaldi* STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium ellipticum* LEDEB. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium keralense* SIV. & MANL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium ophioglossum* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium ovalifolium* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium peruvianum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium rariflorum* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium strigosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Heliotropium subulatum HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium supinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium tuberosum* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium undulatum* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heliotropium zeylanicum* HEYNE. EX C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Helixanthera wallichiana* (SCHULT.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Helleborus niger* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Helleborus viridis* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Helminthostachys zeylanicus* (L.) HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heltropium ophioglossum* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hemarthria compressa* (L.F.) BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hemerocallis fulva* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hemidesmus indicus* (L.) SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hemidictyum ceterach* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hemigraphis latebrosa* NESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hemionitis arifolia* (BURM.) MOORE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heracleum cachemiricum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heracleum candicans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heracleum candolleianum* (WT. & ARN.) GAMBLE . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heracleum canescens* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heracleum lanatum* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heracleum nepalense* D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heracleum pinda* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Heracleum pinnatum C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heracleum rigens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heracleum wallichii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heritiera littoralis* AITON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heritiera minor* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heritiera papilio* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hermodyctylus tuberosus* (L.)MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hernandia ovigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hernandia peltata* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Herniaria glabra* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Herniaria hirsuta* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Herniaria intermedia* (BOISS.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Herpestis monniera* (L.) H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hesperethusa alata* (W. & A.) ALST and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hesperethusa crenulata* (ROXB.) M. ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hetaeria obliqua* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heterophragma quadriloculare* K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heterophragma roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heteropogon contortus* (L.) BEAUV. EX R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heterostemma piperifolium* KING & GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heterostemma tanjorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hevea brasiliensis* (WILLD. EX. JUSS.) MUELL. - HRG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hewittia malabarica* (L.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Heylandia latebrosa D.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heynea sumatrana* MIG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heynea trijuga* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus abelmoschus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus aculeatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus cancellatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus canescens* HEYNE EX. WIGHT & ARNOLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus cannabinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus esculentus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus ficulneus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus furcatus* ROXB. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus hirtus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus hispidissimus* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus lampas* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus lunariifolius* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus manihot* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus micranthus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus mutabilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus obtusifolius* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus ovalifolius* (FORSK.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus platanifolius* (WILLD.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus populneus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus rosa-sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Hibiscus sabdariffa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Hibiscus surattensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Hibiscus syriacus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Hibiscus tiliaceus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Hibiscus trionum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Hibiscus vitifolias L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Hibiscus vitifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Hieracium umbellatum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hieracium virosum* PALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hieracium vulgatum* (FR.) ALMQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hippocratea indica* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hippophae rhamnoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hippophae rhamnoides* L. *saticifolia* (D.DON) SARVETTAZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hippophae salicifolia* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hippophae tibetana* SCHLECT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hiptage benghalensis* (L.) KURZ and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hiptage madablota* GAERTN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hitchenia caulina* BAKER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hodgsonia macrocarpa* (Bl.) COGN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Holarrhena antidysenterica* (Roth.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Holarrhena mitis* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Holarrhena pubescens* (Buch.-Ham.) Wallich ex Do and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Holboellia latifolia* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Holigarna arnottiana HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Holigarna ferruginea MARCHAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Holigarna grahamii (WGT.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Holigarna longifolia BUCH.-HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Holigarna nigra BOURD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Holmskioldia sanguinea RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Holoptelea integrifolia (ROXB.) PLANCHON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Holostemma ada-kodien SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Holostemma annulare* (ROXB.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Holostemma rheedianum* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Holostemma rheedii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Holosteum umbellatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Homalomena aromatica* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Homalomena rubescens* KUNTH ENUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Homonoia retusa* (GRAH. EX WT.) MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Homonoia riparia* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hopea glabra* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hopea odorata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hopea parviflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hopea ponga* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hopea wightiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hoppea dichotoma* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hordeum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Hornstedtia costata (ROXB.) K. SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Horsfieldia glabra* (BL.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Horsfieldia irya* (GAERTN.) WARB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Horsfieldia kingii* (HK.F.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Houttuynia cordata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hovenia acerba* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hoya carnosa* R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hoya globulosa* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hoya multiflora* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hoya ovalifolia* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hoya pendula* WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hoya viridiflora* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hoya wightii* HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hugonia mystax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Humboldtia unijuga* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Humboldtia vahliana* WIGHT and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Humulus lupulus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hunteria corymbosa* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hunteria legocii* SKINA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hunteria zeylanica* (RETZ.) GARDNER EX THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Huperzia phlegmaria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hura crepitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hybanthus enneaspermus* (L.F.) MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Hyderangea macrophylla (THUNB.) SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydnocarpus alpina* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydnocarpus anthelminthica* PIERRE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydnocarpus castanea* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydnocarpus inebrians* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydnocarpus kurzii* (KING) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydnocarpus laurifolia* (DENNST.) STEUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydnocarpus macrocarpa* (BEDD.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydnocarpus octandra* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydnocarpus pentandra* (BUCH.-HAM.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydnocarpus venenata* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydnocarpus wightiana* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydnophytum Kalammanense* BECC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydnophytum formicarium* JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydrangea arborescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydrangea aspera* BUCH.-HAM. EX D. DON NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydrangea macrophylla* (THUNB.) SER. *stylosa* (HK.F. & TH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydrangea paniculata* SIEB. *grandiflora* SIEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydrastis canadensis* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydrilla verticillata* (L.F.) ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydrocharis dubia* (BL.) BACKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydrocotyle asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydrocotyle javanica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Hydrocotyle javanica THUNB. *PODUNTHA* MOLKENBOER EX C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydrocotyle rotundifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydrocotyle sibthorpiodes* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydrolea zeylanica* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hygrophila auriculata* (SCHUMACH.) HEINE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hygrophila erecta* (Burm.f.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hygrophila heinei* SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hygrophila phlomoides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hygrophila polysperma* (ROXB.) AND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hygrophila quadrivalvis* (BUCH.-HAM.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hygrophila ringens* (L.) R.BR. EX STEUDEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hygrophila salicifolia* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hygrophila schulli* (HAM.) M.R. & S.M. ALMEIDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hygrophila spinosa* T. ANDER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hygroryza aristata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hymenaea courbaril* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hymenaea hornemannianum* (HAYNE) D. DIETR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hymenocrater sessilifolius* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hymenodictyon excelsum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hymenodictyon obovatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hymenodictyon orixense* (ROXB.) MABBERLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hyoscyamus albus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hyoscyamus muticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Hyoscyamus niger L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hyoscyamus pusillus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hyoscyamus reticulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hyoscyamus squarrosus* GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypocoum leptocarpum* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypocoum pendulum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypocoum procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hyperanthera moringa* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypericum cernuum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypericum chinense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypericum elodeoides* CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypericum humifusum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypericum japonicum* THUNB. EX MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypericum laxum* (BL.) KOIDZUMI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypericum monanthemum* HK. F. & TH. EX DYER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypericum monogynum* L. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypericum mysurense* HEYNE EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypericum oblongifolium* CHOISY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypericum patulum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypericum perforatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypericum sampsoni* HANCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypericum uralum* BACH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypobathrum microcarpum* (Bl.) Bakh.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Hypochoeris glabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypodematium crenatum* (FORSK.) KUHN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypolepis punctata* (THUNB.) METT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypolytrum nemorum* (VAHL) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypoxis aurea* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypoxis orchoides* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hyptis brevipes* POIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hyptis capitata* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hyptis pectinata* POIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hyptis suaveolens* POIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hyssopus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hyssopus parviflora* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ichnocarpus frutescens* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ilex denticulata* WALL. EX. WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ilex godajam* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ilex paraguariensis* A.ST.HIL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ilex wightiana* WALL. EX. WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Illecebrum lanatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Illicium anisatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Illicium griffithii* HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Illicium religiosum* S. & L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Illicium verum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Illigera appendiculata* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Illigera villosa CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ilysanthes oppositifolia* (ROXB.) URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ilysanthes reptans* (ROXB.) URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens balsamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens brachycentra* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens gigantea* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens glandulifera* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens minor* (DC.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens roylei* WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens scabrida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens tilo* (DC.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens tripetala* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Imperata arundinacea* CYR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Imperata cylindrica* (L.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Incarvillea emodi* (LINDL.) CHATTERJ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera angustifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera anil* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera argentea* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera articulata* GONAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera aspalathoides* VAHL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera astragalina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Indigofera caerulea ROXB. *caerulea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera cassioides* ROTTL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera ennaephylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera galegoides* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera gerardiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera glandulosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera hebetepala* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera heterantha* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera linifolia* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera linnaei* ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera nil* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera nummulariifolia* (L.) SKINA EX ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera oblongifolia* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera paucifolia* DELILE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera pulchella* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera suffruticosa* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera sumatrana* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera tinctoria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera trifoliata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera trita* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indigofera uniflora* HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Indoneesiella echicides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indoneesiella echioides* (L.) SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Indoneesiella intermedia* SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Intsia bijuga* (Colebr.) O. Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Inula cappa* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Inula cuspidata* C.B. CL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Inula grandiflora* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Inula grantioides* BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Inula graveolens* DESF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Inula helenium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Inula obtusifolia* KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Inula racemosa* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Inula royleana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ionidium enneaspermum* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ionidium suffruticosum* GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Iphigenia indica* (L.) KUNTH and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea aquatica* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea asarifolia* (DESR.) ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea batatas* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea biloba* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea bona-nox* HEYNE EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea burmanni* CHOISY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ipomoea cairica (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea campanulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea candicans* SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea carnea* (MART. EX CHOISY) AUSTIN, *fistulosa* (MART. E CHOISY) AUSTIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea carnea* JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea coccinea* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea optica* (L.) ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea cymosa* ROEM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea dasysperma* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea dissecta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea eriocarpa* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea fastigiata* (ROXB.) SWEET NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea fistulosa* MART EX CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea glaberrima* BOJ. EX HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea grandiflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea hederacea* AUCT. NON JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea hederifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea hispida* ROEM. & SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea illustris* (CLARKE) PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea involucrata* BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea marginata* (DESR.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea mauritiana* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ipomoea maxima G. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea muricata* (L.) JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea nil* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea obscura* KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea paniculata* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea pes-caprae* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea pes-tigridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea petaloidea* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea purga* (WEND.) HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea purpurea* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea quamoclit* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea reniformis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea reptans* (L.) POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea sepiaria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea indica* STAPF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea staphylinia* R, BR. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea tridentata* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea turbinata* LAG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea turpethum* (L.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea uniflora* ROEM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea violacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ipomoea vitifolia* SWEET. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Iris*

decora WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Iris ensata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Iris florentina* KUNZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Iris foetidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Iris germanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Iris kashmiriana* BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Iris kemaonesis* D.DON EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Iris nepalensis* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Iris songarica* SCHRENK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Iris versicolor* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isachne globosa* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ischaemum muticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ischaemum pilosum* HACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ischaemum rugosum* SALISH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isopyrum acuminata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isopyrum anemonoides* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Isopyrum thalictroides* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Itea chinensis* HOOK. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ixora acuminata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ixora alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ixora arborea* ROXB. EX J.E. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ixora brunnescent* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ixora coccinea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ixora cuneifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ixora grandiflora* Zoll. & Mor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ixora nigricans* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ixora notoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ixora parviflora* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ixora pavetta* ANDR. BOT. REPOS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ixora polyantha* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ixora sub-sessilis* WALL. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ixora undulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *JacarKalam acutifolia* HUMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jacobinia tinctoria* HEMSL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jaeschkea gentianoides* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jaeschkea oligosperma* (GRISEB.) KNOBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Janakia arayalpathra* JOSEPH & CHANDRASHEKARAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum amplexicaule* BUCH.-HAM. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum anastomozans* WALL. EX DC. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum angustifolium* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum arborescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum auriculatum* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum azoricum* L. azoricum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum bignoniaceum* WALL. EX. G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum calophyllum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum chrysanthemum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Jasminum cuspidatum ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum diversifolium* KOBUSKI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum flexile* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum grandiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum humile* SENSU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum malabaricum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum multiflorum* (BURM.F.) ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum nervosum* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum pubescens* (RETZ.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum ritchiei* CLARKE IN HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum roemerianum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum sambac* (L.) AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum sambac* AIT. heyneana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum scandens* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum subhumila* W.W. SMITH and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum trichotomum* HEYNE. EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jasminum undulatum* KER-GAWLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jateorhiza palmata* (LAM.) MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jatropha curcas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jatropha glandulifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jatropha glandulosa* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jatropha glauca* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Jatropha gossypifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jatropha montana* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jatropha multifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jatropha nana* DALZ. & GIBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jatropha panduraefolia* ANDR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Joannesia princeps* VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Juglans regia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Juglans regia* L. kumaonia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Juncellus inundatus* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Juncus inflexus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Juncus lampocarpus* EHRH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Juncus prismatocarpus* R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Juniperus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Juniperus excelsa* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Juniperus indica* BERTOL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Juniperus macropoda* BOISS. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Juniperus polycarpus* C. KOCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Juniperus recurva* BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Juniperus wallichiana* HOOK.F. EX PARL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jurinea dolomiaea* BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jurinea himalaica* STEWART NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jurinea macrocephala* (ROYLE) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jurinea macrophylla* BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Jussiaea repens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jussiaea suffruticosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Jussiaea tenella* BURM. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia acaulis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia adhatoda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia beddomei* (CL.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia betonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia bicalyculata* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia bilvalvis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia ecboium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia gendarussa* BURM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia madurensis* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia nasuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia paniculata* (VAHL) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia picta* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia prostrata* (CL.) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia quinqueangularis* KOEN. EX. ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia repens* DELESS. EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia simplex* DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia tranquebariensis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Justicia vasculosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kaempferia angustifolia* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Kaempferia galanga L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Kaempferia rotunda L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Kalanchoe integra (MEDIK.) KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Kalanchoe laciniata (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Kalanchoe pinnata (LAM.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Kalanchoe rosea C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Kalanchoe spathulata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Kallstroemia pubescens (DON) DANDY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kametia caryophyllata* (ROXB.) NICOL. & SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kandelia candel* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kandelia rheedei* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kandelia rheedii* W.&A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kedrostis foetidissima* (JACQ.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kedrostis rostrata* (ROTTL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kickxia ramosissima* (WALL.) JANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kigelia africana* (LAMK.) BENTH. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kigelia pinnata* (JACQ.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kingiodendron pinnatum* (ROXB. EX DC.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kirganelia reticulata* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kleinhovia hospita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kleinia grandiflora* (WALL. EX DC.) RANI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Knema angustifolia* (ROXB.) WARB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Knema attenuata* (WALL.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Knema erratica (HOOK.F. & TH.) SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Knema linifolia* (ROXB.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Knoxia brachycarpa* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Knoxia corymbosa* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Knoxia roxburghii* (SPRENG.) M.A. RAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Knoxia sumatrensis* (RETZ.) DC. hookeriana BHATTACHARJEE & DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kochia indica* WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kochia scoparia* (L.) SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kochia sedoides* SCHRAD NEUES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Koelpinia linearis* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kokoona zeylanica* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kopsia flavida* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kopsia fruticosa* A. DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kurrimia bipartita* M.LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kydia calycina* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kyllinga brevifolia* ROTTB. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kyllinga monocephala* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kyllinga nemoralis* HUTCH. & DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kyllinga squamulata* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kyllinga triceps* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lablab purpureus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lactuca dissecta* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lactuca gracilis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Lactuca heyneana D.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lactuca indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lactuca orientalis* (BOISS.) BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lactuca remotiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lactuca runcinata* DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lactuca sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lactuca scariola* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lactuca serriola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lactuca tatarica* C.A.REY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lactuca virosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lagascea mollis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lagascea spinosissima* COV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lagenandra ovata* (L.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lagenandra toxicaria* (L.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lagenaria leucantha* RUSBY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lagenaria siceraria* (MOLINA) STANDLEY and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lagenaria vulgaris* SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lagerstroemia flos-reginae* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lagerstroemia hirsuta* (LAM.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lagerstroemia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lagerstroemia lanceolata* WALL. EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lagerstroemia microcarpa* W. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lagerstroemia parir-flosh* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Lagerstroemia parviflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lagerstroemia reginae* PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lagerstroemia speciosa* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Laggetera alata* (D.DON) SCH.-BIP. EX OLIVE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Laggetera aurita* (WILD.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Laggetera crispata* (VAHL) HEP. & WD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Laggetera flava* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Laggetera pterodonta* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lagotis cashmeriana* (ROYLE) RUPR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lagotis glauca* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lallemantia royleana* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lamarkia aurea* MOENCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Laminaria saccharina* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lamium album* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lamium amplexicaule* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lamprachaenium microcephalum* BENTH. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lancea tibetica* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Lannea coromandelica* (HOUTT.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lannea grandis* (DENNST.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lansium domesticum* JACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lantana aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lantana camara* L. *aculeata* (L.) MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lantana camara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lantana indica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Laportea crenulata* GANDICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Laportea interrupta* (L.) CHEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Larrea tridentata* (SESSE & MOC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lasia aculeata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lasia heterophylla* SCHOTT MELET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lasia spinosa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lasianthus Kalammanicus* HK.F. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lasiosiphon eriocephalus* (MEISNER) DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lasiurus hirsutus* (FORSK.) BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lastrea filix-mas* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lathraea squamaria* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lathyrus altaicus* LED. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lathyrus aphaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lathyrus inconspicuus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Lathyrus luteus BAKER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lathyrus odoratus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lathyrus pratensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lathyrus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lathyrus sphaericus* RETZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Launaea acaulis* (ROXB.) BABCOCK EX KERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Launaea aspleniifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Launaea capitata* (SPRENG.) DANDY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Launaea chondrilloides* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Launaea fallax* (JAUB. & SPACH.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Launaea glomerata* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Launaea nudicaulis* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Launaea pinnatifida* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Launaea procumbens* (ROXB.) RAMAYYA & RAJAGOPA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Launaea remotiflora* (DC.) STEBBINS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Launaea resedifolia* (LINN.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Launaea sarmentosa* (WILLD.) ALST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Launea acaulis* (ROXB.) KERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Launea procumbens* (ROXB.) RAM. & RAJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Launea sarmentosa* ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens chandrasekharanii* Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens clavicornu* Turez. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Impatiens cordata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens crenata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens cuspidata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens dasysperma* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens debilis* Turez. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens denisonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens disotis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens diversifolia* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens elegans* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens floribunda* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens fruticosa* Lesch. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens goughii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens grandis* Heyne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens hensloviana* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens herbicola* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens hookeriana* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens inconspicua* Benth ex. Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens jerdoniae* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens laticornis* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens lawsonii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens lenta* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Impatiens leptura Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens leschenaultii* (DC.) Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens levingei* Gamble ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens ligulata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens maculata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens minor* (DC.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens modesta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens munronii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens neo-barnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens nilgirica* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens oppositifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens orchioides* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens parasitica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens parvifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens phoenicea* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens rufescens* Benth. ex Wight & Arn. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens scabriuscula* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens scapiflora* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens tangachee* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens tenella* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens tomentosa* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens trichocarpa* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Impatiens umbellata Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens uncinata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens verticillata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens viridiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens viscida* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens viscosa* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Impatiens wightiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acronychia pedunculata* (L.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aegle marmelos* (L.) Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Atalantia monophylla* (L.) Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Atalantia racemosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Atalantia wightii* Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boenninghausenia albiflora* (Hook.) Reichb. ex Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chloroxylon swietenia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Choisya ternata* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus aurantifolia* (Christm.) Swingle and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus aurantium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus limon* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus maxima* (Burm.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus medica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus nobilis* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus reticulata* Blanco and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Citrus sinensis* (L.) Osbeck. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Clausena austro-indica B. C. Stone and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clausena dentata* (Willd.) M. Roem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clausena indica* (Dalz.) Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clausena lansium* (Lour.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euodia fraxinifolia* (D. Don.) Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euodia lunu-ankenda* (Gaertn.) Merr. var. *lunu-ankenda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euodia lunu-ankenda* (Gaertn.) Merr. var. *tirunelvelica* Henry & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fortunella japonica* (Thunb.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glycosmis angustifolia* Lindl.ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glycosmis cyanocarpa* (Blume) Spreng. var. *cymosa* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glycosmis macrocarpa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glycosmis mauritiana* (Lam.) Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glycosmis pentaphylla* (Retz.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glycosmis tirunelveliense* Murugan & Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limonia acidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Luvunga eleutherandra* Dalz. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melicope indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melicope lunu-ankenda* (Gaertn.) T. G. Hartley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Murraya koenigii* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Murraya paniculata* (L.) Jack and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Naringi crenulata* (Roxb.) Nicolson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pamburus missionis* (Wight) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paramigyna beddomei* Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Paramignya monophylla Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pleiospermium alatum* (Wall ex. Wight & Arn.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ruta chalepensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tetradium fraxinifolia* (Hook.) T. G. Hartley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Toddalia asiatica* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Triphasia trifolia* (Burm. f.) P. Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vepris bilocularis* (Wight & Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zanthoxylum armatum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zanthoxylum ovalifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zanthoxylum rhetsa* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zanthoxylum limonellia* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ailanthus excelsa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ailanthus triphysa* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quassia amara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Suriana maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gomphia serrata* (Gaertn.) Kanis and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ochna integerrima* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ochna jabotapita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ochna lanceolata* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ochna obtusata* DC. var. *obtusata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ochna gamblei* King ex Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Boswellia serrata* Roxb. ex Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bursera penicillata* (Sesse & Moc. ex DC.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Canarium strictum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Canarium vulgare Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Commiphora berryi (Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Commiphora caudata (Wight & Arn.) Engler var. caudata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Commiphora caudata (Wight & Arn.) Engler var. pubescens (Wight & Arn.) K.M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Garuga floribunda Decne var. gamblei (King ex W. W. Sm.) Kalkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Garuga pinnata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Aglaia apiocarpa (Thw.) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aglaia barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aglaia bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aglaia domestica* (Correa) Pellegrin Lecomte and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aglaia elaeagnoidea* (Juss.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aglaia edulis* (Roxb.) Wall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aglaia lawii* (Wight) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aglaia tomentosa* Teijsm. & Binn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aglaia odorata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aglaia simplicifolia* (Bedd.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aphanamixis polystachya* (Wall.) Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Azadirachta indica* A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chukrasia tabularis* A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cipadessa baccifera* (Roth) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dysoxylum binectariferum* (Roxb.) Hook. f. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dysoxylum ficiforme* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Dysoxylum malabaricum Bedd. ex Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melia azedarach* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Naregamia alata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Reinwardtiadendron anamallayanum* (Bedd.) Saldahnha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sandoricum koetjape* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Soymida febrifuga* (Roxb.) A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swietenia macrophylla* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swietenia mahagoni* (L.) Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Toona ciliata* M. Roem. var. *ciliata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Toona ciliata* M. Roem. var. *pilistila* (C. DC.) Nair & Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichilia connaroides* (Wight & Arn.) Bentvelzen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Turraea villosa* Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Walsura trifolia* (A. Juss.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xylocarpus granatum* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dichapetalum gelonioides* (Roxb.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anacolosa densiflora* Bedd. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Olex scandens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Olex imbricata* Roxb. var. *imbricata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Olex imbricata* Roxb. var. *nigrescens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strombosia ceylanica* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ximenia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cansjera rheedii* Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Opilia amentacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Apodytes dimidiata E. Meyer ex Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gomphandra coriacea* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gomphandra tetrandra* (Wall ex. Roxb.) Sleumer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Miquelia dentata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nothapodytes nimmoniana* (Graham) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pyrenacantha volubilis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sarcostigma kleinii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erythralium populifolium* (Arn.) Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ilex aquifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ilex denticulata* Wall ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ilex gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ilex malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ilex opaca* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ilex walkeri* Wight & Gard. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ilex wightiana* Wall ex. Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bhesa indica* (Bedd.) Ding and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassine glauca* (Rottb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cassine paniculata* (Wight & Arn.) Lobr.-Callen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Celastrus paniculatus* Willd. var. *paniculatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Celastrus paniculatus* Willd. subsp. *dependens* (Wall.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Celastrus paniculatus* Willd. subsp. *aggregatus* K.T.Mathew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euonymus angulatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euonymus barberi* C. Murugan & V. S. Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Euonymus crenulatus Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euonymus dichotomous* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euonymus indicus* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euonymus japonicus* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euonymus kanyakumariensis* Murugan & Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euonymus paniculatus* Wight ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Euonymus serratifolius* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glyptopetalum grandiflorum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glyptopetalum lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Glyptopetalum zeylanicum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Loeseneriella bourdillonii* (Gamble) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Loeseneriella obtusifolia* (Roxb.) A. C. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lophopetalum wightianum* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maytenus emarginata* (Willd.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maytenus heyneana* (Roth) Raju & Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maytenus ovatus* (Wall ex Wight & Arn.) Loes. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maytenus rufa* (Wall.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maytenus wallichiana* (Wight & Arn.) Raju & Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microtropis microcarpa* Wight var. *microcarpa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microtropis microcarpa* Wight var. *densiflora* Merr. & Freem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microtropis latifolia* Wight ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microtropis ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microtropis ramiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Microtropis stocksii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microtropis wallichiana* Wight ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pleurostyliia opposita* (Wall.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Reissantia grahamii* (Wight) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Reissantia indica* (Willd.) Halle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salacia beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salacia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salacia fruticosa* Heyne ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salacia macrosperma* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salacia oblonga* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alphitonia excelsa* Reiss ex Endlicher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Colletia cruciata* Gill. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Colletia ferox* Gill. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Colubrina asiatica* (L.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gouania microcarpa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hovenia acerba* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maesopsis eminii* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Noltea africana* (L.) Reichb. ex Harv. & Sond.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pomaderris apetala* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pomaderris lanigera* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhamnus cathartica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhamnus dahuricus* Pall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhamnus virgatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhamnus wightii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sageretia hamosa* Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sageretia parviflora* (Klein) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scutia myrtina* (Burm. f.) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ventilago denticulata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ventilago gamblei* Suesseng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ventilago goughii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ventilago madraspatana* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ziziphus glabrata Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphus horrida* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphus incurva* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphus mauritiana* Lam. var. *mauritiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphus mauritiana* Lam. var. *fruticosa* (Haines) Sebastine & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphus nummularia* (Burm.f.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphus oenoplia* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphus rugosa* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphus xylopyrus* (Retz.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ampelocissus araneosa* (Dalz. & Gibs.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ampelocissus divaricata* (Wall ex Lawson) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ampelocissus indica* (L.) Planch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ampelocissus latifolia* (Roxb.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ampelocissus tomentosa* (Heyne ex Roth) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ampelocissus wightiana* Shetty & Singhand 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cayratia anemonifolia* (Zipp. Ex Miq.) Suesseng. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cayratia auriculata* (Roxb.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cayratia japonica* (Thunb.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cayratia mollissima* (Wall.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cayratia pedata* (Lam.) Juss. ex Gagnep. var. *pedata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cayratia pedata* (Lam.) Juss. ex Gagnep. var. *glabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cayratia roxburghii* (Wight & Arn.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cayratia tenuifolia* (Wight & Arn.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cayratia trifolia (L.) Domin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cissus arnottiana B.V.Shetty & P.Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cissus adnata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cissus discolor Blume. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cissus latifolia Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cissus glyptocarpa (Thw.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cissus heyneana (Wall. ex Lawson) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cissus quadrangularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cissus repKalam* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cissus repens* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cissus vitiginea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyphostemma setosum* (Roxb.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parthenocissus neilgherriensis* (Wight) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parthenocissus semicordata* (Wall.) Planchon var. *roylei* (King) Raizada & Saxina and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tetrastigma gamblei* Shetty & Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tetrastigma leucostaphylum* (Dennst.) Alston and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tetrastigma nilagiricum* (Miq.) Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tetrastigma sulcatum* (Lawson) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitis vinifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leea asiatica* (L.) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leea guineensis* G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leea indica* (Burm. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leea macrophylla* Roxb. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Allophylus cobbe (L.) Raeusch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cardiospermum canescens* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cardiospermum halicacabum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dimocarpus longan* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dodonaea viscosa* (L.) Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Filicium decipiens* (Wight & Arn.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Harpullia arborea* (Blanco) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepisanthes erecta* (Thw.) Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepisanthes senegalensis* (Juss. ex Poir.) Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepisanthes tetraphylla* (Vahl.) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litchi chinensis* Sonner. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Otonephelium stipulaceum* (Bedd.) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sapindus emarginatus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sapindus trifoliata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schleichera oleosa* (Lour.) Oken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aesculus indica* (Cambess.) Hook. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acer caesium* Wall. ex Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acer oblongum* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acer pseudo-platanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melanthus major* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Turpinia malabarica* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Turpinia cochinchinensis* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Meliosma pinnata* (Roxb.) Maxim. subsp. *barbulata* (Cufod.) Beus. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Meliosma simplicifolia (Roxb.) Walp. subsp. *simplicifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Meliosma simplicifolia* (Roxb.) Walp. subsp. *pungens* (Wall ex Wight & Arn.) Beus. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sabia limoniacea* Wall. ex Hook. F. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anacardium occidentale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Buchanania axillaris* (Desr.) Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Buchanania lanzan* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gluta travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Holigarna arnottiana* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Holigarna beddomei* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Holigarna ferruginea* Marchand and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Holigarna grahamii* (Wight) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Holigarna nigra* Bourd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Lannea coromandelica* (Houtt.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>*.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mangifera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nothopegia aureo-fulva* Bedd. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nothopegia beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nothopegia colebrookeana* (Wight) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nothopegia heyneana* (Hook. f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nothopegia racemosa* (Dalz.) Ramam. var. *racemosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nothopegia racemosa* (Dalz.) Ramam. var. *angustifolia* (Gamble) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nothopegia travancorica* Bedd ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nothopegia vajravelui* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhus mysorensis* G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Rhus paniculata Wall. ex Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhus tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schinus molle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schinus terebinthifolius* Raddi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Semecarpus anacardium* L. var. *anacardium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Semecarpus anacardium* L. var. *cuneifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Semecarpus auriculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Semecarpus travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spondias indica* (Wight & Arn.) Airy Shaw & Forman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spondias pinnata* (L.f.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corynocarpus laevigata* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Moringa concanensis* Nimmo ex Gibbs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Moringa pterygosperma* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Connarus monocarpus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Connarus sclerocarpus* (Wight & Arn.) Schellenb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Connarus wightii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ellipanthus tomentosus* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rourea minor* (Gaertn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abrus fruticulosus* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abrus precatorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abrus pulchellus* Wall ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aeschynomene americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aeschynomene aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Aeschynomene indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alysicarpus beddomei* Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alysicarpus bupleurifolius* (L.) DC. var. *bupleurifolius* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alysicarpus bupleurifolius* (L.) Dc. var. *gracilis* (Edgew.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alysicarpus bupleurifolius* (L.) Dc. var. *hybridus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alysicarpus heterophyllum* (Benth. ex Baker) Jefri & Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alysicarpus longifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alysicarpus monilifer* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alysicarpus ovalifolius* (Schumac) J. Leon. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alysicarpus racemosus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alysicarpus roxburghianus* Thoth. & Pramanik and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alysicarpus glumaceus* (Vahl) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alysicarpus scariosus* Rottler. ex. Spring) Grah. ex Thw. var. *scariosus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alysicarpus scariosus* (Rottler. ex. Spring) Grah. ex Thw. var. *pilifer* (Prain) Pramanik & Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alysicarpus vaginalis* (L.) DC. var. *vaginalis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alysicarpus vaginalis* (L.) DC. var. *stocksii* Baker and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arachis hypogaea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Butea acuminata* (Benth.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Butea monosperma* (Lam.) Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Butea parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Butea purpurea* (Benth. ex Baker) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cajanus albicans* (Wight & Arn) Maesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cajanus goensis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cajanus lineata (Wight & Arn) van der. Maesen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cajanus cajan* (L.) Millsp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cajanus rugosus* (Wight & Arn) Maesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cajanus scarabaeoides* (L.) Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cajanus trinervius* (DC.) van der. Maesen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calopogonium mucunoides* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calpurnia aurea* (Ait.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canavalia cathartica* Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canavalia gladiata* (Jacq.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canavalia maritima* (Aubl.) Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canavalia mollis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Canavalia virosus* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Castanospermum australe* A. Cunn. & Fraser ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Centrosema pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chorizema ilicifolium* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Christia obcordata* (Poir.) Bakh. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Christia vespertilionis* (L.f.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cicer arietinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clanthus puniceus* Soland ex. Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clitoria ternatea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Laurentia longiflora* (L.) PETERMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Laurus cassia* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Laurus cinnamomum* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Laurus nobilis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lavandula bipinnata* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lavandula burmanni* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lavandula carnosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lavandula stoechas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lavandula vera* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lavatera kashmiriana* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lawsonia alba* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lawsonia inermis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lawsonia spinosa* L.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lechea verticillata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leea aequata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leea alata* EDGEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leea arguata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leea asiatica* (L.) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leea aspera* EDGE. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leea bracteata* CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leea compactiflora* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leea crispa* V. ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leea guineensis* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leea hirta* ROXB EX HORNEIM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leea indica* MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leea macrophylla* ROXB. EX HORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Leea robusta ROXB. HORT. BENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leea sambucina* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lemanea australis* ATKINS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lemmaphyllum carnosum* (J. SM.) PRESL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lemna globosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lemna obcordata* BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lemna perpusilla* TORREY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lens culinaris* MEDIC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lens esculenta* MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmastrol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leonotis nepetaefolia* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmastrol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leontopodium jacotianum* BEAUVERD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmastrol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leonurus cardiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmastrol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leonurus hamiltoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmastrol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leonurus incurva* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmastrol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leonurus japonicus* HOUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmastrol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leonurus sibiricus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leonurus stelligera* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepeocercis serrata* TRIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepianthes umbellata* (L.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidagathis cristata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidagathis hamiltoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidagathis incurva* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidagathis pungens* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Lepidagathis scariosa NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidagathis trinervia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidagathis trinervis* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidium apetalum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidium capitatum* HOOK. F. & THOMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidium cartilagineum* (J. MAY.) THELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidium draba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidium iberis* L. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidium iberis* POLL . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidium latifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidium perfoliatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidium ruderae* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidium virginicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepionorus sylvestris* BL. BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepionurus sylvestris* BLUME and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepisanthes Kalammanica* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepisanthes rubiginosa* (ROXB.) LEENH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepisanthes tetraphylla* (VAHL) RADLK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leptadenia pyrotechnica* DCNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leptadenia reticulata* (RETZ.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leptadenia spartium* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leptochilus decurrens* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Leptochloa malabarica (L.) VELDKAMP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leptodermis lanceolatus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leptonychia heteroclita* (ROXB.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lespedeza sericea* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lettsomia aggregata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lettsomia atropurpurea* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lettsomia elliptica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lettsomia mysorensis* CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lettsomia nervosa* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lettsomia setosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucaena glauca* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas aspera* (WILLD.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas capitata* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas cephalotes* (ROTH.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas ciliata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas flaccida* R.BR. scaberula (HOOK.F.) SRINIVASAN and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas indica* (L.) R.BR. EX VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas lanata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas lavandulifolia* J.E. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas linifolia* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas martinicensis* (JACQ.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas mollissima* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas plukenetii* (ROTH) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Leucas stelligera WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas stricta* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas urticaefolia* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucas zeylanica* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leuconotis eugenifolia* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucosceptrum canum* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucostegia immersa* (HK.) PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leucostegia nodosa* BEDD.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leueas rosmarnifolia* CIRUTUMPAI benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Levisticum officinale* W.D.J. KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Licuala spinosa* WURMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ligularia amplexicaule* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ligularia jacquemontiana* (DECNE) RAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ligusticum elatum* C.B. CL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ligustrum indicum* (LOUR.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ligustrum lucidum* (LOUR.) MERRILL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ligustrum nicum* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ligustrum perrottetii* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ligustrum robustum* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lilium candidum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lilium giganteum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lilium martagon* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lilium neilgherrense* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Lilium polyphyllum DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lilium wallichianum* SCHULT. & SCHULT. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limnanthemum cristatum* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limnanthemum indicum* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limnanthemum nymphaeoides* LINK FL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limnophila aromatica* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limnophila gratioloides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limnophila gratiissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limnophila indica* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limnophila polystachya* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limnophila racemosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limnophila roxburghii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limnophila rugosa* (ROTH) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limnophila sessiliflora* (VAHL) BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limnophyton obtusifolium* (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limodrum spatulatum* WLLD. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limonia acidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limonia alata* W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limonia crenulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limonium cabulicum* (BOISS.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Linaria cirrhosa* H.K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Linaria minor* DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Linaria ramosissima* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Lindelofia longiflora (BENTH.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindenbergia indica* (L.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindenbergia muraria* (ROXB.) P.BRUCHE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindenbergia urticaefolia* LEHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindera caudata* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindera neesiana* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindera pulcherrima* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia anagallis* (BURM.F.) PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia antipoda* (L.) ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia caespitosa* (BL.) PANIGRAHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia ciliata* (COLESM.) PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia cordifolia* (COLSM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia crustacea* (L.) F. V. MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia hyssopioides* (L.) HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia oppositifolia* (RETZ.) MUKH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia procumbens* (KROCK.) BORBAS and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia pyxidaria* ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia rotundifolia* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindernia ruellioides* (COLSM) PENNEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lindsaea cultrata* (WILLD.) SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Linociera malabarica* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Linociera ramiflora* (ROXB.) WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Linum perenne* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Linum strictum LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Linum usitatissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Liparis nervosa* (THUNB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Liparis parviflora* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lippia alba* N.E. BR. EX BRITTON & WILS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lippia geminata* H.B.K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lippia javanica* (BURM.F.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lippia nodiflora* MICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Liquidambar orientalis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Liquidambar styraciflua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Liqustrum indicum* (LOUR.) NERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Liriodendron tulipifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litchi chinensis* SONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lithocarpus pachyphyllus* (KURZ) REHDER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lithospermum arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lithospermum officinale* L. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea chinensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea citrata* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea coriacea* (HEYNE EX. MEISNER) HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea cubeba* (LOUR.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea glutimosa* (LOUR.) C.B. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea glutinosa* (LOUR.) ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea lancifolia* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Litsea monopetala (ROXB.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea polyantha* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea quinqueflora* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea sebifera* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea stocksii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea umbrosa* NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Litsea zeylanica* C. & T. NESS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lobelia alsinoides* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lobelia chinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lobelia cordigera* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lobelia excelsa* LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lobelia inflata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lobelia leschenaultiana* (PRESL) SKOTTSB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lobelia nicotianaefolia* ROTH. EX. R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lobelia pyramidalis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lobularia maritima* DESV. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lochnera pusilla* K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lochnera rosea* REICHB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lodoicea maldivica* (POIR.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lodoicea seychellarum* LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Loeseneriella obtusifolia* (ROXB.) A.C.SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lomatogonium carinthiacum* (WULF.) BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lonicera glauca* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Lonicera japonica THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lonicera leschenaultii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lonicera macrantha* (D.DON) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lonicera semenovii* REGEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lonicera spinosa* (JACQUEM. EX DECNE) WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lonicera webbiana* WALL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lophopetalum wallichii* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Loranthus coriaceus* DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Loranthus elasticus* DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Loranthus falcatus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Loranthus longiflorus* DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Loranthus pentandrus* HEYNE. EX SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lotus corniculatus* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Loxococcus rupicola* WENDL.& DRUDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ludwigia adscendens* (L.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ludwigia clavelliana* GOMEZ DE LA MAZA & MONLINET and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ludwigia hyssopifolia* (DON) EXCELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ludwigia octovalvis* (JACQ.) RAVEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ludwigia octovalvis* (JACQ.) RAVEN sessiliflora (MICHELI) RAVEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ludwigia parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ludwigia perennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ludwigia peruviana* (L.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ludwigia prostrata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Luffa acutangula (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Luffa acutangula* ROXB. *amara* (ROXB.) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Luffa aegyptiaca* MILL. EX. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Luffa amara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Luffa cylindrica* (L.) M.J. ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Luffa echinata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Luffa graveolens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Luffa graveolens* ROXB. *longystyla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Luffa pentandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Luffa tuberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Luffa umbellata* (KLEIN) ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Luisia tenuifolia* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lumnitzera racemosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lupinus albus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lupinus angustifolius* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lupinus digitatus* FORSK. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lupinus luteus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Luvunga eleutherandra* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Luvunga scandens* (BLUME) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Luzula campestris* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lychnis apetala* L. SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lychnis coronaria* LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lycianthes laevis* (DUN.) BITTER SUBTRUNCATA (WALL. EX DUN.) DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lycianthes laevis* (DUNAL) BITTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lycium barbarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lycium europaeum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lycium ruthenicum* MURR. EX DUNAL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lycoperdon gemmatum* BATSCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lycoperdon pusillum* PER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lycopersicon esculentum* MILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lycopersicon lycopersicum* (L.) KARST. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lycopersicum esculentum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lycopodium cernuum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lycopodium clavatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lycopodium phlegmaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lycopus europaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lycoris radiata* (L'HERIT.) HERBERT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lygodium circinatum* (BURM) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Lygodium flexuosum (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lygodium japonicum* (THUNB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lygodium microphyllum* (CAV.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lygodium pinnatifidum* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lygodium scandens* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lyonia ovalifolia* (WALL.) DRUDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maba bauxifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maba buxifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macadamia ternifolia* F. MUELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macaranga denticulata* (BL.) MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macaranga indica* W. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macaranga nicobarica* BALAKR. & CHAKRAB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macaranga peltata* (ROXB.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macaranga roxburghi* WRIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macaranga tanarius* (L.) M. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macaranga tetracoccus* (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Machilus bombycina* KING EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Machilus macrantha* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Machilus villosa* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maclura pomifera* (RAFIN.) C.K. SCHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macropanax dispermus* (BL.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macrosolen cochinchinensis* (LOUR.) TIEGH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macrosolen parasiticus* (L.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Macrotomia benthamii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macrotomia perennis* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macrotomia speciosa* AITCHET HEMST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Macrotyloma uniflorum* (LAM.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Madhuca butyracea* (ROXB.) MACBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Madhuca diplostemon* (CLARKE) ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Madhuca indica* GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Madhuca insignis* (RADLK) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Madhuca longifolia* (KOEN.) MACLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Madhuca malabarica* (BEDD.) R.N.PARKAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Madhuca neriifolia* (MOON) LAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maerua apetala* (ROTH) JACOBS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maerua arenaria* HOOK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maerua oblongifolia* (FORSK.) A.RICH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maesa chisia* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maesa indica* (ROXB.) A.DC. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maesa montana* DC, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maesa ramentacea* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maharanga emodi* (WALL.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mahonia acanthifolia* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mahonia borealis* TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mahonia leschenaultii* (WALL. EX. WIGHT & ARN.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mahonia manipurensis* TAKEDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Mahonia nepaulensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mahonia pycnophylla* (FEDDE) TAKEDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mahonia sikkimensis* TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mahonia simonsii* TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Majorana hortensis* MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malachra capitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malaxis acuminata* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malaxis biloba* (LINDL.) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malaxis mackinnonii* (DUTHIE) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malaxis muscifera* (LINDLEY) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malaxis rheedei* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malaxis saprophyta* (KING & PRANTL) TANG & WAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mallotus ferrugineus* (ROXB.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mallotus peltatus* (GEIS.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mallotus philippensis* (LAM.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mallotus repandus* (WILLD.) MULL.-ARG. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mallotus rhamnifolius* (WILLD.) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mallotus tetracoccus* (ROXB.) KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malpighia glabra* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malpighia punicifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malus pumila* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malus sylvestris* MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malva neglecta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Malva parviflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Malva rotundifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Malva sylvestris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Malva verticillata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Malvastrum americanum (L.) TORR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Malvastrum coromandelianum GARCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Mamea americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Mamea longifolia PLANCH. & TRIANA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mammea suriga* (BUCH.-HAM. EX ROXB.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mandragora autumnalis* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mandragora officinalis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mangifera caesia* JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mangifera domestica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mangifera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mangifera sylvatica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Manihot esculenta* CRANTZ and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Manihot utilissima* POHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Manilkara hexandra* (ROXB.) DUBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Manilkara kauki* (L.) DUBJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Manilkara zapota* (L.) VAN ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Manisuris granularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maoutia puya* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mappia foetida* MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Maranta arundinaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Maranta arundinacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Marchantia palmata - NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Marchantia polymorpha - NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Mariscus concinnus SCHRADER EX NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Mariscus javanicus (HOUTT.) MERR. & METCALF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Marlea tomentosa ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Marrubium vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Marsdenia brunoniana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Marsdenia hamiltonii* W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Marsdenia lucida* EDGEW. EX MADDEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Marsdenia roylei* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Marsdenia tenacissima* (ROXB.) MOON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Marsdenia tinctoria* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Marsdenia volubilis* (L.F). and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Marsilea dentata* KUNTZE. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Marsilea grandifolia* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Marsilea minuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Marsilea quadrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Martnia diandra* GLOX. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Martynia annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Martynia diandra* GLOX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mastersia assamica* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Mastixia arborea CB. CLARK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mathiola incana* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Matricaria aurea* (Loefl.)Sch. Bip. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Matricaria chamomilla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Matricaria lasiocarpa* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Matricaria recutita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Matthiola flavida* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Matthiola incana* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Matthiola tristis* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mattiastrium thomsonii* (CL.) KAZMI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maytenus emarginata* (WILLD.) DING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maytenus heyneana* (ROTHY) RAJU & BABU NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maytenus senegalensis* (LAM.) EXELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mazus japonicus* (THUNB.) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mazus pumilus* (BURM.F.) VAN STEENIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Meconopsis aculeata* ROYLE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Meconopsis nepaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Meconopsis paniculata* (D.DON) PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Meconopsis robusta* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Meconopsis simplicifolia* (G.DON) WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Meconopsis wallichii* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Meconopsis nepaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Medicago lupulina* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Medicago minima L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Medicago polymorpha* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Medicago sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Megacarpaea polyandra* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melaleuca alternifolia* (MAIDEN & BETCHE) CHEEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melaleuca cajuputi* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melaleuca leucadendron* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melanorrhoea curtisii* OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melanorrhoea usitata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melanorrhoea wallichii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melanthesa rhamnoides* (RETZ.) BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melanthesa turbinata* (ROXB.) WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melanthium indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melasma thompsonii* (HK.F.) WETTST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melastoma affine* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melastoma asperum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melastoma decemfidum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melastoma malabathricum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melia azadirachta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melia azedarach* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melia composita* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melia dubia* HIERN, NON CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melanthus major* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Melica ciliata DUTHIE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melica jacquemontii* DCNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melilotus indica* (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melilotus officinalis* (L.) PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melilotus parviflora* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Meliosma arnottiana* WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Meliosma simplicifolia* (ROXB.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melissa axillaris* (BENTH.) BAKH. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melissa officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melissa parviflora* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melocalamus compactiflorus* BENTH. F. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melocanna bambusoides* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melocanna bambusoides* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melochia corchorifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melodinus monogynus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melothria heterophylla* COGN. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melothria indica* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melothria maderaspatana* (L.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melothria perpusilla* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melothria scabra* (LINN. F.) PANIGR. ET S.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Memecylon amplexicaule* ROXB. *malabarica* CLARKE IN HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Memecylon angustifolium* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Memecylon edule* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Memecylon gracile BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Memecylon heyneanum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Memecylon malabaricum (CLARKE) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Memecylon sessile BENTH. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Memecylon talbotianum BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Memecylon umbellatum BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Menanthes sumatrana (MIQ.) BREMEK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Menispermum cocculus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Menispermum columba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Menispermum cordifolium* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Menispermum glabrum* BRUM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mentha aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mentha arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mentha cordifolia* OPHIZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mentha crispa* GARSALT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mentha dumetorium* SCHULT. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mentha longifolia* (L.) HUDS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mentha mulleriana* SCH.-BIP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mentha niliaca* JACQ. alopecuroides NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mentha piperita* STOKES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mentha pulegium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mentha rotundifolia* (L.) HUDS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mentha sativa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Mentha spicata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mentha sylvestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mentha verticillata* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mentha viridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Meriandra benghalensis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Meriandra strobilifera* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Merremia dissecta* (JACQ.) HALLIER F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Merremia emarginata* (BURM.F.) HALL.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Merremia gangetica* (L.) CUFO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Merremia hastata* (DESR.) HALLIER. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Merremia hederacea* (N.BURM.) H.HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Merremia mammosa* (LOUR.) HALL. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Merremia peltata* (Linn.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Merremia tridentata* (L.) HAILLIER *tridentata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Merremia tridentata* (L.) HALL. F. *hastata* (DESR.) OOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Merremia tridentata* (L.)H. HALL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Merremia tuberosa* (LINN.) RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Merremia turpethum* RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Merremia umbellata* (L.) HALLIER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Merremia vitifolia* (BURM. F.) HALL. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mesembryanthemum crystallinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mesua ferrea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mesua nagassarium* (BURM.F.) KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Metathelypteris gracilescens (BL.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Meyna laxiflora* ROBYNS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Meyna spinosa* ROXB. EX LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mezoneuron cucullatum* (ROXB.) WT. AND ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mezoneuron sumatranum* W.A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Michelia champaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Michelia doltsopa* BUCH.- HAM. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Michelia montana* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Michelia nilagirica* ZENK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Micranthus oppositifolius* WENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microcos paniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microglossa pyrifolia* (LAM.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microglossa volubilis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microlepis puberula* VAVR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microlepis speluncae* (L.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Micromelum hirsutum* OSKIN and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Micromelum integerrimum* (Buch-Ham) Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Micromelum minutum* (FORST. F.) WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Micromelum pubescens* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Micromeria biflora* (DON) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Micromeria capitellata* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Micromelum integerrimum* (BUCH.-HAM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Micropus xanthopus* (FR.) KUNT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Microrhynchus nudicaulis LESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microsorium alternifolium* COPEL.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microsorium punctatum* (L.) COPEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microsorium scolopendria* (BURM.F.) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microstegium ciliatum* A.CAMUS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microstylis muscifera* RIDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microstylis saprophyta* KING & PANTL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microstylis versicolor* (LINDL.) ABEYW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microstylis wallichii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microtoena insuavis* (HANCE) PRAIN EX DUNN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Microula tibetica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mikania cordata* (BURM. F.) R.L. ROBINSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mikania micrantha* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Milium ramosum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Milium roxburghiana* (GRIFF.) HK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Milium tomentosum* (ROXB.) SINCLAIR and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Miliusa velutina* HOOK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Millettia auriculata* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Millettia caudata* (BENTH.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Millettia extensa* (BENTH.) BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Millettia pachycarpa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Millettia piscidia* WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Millettia racemosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Millingtonia hortensis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimosa abstergens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimosa amara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimosa cineraria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimosa cinerea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimosa ferruginea* ROTTLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimosa flexuosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimosa hamata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimosa intsia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimosa invisa* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimosa lucida* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimosa paniculata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimosa pudica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimosa pudica* L. hispida BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimosa pudica* L. tetrandra (WILLD.)DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimosa pudica* L. unijuga (DUCHASS. & WALP.)GRISEB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimosa rubicaulis* AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimosa rubicaulis* LAMK. himalayana (GAMBLE) DHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimosa spinisilqua* KLEIN. EX POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimosa suma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimulus moschatus* DOUGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimulus strictus* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimulus elengi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Mimusops hexandra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimusops indica* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mimusops kauki* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mirabilis jalapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mischocarpus sundaicus* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mitracarpus villosus* (SW.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mitragyna parvifolia* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mitragyna parvifolia* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mitragyna rotundifolia* KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mnesithea laevis* (RETZ.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Modecca palmata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Modecca trilobata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Modecca wightiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Moghania bracteata* HIU-LIN-LI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Moghania chappar* KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Moghania macrophylla* KUNTZE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Moghania nana* MUKHSJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Moghania phursia* O.KTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Moghania semialata* (ROXB.) MUKHERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Moghania stricta* (ROXB.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Moghania strobilifera* J.ST. HILAIRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Moghania tuberosa* KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Molineria crassifolia* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Molinia coerulea MOENCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mollugo cerviana* SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mollugo hirta* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mollugo lotoides* (L.) O. KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mollugo nedicaulis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mollugo nudicaulis* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mollugo oppositifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mollugo pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mollugo spargula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mollugo stricta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Momordica balsamina* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Momordica charantia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Momordica charantia* L. *charantia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Momordica charantia* L. *muricata* (WILLD.) CHAKR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Momordica cochinchinensis* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Momordica cymbalaria* HK.F. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Momordica dioica* ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Momordica exserta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Momordica muricata* VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Momordica tuberosa* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Momordica umbellata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Monetia barlerioides* L HERIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Moniera cuneate* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Moniera cuneifolia MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Monochoria hastata* PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Monochoria hastata* SOLMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Monochoria vaginalis* PRESL.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Monotropa uniflora* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Morchella esculenta* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Morina coulteriana* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Morina longifolia* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Morina persica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Morinda angustifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Morinda citrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Morinda coreia* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Morinda pubescens* J.E.SMITH IN REES *pubescens* VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Morinda pubescens* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Morinda tinctoria* ROXB. *tomentosa* (ROTH) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Morinda tomentosa* HEYNE EX ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Morinda umbellata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Moringa concanensis NIMMO EX DALZ. & GIBSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Moringa conconensis NIMMO. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Moringa oleifera LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Moringa pterygosperma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Morus acedosa GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Morus alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Morus australis POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Morus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Morus laevigata* WALL. EX BRAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Morus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Moschosma polystachyum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Moullava spicata* (DALZ.) NICOLS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mucuna atropurpurea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mucuna bracteata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mucuna capitata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mucuna cochinchinensis* Cheval and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mucuna gigantea* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mucuna hirsuta* WIGHT & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mucuna monosperma* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mucuna nigricans* (LOUR.) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mucuna pruriens* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mucuna prurita* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Mucuna utilis Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mukia maderaspatana* (L.) M.ROEMER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mukia scabrella* (L.F.) ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mundulea sericea* (WILLD.) A. CHEVAL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mundulea suberosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Munronia pinnata* (WALL.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Muntingia calabura* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Murdannia edulis* (STOKES) FADEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Murdannia elata* (VAHL) BRUECKNER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Murdannia japonica* (THUNB) FADEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Murdannia nudiflora* (L.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Murdannia scapiflora* (ROXB.) ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Murdannia semiteres* (DALZ.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Murdannia vaginata* (L.) BRUECK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Muricia cochinchinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Murraya exotica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Murraya koenigii* (L.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Murraya paniculata* (L.) JACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Musa balbisiana* COLLA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Musa chinensis* SWEET. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Musa ornata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Musa paradisiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Musa rosacea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Musa sapientum O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Musa sapientum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Musa superba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Musa textilis* NEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Musa troglodytarum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Musa velutina* WENDL. & DRUDE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mussaenda belilla* BUCH.- HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mussaenda erythrophylla* SCHUM. & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mussaenda frondosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mussaenda glabra* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mussaenda glabrata* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mussaenda hirsutissima* (HOOK. F.) HUTCHINSON EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mussaenda laxa* (HOOK. F.) HUTCH EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mussaenda macrophylla* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mussaenda roxburghii* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mutilla occidentalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mylitta lapidescens* HORAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myosoton aquaticum* (L.) MOENCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myrica cerifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myrica esculenta* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myrica integrifolia* ROXY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myrica nagi* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myrica pensylvanica* LOISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Myrica sapida WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myricaria bracteata* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myricaria coulteriana* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myricaria elegans* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myricaria germanica* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myriogyne minuta* LESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myrioneuron nutans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myriophyllum spicatum* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myristica argentea* WARB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myristica dactyloides* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myristica fragrans* HOUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myristica laurifolia* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myristica malabarica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myristica moschata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myristica officinalis* L..F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myropyrum similacifolium* BLUME NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myrsine africana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myrsine capitellata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myrsine semiserrata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myrsine serrata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myrtus caryophyllata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myrtus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Myxopyrum serratum* A.W. HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Myxopyrum smilacifolium BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nannorrhops ritchieana* H. WENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Naravelia zeylanica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Narcissus tazetta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nardostachys grandiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nardostachys jatamansi* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Naregamia alata* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Naringi alata* (WALL. EX WIGHT & ARN.) EL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Naringi crenulata* (ROXB.) NICOLSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nasturtium fontanum* ASCHERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nasturtium indicum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nasturtium officinale* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nasturtium palustre* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Natsiatum herpeticum* BUCH.-HAM. EX ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nauclea aculeata* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nauclea cadamba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nauclea missionis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nauclea orientalis* (L.) L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nauclea ovalifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nauclea sessilifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neanotis hirsuta* (L.F.) LEWIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neanotis rheedei* (WIGHT & ARN.) W.H.LEWIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neillia thyrsiflora* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Neisosperma oppositifolium (Lamk.) Fosb. & Sach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nelsonia canescens* (LAM.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nelumbium speciosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nelumbo nucifera* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neodissochaeta celebica* (Bl.) Bakh.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neolamarckia cadamba* (ROXB.) BOSSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neolitsea cassia* (L.) KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neolitsea chinensis* (LAM.) CHUN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neolitsea scrobiculata* (MEISSNER) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neolitsea umbrosa* (NEES) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neolitsea zeylancia* (NEES) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neonauclea sessilifolia* (ROXB.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nepenthes distillatoria* AUCT. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nepenthes khasiana* KH.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nepeta cataria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nepeta ciliaris* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nepeta coerulascens* MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nepeta connata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nepeta discolor* ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nepeta elliptica* ROYLE EX BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nepeta eriostachya* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nepeta floccosa* BTH. LAB. GEN. & SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nepeta glomerulosa* BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Nepeta glutinosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nepeta hindostana* (ROTH) HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nepeta leucophylla* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nepeta longibracteata* (BENTH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nepeta malabarica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nepeta podostachys* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nepeta royleana* STEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nepeta ruderalis* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nepeta spicata* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nephelium lappaceum* LINN. MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nephelium litchi* (LOUR.) GAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nephelium longana* CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nephelium stipulaceum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nephrolepis biserrata* SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nephrolepis cordifolia* (L.) PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nephrolepis multiflora* (ROXB.) JARRETT EX MORTON and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neptunia natans* (L. F.) DRUCE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neptunia oleracea* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neptunia prostrata* (LAM.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neptunia triquetra* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nerium antidysentericum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nerium coronarium* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nerium indicum* MILLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Nerium odorum SOLANED and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nerium oleander* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nerium tomentosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nervilia aragoana* GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nervilia plicata* SCHLTR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nervilia prainiana* (KING & PANTL) SCIDEN.F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nesaea lanceolata* (WT. &ARN.) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nesaea prostrata* (DILLWYN) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neuracanthus sphaerostachyus* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Neuracanthus trinervis* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nicandra physalodes* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nicotiana macrophylla* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nicotiana plumbaginifolia* VIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nicotiana rustica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nicotiana tabacum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Niebuhreria linearis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nigella damascena* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nigella sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nilgiranthus ciliatus* (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nilgiranthus heyneanus* (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nipa fruticans* WURMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nomocharis nana* (KLOTZ.) WILSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nopalea cochenillifera* (L.) LYONS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Nothapodytes nimmoniana (GRAH.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Notholaena eckloniana* KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nothopanax fruticosum* MIQ. FL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nothopegia castaneifolia* (Roth) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nothopegia colebrookiana* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nothosaerva brachiata* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Notonia grandiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nyctanthes arbor-tristis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nymphaea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nymphaea caerulea* SAVIGN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nymphaea cyanea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nymphaea edulis* D.C and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nymphaea lotus* HOOK. F.(NON L). and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nymphaea nouchali* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nymphaea odorata* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nymphaea pubescens* WILLD. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nymphaea rubra* ROXB. EX ANDREWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nymphaea stellata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nymphaea stellata* WILLD. cyanea H.F. & T. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nymphaea tetragona* GEORGI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nymphoides cristata* (ROXB.) O. KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nymphoides hydrophylla* (LOUR.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nymphoides indica* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Nymphoides indicum (L.) O. KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nymphoides macrospermum* VASUDEVAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nymphoides peltata* (GMEL.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nypa fruticans* Wurb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ochlandra brandisii* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ochlandra rheedii* BENTH. & HOOK. F. EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ochlandra scriptoria* (DENNST.) C.E.FISCHER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ochlandra travancorica* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ochna gamblei* KING(SONARI) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ochna jabotapita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ochna lanceolata* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ochna obtusata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ochna pumila* HAM. EX D. DON PRODR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ochna squarrosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ochradeneus baccatus* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ochradenus baccatus* DEL. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ochreinauclea missionis* (WALL. EX G.DON) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ochrocarpus longifolius* (WIGHT) T.ANDERSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ochthochloa coracana* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ocimum adscendens* WIGHT EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ocimum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ocimum americanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ocimum basilicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ocimum basilicum L. *basilicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ocimum basilicum* L. *majus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ocimum basilicum* L. *pilosum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ocimum basilicum* L. *minimum* DAMERT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ocimum canum* SIMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ocimum caryophyllatum* SCHWEIG EX. SCHRAUK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ocimum gratissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ocimum kilimandscharicum* GUERKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ocimum pilosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ocimum polystachyon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ocimum prostratum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ocimum sanctum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ocimum tenuiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Odina pinnata* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Odina woder* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oenanthе javanica* (Bl.) DC. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oenothera biennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxalis acuminata* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxalis imbricata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxalis nana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxalis scandens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oldenlandia auricularia* K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oldenlandia biflora* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Oldenlandia corymbosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Oldenlandia dichotoma HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Oldenlandia diffusa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Oldenlandia fruticosa (L.) K. SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Oldenlandia glandulifera WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Oldenlandia herbacea (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Oldenlandia heynii BR. EX. G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Oldenlandia umbellata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Olea cuspidata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Olea dioica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Olea europea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Olea ferruginea* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Olea glandulifera* WALL. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Olea polygama* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oleandra neriiformis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oleandra pistillaris* (SW.) C.CHR. NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oleandra wallichii* PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oligochaeta ramosa* (ROXB.) WAGEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oligomeris linifolia* (VAHL) MACB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Onosma bracteatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Onosma echioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Onosma hispidum* WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Onosma hookeri* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Onychium contiguum (WALL.) HOPE.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Onychium japonicum* O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Onychium siliculosum* (DESV.) C. CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Operculina petaloidea* (CHOISY) OOSTSTROOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Operculina turpethum* (L.) S. MANSO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophelia angustifolia* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophelia chiraita* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophelia densifolia* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophelia elegans* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophelia multiflora* DATZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiocephalus striatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophioglossum costatum* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophioglossum fibrosum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophioglossum nudicaule* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophioglossum pendulum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophioglossum thermale* KUMAROV NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophioglossum vulgaatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophioglossum vulgatum* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiopogon intermedius* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiopogon japonicum* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiopogon malcolmsonii* ROYLE EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiopogon wallichianus* HOOK.F. PAUCIFLORA HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiorrhiza mungos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Ophiorrhiza nicobarica BALAKR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiorrhiza nutans* C. B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiorrhiza ochroleuca* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiorrhiza pauciflora* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiorrhiza rugosa* WALL. ARGUTEA DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophioxylon serpentinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophiuros exaltatus* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ophrestia pentaphylla* (DALZ.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Opilia amentacea* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oplismenus burmannii* (RETZ.) BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Opopanax chironium* KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Opuntia cochinellifera* MILL. GARD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Opuntia dillenii* (KER-GAMIER) HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Opuntia elatior* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Opuntia ferox* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Opuntia ficus-indica* (L.) MILL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Opuntia monacantha* HAW. SUPPL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Opuntia nigricans* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Opuntia stricta* (HAW.) HAW. dillenii (KER.GAWL) BENSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Opuntia vulgaris* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orchis chusua* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orchis habenarioides* K. & P. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orchis latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Orchis laxiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orchis mascula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orchis spathulata* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oreocnide frutescens* (THUNB.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oreocnide integrifolia* (GAUD) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Origanum majorana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Origanum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ormocarpum cochinchinense* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ormocarpum sennoides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ormosia travancoria* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orobanche aegyptiaca* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orobanche solmsii* CLARKE EX. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orophea katschallica* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oroxylum indicum* (L.) VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orthosiphon aristatus* (BL.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orthosiphon diffus* BENTH. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orthosiphon glabratus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orthosiphon grandiflorus* BOLDINGH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orthosiphon incurvus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orthosiphon pallidus* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orthosiphon rubicundus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orthosiphon spiralis* (LOUR) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orthosiphon stamineus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Orthosiphon thymiflorus (ROTH.) SLEASEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orygia decumbens* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oryza granulata* Nees. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oryza meyeriana* (Zoll.&Mor.)Baill *granulata* Tateoka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oryza mutica* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oryza rufipogon* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oryza sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia aspera* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia capitata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia crinita* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia cupularis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia nepalensis* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia sexatilis* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia sikkimensis* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia stellata* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osbeckia zeylanica* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osmanthus fragrans* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osmunda claytoniana* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osmunda regalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osyris arborea* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osyris quadripartita* SALZ EX DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Osyris wightiana* WALL. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Othonnopsis intermedia BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Otostegia aucheri* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Otostegia limbata* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ottelia alismoides* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ougeinia dalbergioides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ougeinia oojeinensis* (ROXB.) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ouratea angustifolia* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxalis acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxalis corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxalis corymbosa* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxalis debilis* H.B.K. *corymbosa* (DC.) LOUR. 0. C0. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxalis latifolia* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxalis martiana* ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxalis pubescens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxyria digyna* (L.) HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxyspora paniculata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxystelma esculentum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxystelma secamone* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxytenanthera nigrociliata* MUNRO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxytenanthera thwaitesii* MUNRO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxytropis lapponica* (WAHL.) GAY. CORRESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxytropis mollis* ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxytropis tatarica* BUNGE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Pachygone ovata (POIR.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pachygone zeylanica* (GAERTN) SANT. & WAGH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pachyrrhizus angulatus* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pachyrrhizus erosus* (L.) URBAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pachystoma senile* (LINDL.) REICHB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Padus cornuta* (WALL. EX ROYLE) CARR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paederia foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paederia scandens* (LOUR.) MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paederia tomentosa* BLUME BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paeonia emodi* WALL. EX. ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pajanelia longifolia* (WILLD.) K.SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Palaquium ellipticum* (DOLZ.) BAILLON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Palhinhaea cernua* (L.) FRANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pamburus missionis* (WIGHT) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panax ginseng* MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panax pseudoginseng* WALL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panax quinquefolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panax wangiianus* Sun and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pancratium triflorum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pancratium zeylanicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *PKalamnus fascicularis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *PKalamnus foetidus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *PKalamnus furcatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

PKalamnus kaida KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), PKalamnus odoratissimus L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), PKalamnus tectorius AUCT. NON SOLAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), PKalamnus thwaitesii MARTELLI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), PKalamnus unipapillatus DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum antidotale* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum argyptiacum* HORT. EX ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum brizoides* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum crus-corvi* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum flavo-marginatum* MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum floro-marginatum* MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum frumentaceum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum grossarium* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum grossarium* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum incomtum* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum isachne* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum italicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum macimum* FACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum maximum* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum miliaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum milliare* AUCTION. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum psilopodium* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum psilopodium* TRIN. *psilopodium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Panicum repens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum sarmentosum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum stagninum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Panicum sumatrense* ROTH EX ROEM. ET SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Papaver argemone* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Papaver dubium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Papaver hybridum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Papaver nudicaule* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Papaver orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Papaver rhoeas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Papaver somniferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paphiopedilum druryi* (BEDD.) STEIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paracalyx scariosa* (ROXB.) ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paraleptochilus decurrens* (BLUME) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parameria barbata* (BI.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parameria polyneura* HOOK.R. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paramignya angulata* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paramignya longispina* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paramignya monophylla* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pardanthus chinensis* KER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paris polyphylla* SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parkia biglandulosa* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Parkia javanica MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parkia roxburghii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parkia timoriana* (A. DC.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parkinsonia aculeata* L.SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parmelia cirrhata* FR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parmelia kamstchadalis* ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parmelia nilgherrensis* NYL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parmelia perforata* ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parmelia perlata* (HUDS.) ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parmignya monophylla* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parnassia laxmannii* PALL. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parnassia nubicola* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parnassia palustris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parnassia pusilla* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parochetus communis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parsonsia alboflavescens* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parsonsia helicandra* HOOK. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parsonsia laevigata* (Moon) Alston. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parsonsia spiralis* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Parthenium hysterophorus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pasania truncata* (KING) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paspalum conjugatum* BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paspalum distichum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Paspalum scrobiculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paspalum scrobiculatum* L. commersonii STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Passiflora assamica* CHAKRAVARTY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Passiflora edulis* SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Passiflora foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Passiflora incarnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Passiflora perpera* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Passiflora quadrangularis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Paullinia cupana* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pausinystalia yohimba* PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavetta crassicaulis* BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavetta indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavetta indica* L. minor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavetta tomentosa* ROXB. EX SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavonia odorata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavonia procumbens* SOISS. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavonia propinqua* GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavonia repKalam* (J.E. SM.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavonia zeylanica* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Payena lucida* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pecteilis susannae* (L.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pedaliium murex* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pedicularis bicornuta* CLOTZ. EX. GARCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Pedicularis cheilanthifolia SCHRENK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pedicularis comosa* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pedicularis longiflora* RUDOLPH tubiformis (KLOTZSCH) PENNEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pedicularis pectinata* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pedicularis pycnantha* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pedicularis pyramidata* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pedicularis siphonantha* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pedilanthus tithymaloides* (L.) POIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peganum harmala* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pegia nitida* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pegolettia senegalensis* CASS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pegonatherum crinitum* KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pelargonium graveolens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pelargonium roseum* R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peliosanthes bakeri* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peliosanthes teta* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pellaea colomelanos* LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pellaea hastata* (THUNB) PRANTL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peltigera canina* WILLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peltophorum dasyrhachis* (MIQ.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peltophorum pterocarpum* (DC.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pemphis acidula* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pennisetum alopecuroides* (L.) SPRENG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Pennisetum americanum (L.) LEEKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pennisetum compressum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pennisetum flaccidum* GRISEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pennisetum glaucum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pennisetum spicatum* ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pennisetum typhoides* (BURM.F.) STAPF ET HUBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pennisetum typhoideum* (RICH) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pentanema indicum* (L.) LING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pentaneura khasiana* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pentapetes phoenicea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pentaptera tomentosa* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pentatropis capensis* (L.F.) BULLOCK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pentatropis cynanchoides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pentatropis microphylla* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pentatropis nivalis* (GMEL.) FIELD & WOOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pentatropis spiralis* DECNE. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peperomia pellucida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peperomia reflexa* (L.F.) A. DIETR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peperomia tetraphylla* (G.FORST.) HOOK. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peranama cyatheoides* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pergularia aktensa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pergularia daemia* (FORSK.) CHOIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pergularia extensa* N.E.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Pergularia tomentosa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pericampylus glaucus* (LAMK.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pericampylus incanus* MIERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Perilepta auriculata* (NEES) BREMEK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Perilla frutescens* (L.) BRITT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Periploca aphylla* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Periploca indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Periploca sylvestris* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peristrophe bicalyculata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peristrophe bivalvis* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peristrophe paniculata* (FORSK.) BRUMMITT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peristrophe roxburghiana* (SCHULT.) BREMEK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peristylus stocksii* (HK.F.) KRANZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Perotis indica* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Perovskia abrotanoides* KAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Perovskia atriplicifolia* BENTH. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Persea fructifera* KOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Persea gamblei* (KING EX HK.F.) KOST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Persea macrantha* (NEES) KOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Petrea volubilis* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Petroselinum crispum* NYM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peucedanum aucheri* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Peucedanum dhana* BUCH.-HAM.EX CLARKE DALZELII C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Peucedanum grande CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Peucedanum graveolens BENTH. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Peucedanum naggpurens (CI.) PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Phaius grandifolius LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Phaius tancarvilleae (L. HERIT.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Phaius wallichii LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Phalaenopsis amabilis LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Phalaris arundinacea L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phalaris canariensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phallus rubicundus* (BOSC.) FRIES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pharbitis nil* CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pharnaceum cerviana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pharnaceum mollugo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phaseolus aconitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phaseolus adenanthus* G.F. MEYER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phaseolus aureus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phaseolus dalzellii* COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phaseolus lunatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phaseolus mungo* (L) MANT. radiatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phaseolus mungo* (L) MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phaseolus pauciflorus* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phaseolus radiatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phaseolus roxburghii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Phaseolus semierectus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phaseolus sublobatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phaseolus trilobus* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phaseolus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phaulopsis dorsiflora* (RETZ.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phaulopsis imbricata* (FORSK.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phlegmariurus phlegmaria* (L.) SEN & SEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phlogacanthus curviflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phlogacanthus guttatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phlogacanthus jenkinsii* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phlogacanthus pubinervis* T.ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phlogacanthus thrysiflorus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phlogacanthus thrysiflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phlogacanthus thrysiformis* (HARD.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phlomis bracteosa* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phoebe lanceolata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phoebe wightii* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phoenix acaulis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phoenix asperulatus* HUTCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phoenix dactylifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phoenix farinifera* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phoenix humilis* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phoenix loureirii* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Phoenix paludosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Phoenix pusilla GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Phoenix sylvestris ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Pholidota chinensis LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Pholidota imbricata (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Phoradendron leucarpum (RAF.) REV. & M.C. JOHNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Photinia notoniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Photinia serrulata* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phragmites australis* (CAV.) TRIN. EX STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phragmites communis* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phragmites karka* TRIN. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phragmites maxima* BLATTER & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phragmites roxburghii* (KUNTH) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phrymium dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyla nodiflora* (L.) GREENE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllagathis rotundifolia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus acidus* (L.) SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus airy-shawii* BRUNEL & ROUX and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus amarus* SCHUM. & THENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus clarkei* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus debilis* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus distichus* (L.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Phyllanthus emblica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Phyllanthus fraternus WEBSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Phyllanthus gomphocarpus HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Phyllanthus indofischeri BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Phyllanthus maderaspatensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Phyllanthus missionis HOOK.F. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Phyllanthus mukherjeeanus MITRA ET BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Phyllanthus multiflorus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus niruri* SENSU HOOK.F.Non Linn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus polyphyllus* DALZ. & GIBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus reticulatus* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus rhamnoides* WILLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus rheedii* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus simplex* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus urinaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllanthus virgatus* G.FORSTER and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllocephalum indicum* (LESS.) KIRKMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllochlamys taxoides* KOORDERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phyllostachys bambusoides* SIEB. & ZUCC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phymatodes ebenipes* (HOOK.) CHING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phymatodes scolopendria* (BURM.) CHING. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Physalis alkekengi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Physalis alkekengi* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Physalis angulata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Physalis divaricata* D. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Physalis flexuosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Physalis indica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Physalis minima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Physalis peruviana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Physochlaina praealta* (DECNE) MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Physostigma venenosum* BALF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phytolacca acinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phytolacca americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Phytolacca lathenia* (MOQ.) HANS WALTERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Picrasma guassioides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Picea abies* (L.) KARST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Picrasma javanica* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Picrasma nepalensis* BENN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Picrasma quassioides* BENNET and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Picris hieracioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Picrorhiza kurroa* ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Picrorhiza scrophulariiflora* PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Picrorrhiza kurroa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pieris ovalifolia* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pilea microphylla* (L.) LIEBM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pilea umbrosa* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Piliostigma malabaricum (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pilocarpus jaborandi* HOLMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pimenta acris* KOSTEL ALLG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pimenta racemosa* J. W. MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pimpinella anisum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pimpinella bracteata* HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pimpinella diversifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pimpinella heyneana* (WALL. EX DC.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pimpinella involucrata* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pimpinella saxifraga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pimpinella stocksii* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pimpinella tirupatiensis* BAL. & SUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pinanga dicksonii* (ROXB.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pinanga manii* BECC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pinus dammara* LAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pinus deodara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pinus excelsa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pinus gerardiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pinus griffithii* M. CLELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pinus insularis* ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pinus kesiya* GORDON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pinus longifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pinus maritima* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Pinus merkussi JUNGH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pinus picea* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pinus roxburghii* SARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pinus sylvestris* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pinus wallichiana* JACKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pinus webbiana* WALL. EX. LAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper argyrophyllum* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper attenuatum* BUCH.-HAM. EX MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper aurantiacum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper auranticum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper baccatum* CAS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper bachystachyum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper bantamense* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper barberi* GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper betele* LINN. SIRIBOA (MIQ.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper betle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper betleoides* C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper boehmeriaefolium* WALL . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper caninum* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper chaba* HUNTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper clusii* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper crassipes* KORTH. EX. C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper cubeba* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Piper dichotomum HORT. PAR. EX KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper diffusum* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper gamblei* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper griffithii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper guineense* SCHUM & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper lanceolatum* RUIZ & PAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper longum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper mullesua* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper officinarum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper pedicellatum* C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper pedicellosum* WALL. EX CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper peepuloides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper retrofractum* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper ribesioides* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper sarmentosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper sylvaticum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper thomsoni* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper thomsonii* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper trichostachyon* (MIQ.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper trioicum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Piper wallichii* (MIQ.) HAND MAZZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pipturus velutinus* WEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Pisonia aculeata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pisonia alba* SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pisonia grandis* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pisonia mitis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pisonia morindifolia* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pisonia umbellata* (FORST.) SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pistacia chinensis* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pistacia chinensis* BUNGE *integerrima* (STEW) RECH.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pistacia integerrima* STEW. EX BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pistacia khinjuk* STOCKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pistacia lentiscus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pistacia terebinthus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pistacia vera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pistia stratiotes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pistia stratiotes* LINN. CUNEATA ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pisum arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pisum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pithecellobium angulatum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pithecellobium bigeminum* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pithecellobium clypearia* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pithecellobium dulce* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pithecellobium fasciculatum* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pithecellobium globosum* KOSTERM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Pithecellobium lobatum BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pithecellobium monadelphum* (ROXB.) KOSTER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pithecolobium dulce* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pithecolobium subcoriaceum* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pithecolobium umbellatum* (VAHL.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pittosporum floribundum* SENSU HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pittosporum nepaulense* (DC.) REHDER & WILSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pittosporum nilghirens* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pittosporum tetraspermum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pityrogramma calomelanos* (L.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Planchonella obovata* (R.BR.) PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plantago amplexicaulis* CAV. *bauphula* (EDGEW.) RECH. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plantago arenaria* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plantago asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plantago brachyphylla* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plantago ciliata* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plantago depressa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plantago erosa* WALL. IN ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plantago himalaica* PILG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plantago ispaghula* ROXB. EX FLEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plantago lagocephala* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plantago lanceolata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plantago major* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Plantago media L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plantago ovata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plantago psyllium* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plantago pumila* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plantago stocksii* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plantago tibetica* HK. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Platanthera susannae* (L.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Platanus orientalis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Platostoma africanum* BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Platostoma africanus* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Platostoma flaccidum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plecosperrum spinosum* TREC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus ambonicus* (LOUR.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus barbatus* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus coetsa* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus fruticosus* WIGHT EX HOOK. F. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus incanus* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus japonicus* (BURM.F) KOIDZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus lophanthoides* (DON) GRIER. & LONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus mollis* (AITON) SPLRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus nilgherriensis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus rugosus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus striatus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Plectranthus ternifolius D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectranthus vettiveroides* (JACOB) SINGH & SHARMA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectronia didyma* KURZ FOR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plectronia parviflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pleione maculata* (LINDL.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pleiospermium alatum* (WALL. EX WT. & ARN.) SURINGLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pleopeltis contorta* (CHRIST.) PANIGR. & PATAV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pleopeltis lanceolata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pleopeltis macrocarpa* (BORRY EX WILLD.) KAULF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pleopeltis nuda* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plesmonium margaretiiferum* (ROXB.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pleurospermum angelicoides* (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pleurospermum brunonis* (DC.) BENTH. EX. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pleurospermum candollei* (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pleurostyliia opposita* (WALL.) ALSTON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pluchea indica* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pluchea lanceolata* OSKIN & HIERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pluchea pinnatifida* HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pluchea tomentosa* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pluchea indica* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plumbago auriculata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plumbago capensis* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plumbago indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Plumbago rosea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plumbago zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plumeria acuminata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plumeria acutifolia* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plumeria alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plumeria rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plumieria acutifolia* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plumieria alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plumieria rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Poa cynosuroides* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Poa malabarica* KLEIN. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Podocarpus latifolia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Podocarpus neriifolius* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Podophyllum emodi* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Podophyllum hexandrum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Podophyllum peltatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Poeciloneuron indicum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Poeciloneuron pauciflorum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogonatherum crinitum* (THUNB.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogonia plicata* (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon auricularis* (L.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon benghalensis* (BURM.F.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon cablin* (BLANCO) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Pogostemon elsholtzioides BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon heyneanus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon paniculatus* (WILLD.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon parviflorus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon patchouli* PELLET. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon plectranthoides* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon pubescens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon purpurascens* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon vestitus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pogostemon villosus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Poikilospermum suaveolens* (BL.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Poinciana elata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Poinciana gilbesii* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Poinciana pulcherrima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polanisia felina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polanisia icosandra* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polemonium caeruleum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polianthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polyalthia cerasoides* (ROXB.) BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polyalthia coffeoides* (HOOK.F.&THOMS.) BENTH. & HOOK.F. EX. HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polyalthia fragrans* BENTH. & HOOK. F. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polyalthia korinti* (DUNAL) BENTH. & J.HOOK. EX J.HOOK. & TH oms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polyalthia longifolia* BENTH. & HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polyalthia simiarum* BENTH. & HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polyalthia suberosa* (ROXB.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polyanthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polycarpaea corymbosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polycarpon prostratum* (FORSK.) ASCH. & SCHWEINF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala abyssinica* (R.BR.) FRESEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala arillata* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala arvensis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala crotalarioides* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala elongata* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala eriopetra* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala glomerata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala irregularis* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala leptalea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Polygala longifolia POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala persicariaefolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala senega* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala sibirica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala telephioides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala vulgaris* THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygallata arillata* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonatum cirrhifolium* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonatum multiflorum* (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonatum verticillatum* (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum affine* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum alatum* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum alpinum* ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum amphibium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum amplexicaule* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum auriculatum* MEISN and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum aviculare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum barbatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum bistorta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum bistorta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum capitatum* BUCH.-HAM. EX DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum chinense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum chinense* LINN. SUBHASTATA MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Polygonum convolvulus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum cymosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum flaccidum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum glabrum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum hydropiper* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum lapathifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum macrophyllum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum minus* HUDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum molle* D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum multiflorum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum nepalense* MEISSN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum paronychioides* MEYER EX HOHEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum perfoliatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum persicaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum plebeium* R. BR. EFFUSA HOOK. F. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum plebeium* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum polystachyum* WALL. EX MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum posumbi* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum pulchrum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum recumbens* ROYLE EX BAB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum roettleri* ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum rumicifolium* ROY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Polygonum serrulatum LAGASCA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum sphaerostachyum* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum stagninum* (BUCH.-HAM. EX MEISSN.) STEWARD *stagninum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum stewartianum* DIELS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum strigosum* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum tenellum* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum tomentosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum tortuosum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum vacciniifolium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum virginianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygonum viviparum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polypodium irioides* LAMK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polypodium quercifolium* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polypodium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polyporus anthelminticus* BERK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polyporus officinalis* FRIES and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polyscias fruticosa* (L.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polysolenia wallichii* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polystichum aculeatum* (L.) ROTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polystichum biaristatum* (BLUME) MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polystichum squarrosus* (D.DON) FEE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polytoca barbata* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polytrichum juniperinum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Pometia pinnata Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ponerorchis chusua* (D.DON) SOO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pongamia glabra* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pongamia pinnata* (L.) PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pontederia vaginalis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Populus alba* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Populus caspica* BORNM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Populus ciliata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Populus euphratica* OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Populus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Porana paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Porphyra umbilicalis* (L.) AG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Porphyra vulgaris* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Portulaca grandiflora* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Portulaca quadrifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Portulaca meridiana* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Portulaca oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Portulaca pilosa* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Portulaca quadrifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Portulaca sativa* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Portulaca tuberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Potentilla anserina* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Potentilla arbuscula* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Potentilla argrophylla WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Potentilla atrosanguinea LODD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Potentilla bifurca L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Potentilla fragarioides LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Potentilla fruticosa L. rigida (LEHM.) WOLF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Potentilla fulgens WALL. EX HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Potentilla gerardiana LINDL. EX LEHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Potentilla kleiniana WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Potentilla lineata* TREVIR EX REICH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Potentilla mooniana* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calophyllum inophyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calophyllum polyanthum* Wall.ex Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia cowa* Roxb. ex DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia gummi-gutta* (L.) Robs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia mangostana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia morella* (Gaertn.) Desr. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia papilla* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia rubro-echinata* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia spicata* (Wight & Arn.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia talbotii* Raiz. ex Sant and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia wightii* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Garcinia xanthochymus* Hook. f. ex. T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Hypericum androsaemum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypericum humifusum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypericum japonicum* Thunb. ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypericum mysurense* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypericum patulum* Thunb ex Murray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypericum uralum* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hypericum wightianum* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mammea suriga* (Buch. - Ham. ex Roxb.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mesua ferrea* L. subsp. *ferrea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mesua ferrea* L. subsp. *pulchella* (Planch. & Triana) Vesque var. *pulchella* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mesua ferrea* L. subsp. *pulchella* (Planch. & Triana) Vesque var. *coromandeliana* (Wight) Mahesh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Poeciloneuron indicum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Poeciloneuron pauciflorum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Camellia japonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Camellia sinensis* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eurya nitida* Korth and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gordonia obtusa* Wall ex Wight Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schima wallichii* (DC.) Korth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ternstroemia japonica* (Thunb.) Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saurauia fasciculata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saurauia napaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stachyurus himalaicus* Hook. f. & Thoms. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dipterocarpus indicus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Hopea erosa (Bedd.) van Sloot. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hopea glabra* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hopea parviflora* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hopea ponga* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hopea utilis* (Bedd.) Bole and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Shorea roxburghii* G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vateria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ancistrocladus heyneanus* Wall. ex Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abelmoschus angulosus* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abelmoschus esculentus* (L.) Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abelmoschus ficulneus* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abelmoschus manihot* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abelmoschus moschatus* Medicus subsp. *tuberosus* (Span.) Borss.Waalk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abutilon crispum* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abutilon hirtum* (Lam.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abutilon indicum* (L.) Sweet subsp. *indicum* and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abutilon indicum* (L.) Sweet subsp. *guineense* (Schumach.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abutilon megapotamicum* (Spreng.) Mill. & Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abutilon neilgherrense* Munro ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abutilon pannosum* (Forst. f.) Schlect and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abutilon persicum* (Burm. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abutilon ramosum* (Cav.) Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Abutilon striatum* Dickson ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Abutilon theophrastii Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alcea rosea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Decaschistia crotonifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Decaschistia rufa* Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gossypium arboreum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gossypium barbadense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gossypium herbaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gossypium hirsutum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus canescens* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus cannabinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus furcatus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus hirtus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus lobatus* (Murr.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus lunariifolius* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus mutabilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus micranthus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus panduriformis* Burm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus platanifolius* (Willd.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus radiatus* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus rosa-sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus sabdariffa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus schizopetalus* (Mast.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus surattensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Hibiscus syriacus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus tiliaceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus trionum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hibiscus vitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kydia calycina* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malachra capitata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malva parviflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malva sylvestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malva verticillata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malvastrum coromandelianum* (L.) Garcke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malvaviscus arboreus* Cav. var. *arboreus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malvaviscus arboreus* Dill ex Cav. var. *penduliflorus* (DC.) Schery and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Modiola caroliniana* (L.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavonia odorata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavonia procumbens* (Wall ex. Wight & Arn.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pavonia zeylanica* (L.) Cav. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Plagianthus pulchellus* A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida acuta* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida cordata* (Burm. f.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida mysorensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida rhombifolia* L. var. *rhombifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida rhombifolia* L. var. *retusa* (L.) Borss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Sida schimperiana Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thespesia lampas* (Cav.) Dalz. ex Dalz. & Gibs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thespesia populnea* (L.) Soland ex Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Urena lobata* L. subsp. *lobata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Urena lobata* L. subsp. *sinuata* (L.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Adansonia digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bombax ceiba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bombax ellipticum* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bombax insigne* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ceiba pentandra* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chorisia speciosa* St. Hil. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cullenia exarillata* Robyns and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Durio zibethinus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Byttneria herbacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cola acuminata* (P. Beauv.) Schott & Endlicher and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dombeya acutangula* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dombeya burgessiae* Gerr. ex Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dombeya mastersii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dombeya mollis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dombeya platanifolia* Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dombeya spectabilis* Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dombeya wallichii* (Lindl.) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Eriolaena hookeriana Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriolaena lushingtonii* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriolaena quinquelocularis* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eriolaena stocksii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Firmiana colorata* (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Guazuma ulmifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Helicteres isora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Heritiera papilio* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hildegardia populnifolia* (Roxb.) Schott & Endl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kleinhovia hospita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Leptonychia moacurroides* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melhania balakrishnanii* K.Ravik., R.Ganesan & K.Ramamurthy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melhania cannabina* Wight ex Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melhania hamiltoniana* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melhania incana* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melochia corchorifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melochia nodiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Melochia pyramidata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pentapetes phoenicea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pterospermum acerifolium* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pterospermum canescens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pterospermum diversifolium* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pterospermum obtusifolium* Wight ex Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Pterospermum reticulatum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pterospermum rubiginosum* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pterospermum xylocarpum* (Gaertn.) Sant. & Wagh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pterygota alata* (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sterculia balanhas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sterculia foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sterculia guttata* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sterculia urens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sterculia villosa* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Theobroma cacao* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Waltheria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Berrya cordifolia* (Willd.) Burret. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Berrya javanica* (Turez.) Burret. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corchorus aestuans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corchorus capsularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corchorus fascicularis* Lam. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corchorus olitorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corchorus tridens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corchorus trilocularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corchorus urticifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia abutilifolia* Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia abutilifolia* Vent. ex Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia barberi* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Grewia bracteata Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia damine* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia flavescens* Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia gamblei* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia heterotricha* Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia hirsuta* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia lanceaefolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia nervosa* (Lour.) Panigr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia oppositifolia* Buch - Ham ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia orbiculata* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia pKalamica* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia rhamnifolia* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia rothii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia serrulata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia tenax* (Forsk.) Fiori and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia tiliifolia* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia umbellifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Grewia villosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Muntingia calabura* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Triumfetta annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Triumfetta pentandra* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Triumfetta pilosa* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Triumfetta rhomboidea Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Triumfetta rotundifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeocarpus amoenus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeocarpus blascoi* Weibeln and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeocarpus lanceifolius* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeocarpus munronii* (Wight) Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeocarpus recurvatus* Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeocarpus rugosus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeocarpus serratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeocarpus glandulosus* Wall. ex Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeocarpus tuberculatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elaeocarpus venustus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hugonia mystax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Linum mysurense* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Linum usitatissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Reinwardtia indica* Dumort. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erythroxylum coca* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erythroxylum lanceolatum* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erythroxylum monogynum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erythroxylum moonii* Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erythroxylum obtusifolium* (Wight) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aspidopterys canarensis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Aspidopterys indica* (Roxb.) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Galphimia gracilis Bartl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hiptage benghalensis* (L.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hiptage obtusifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hiptage parvifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malpighia coccigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malpighia glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malpighia heterantha* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Malpighia punicifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tristellateia australasiae* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Balanites aegyptiaca* (L.) Del. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fagonia cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Guaiacum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tribulus lanuginosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tribulus subramanii* P. Singh, Giri & V. Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Erodium moschatum* (L.) L' Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Geranium nepalense* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pelargonium capitatum* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pelargonium cucullatum* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pelargonium x domesticum* L.H.Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pelargonium graveolens* L' Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pelargonium grossularioides* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pelargonium x hortorum* L.H.Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pelargonium inquinans* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Pelargonium peltatum Soland. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tropaeolum majus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tropaeolum pentaphyllum* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Limnanthes douglasii* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Biophytum insignis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Biophytum intermedium* Wight var. *pulneyensis* Edgew. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Biophytum longibracteatum* Tad. & Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Biophytum nudum* (Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Biophytum polyphyllum* Munro and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Biophytum proliferum* (Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Biophytum reinwardtii* (Zucc.) Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Biophytum sensitivum* (L.) DC. var. *sensitivum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Biophytum sensitivum* (L.) DC var. *candolleianum* (Wight) Edgew. & Hook.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Biophytum sensitivum* (L.) DC var. *nervifolium* (Thw.) Edgew. & Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxalis acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxalis cernua* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxalis corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxalis corymbosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxalis deppei* Lodd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxalis latifolia* H. B. K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxalis pubescens* H. B. K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oxalis variabilis* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Averrhoa bilimbi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Averrhoa carambola L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Hydrocera triflora (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Impatiens acaulis Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Impatiens auriculata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Impatiens balsamina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Impatiens campanulata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Potentilla multifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Potentilla nepalensis HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Potentilla reptans* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Potentilla salesoviana* STEPH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Potentilla sericea* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Potentilla sibbaldi* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Potentilla sundaica* (BL.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Potentilla supina* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pothomorphe subpeltata* (WILLD.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pothos cathcarti* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pothos kunstleri* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pothos officinalis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pothos scandens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pouzolzia bennettiana* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pouzolzia frondosa* (DON) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pouzolzia hirta* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pouzolzia indica* GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Pouzolzia quinquenervis BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pouzolzia sanguinea* (BL.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pouzolzia viminea* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pouzolzia zeylanica* (L.) BENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prangos pabularia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pratia begonifolia* (WALL.) LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pratia nummularia* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna barbata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna coriacea* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna corymbosa* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna divaricata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna esculenta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna flavescens* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna integrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna latifolia* ROXB. *mucronata* C.B. CLARKE and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna macrophylla* WALL. EX SCHAUER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna mucronata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna obtusifolia* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna parasitica* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna serratifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna spinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Premna thyrsoidea WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna tomentosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Premna villosa* CLARKE IN HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Primula denticulata* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Primula macrophylla* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Primula reticulata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prinsepia utilis* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prismatomeris tetrandra* K.SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Priva cordifolia* (L.F.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Priva leptostachya* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pronephrium nudatum* (ROXB. EX GRIFF.) HOLTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prosopis chilensis* (MOLINA) STUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prosopis cineraria* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prosopis farcta* (SOL EX RUSS) MAC BRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prosopis juliflora* (SW.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prosopis spicigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Protium kataf* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Protium pubescens* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Protium serratum* (COLEBR) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus amygdalus* BATSCHE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus armeniaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus avium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus carmesiana* HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Prunus cerasoides D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus cerasus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus ceylanica* (WT.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus communis* FRITSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus communis* HUDS. insitia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus cornuta* (ROYLE) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus domestica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus dulcis* (MILLER) D.A. WEBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus insititia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus mahaleb* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus malus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus persica* BATSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus puddum* (WALL.) ROXB. EX BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus salicina* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus triflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Prunus undulata* HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Przewalskia tangutica* MAXIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psalliotia campestris* L FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psammogeton biternatum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psammogeton canescens* (DC.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pseudarthria viscida* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pseuderanthemum bicolor* (SCHRANK.) RADIK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pseuderanthemum platiferum* (WALL.) RADLK. EX LINDAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Pseudodissochaeta assamica (CL.) NAYAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pseudodrynaria caronas* (WALL. EX METT.) CHING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pseudognaphalium luteoalbum* (L.) HILL. & BURTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pseuduvaria prainii* (KING) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psidium cattleianum* SABINE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psidium guajava* L. *pomiferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psidium guyava* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psidium pomiferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psidium pyrifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psidium quajava* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psilanthus travancorensis* (WIGHT & ARN.) LERAY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psilotrichum trichotomum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psilotum nudum* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psophocarpus tetragonolobus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psoralea corylifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psoralea plicata* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psoralea tetragonoloba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria calocarpa* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria curviflora* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria dalzielii* J. HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria glandulosa* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria ipecacuanha* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria montana* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Psychotria sarmentosa BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria viridiflora* REINW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Psychotria andryaloides* (DC) NOVOP. EX KRASH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pteridium aquilinum* (L.) KUHN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pteris aquilina* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pteris biaurita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pteris cretica* L.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pteris ensiformis* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pteris longipes* DON F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pteris multifida* POIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pteris vitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pteris wallichiana* AGARDH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pternandra coerulescens* JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pterocarpus dalbergioides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pterocarpus indicus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pterocarpus marsupium* ROXB. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pterocarpus santalinus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pterococcus corniculatus* (SM.) PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pterocymbium javanicum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pterolobium hexapetalum* (ROTH) SANT. & WAGH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pteropyrum olivierii* JAUB. & SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pterospermum acerifolium* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pterospermum canescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Pterospermum diversifolium BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pterospermum heyneanum* WALL. EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pterospermum rubiginosum* HEYNE EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pterospermum suberifolium* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pterospermum xylocarpum* (GAERTH.) SAMT. & WAGH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pterygota alata* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ptesmonium margaritifera* (ROXB.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ptychopetalum olacoides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ptychopetalum uncinatum* ANSELMINO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ptychotis ajowan* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pueraria hirsuta* (THUNB.) SCHU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pueraria lobata* (WILLD.) OHWI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pueraria phaseoloides* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pueraria tuberosa* (ROXB. EX. WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pulicaria crispa* SCH.-BIP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pulicaria dysenterica* (L.) GAERTN. NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pulicaria glaucescens* JAUB. & SPACH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pulicaria wightiana* (DC.) BENTH. EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Puneria coagulans* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Punica granatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pupalia lappacea* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pupalia orbiculata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Putranjiva roxburghii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Putranjiva zeylanica MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pycnocycla aucheriana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pycnocycla glauca* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pycnospora lutescens* (POIR.) SCHINDLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pygeum gardneri* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pygeum wightianum* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pygmaeopremna herbacea* (ROXB.) MOLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pygmaeopremna pyrifolia* - *culta* NAKAI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pyrethrum indicum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pyrethrum umbelliferum* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pyrola rotundifolia* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pyrrosia adnascens* (SW.) CHING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pyrrosia heterophylla* (L.) ORUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pyrrosia lanceolata* (L.) FARWELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pyrrosia mannii* (GIES.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pyrrosia penangiana* (HK.) HOLTT. NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pyrus aucuparia* GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pyrus chinensis* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pyrus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pyrus cydonia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pyrus lindleyi* REHD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pyrus malus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pyrus pashia* BUCH.-HAM EX DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Pyrus tomentosa ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quamoclit coccinea* MOENCH.METH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quamoclit phoenicea* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quamoclit pinnata* BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quamoclit vulgaris* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quassia indica* (GAERTN.) NOOTEBOOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quercus acutissima* CARR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quercus floribunda* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quercus ilex* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quercus incana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quercus infectoria* OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quercus lamellosa* SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quercus leucotrichophora* A. CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quercus pachyphylla* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quercus robur* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quercus truncata* KING. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Quisqualis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Radermachera xylocarpa* (ROXB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Randia cochinchinensis* (LOUR.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Randia densiflora* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Randia dumetorum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Randia fasciculata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Randia longiflora* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Randia longispina DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Randia malabaricum* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Randia rugulosa* (THW.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Randia spinosa* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Randia tetrasperma* BENTH. & HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Randia tomentosa* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Randia uliginosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ranunculus aquatilis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ranunculus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ranunculus cantoniensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ranunculus diffusus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ranunculus falcatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ranunculus hirtellus* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ranunculus hyperboreus* ROTLB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ranunculus laetus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ranunculus lingua* L. SP. PL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ranunculus muricatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ranunculus pensylvanicus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ranunculus sceleratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ranunculus trichophyllus* CHAIX IN VILL. DAUPH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ranunculus tricuspidatus* MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Raphanus caudatus* ALEF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Raphanus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Rauvolfia canescens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rauvolfia densiflora* (WALL.) BENTH. EX HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rauvolfia micrantha* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rauvolfia reflexa* T. & B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rauvolfia serpentina* (L.) BENTH. EX KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rauvolfia tetraphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ravenala madagascarensis* SONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Reaumuria hypericoides* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Reinwardtia indica* DUMORT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Reinwardtia trigyna* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Reissantia arborea* (ROXB) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Reissantia grahamii* (WIGHT) DING.HOU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Reissantia indica* (WILLD.) HALLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Remirea maritima* AUBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Remusatia vivipara* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Reseda odorata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhabdia lycioides* SENU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhamnus dahuricus* PALL. REISE RUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhamnus nepalensis* WALL. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhamnus prostrata* JACQ. EX PAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhamnus purpurea* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhamnus purshiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhamnus triquetra* (WALL.) BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Rhamnus virgatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhamnus wightii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhaphidophora decursiva* SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhaphidophora laciniata* (BURM.F.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhaphidophora pertusa* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhazya stricta* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rheum acuminatum* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rheum australe* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rheum emodi* WALL. EX MEIM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rheum moorcroftianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rheum nobile* HOOK.F. & THOMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rheum officinale* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rheum palmatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rheum rhaponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rheum spiciforme* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rheum spiciforme* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rheum undulatum* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rheum webbianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhinacanthus calcaratus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhinacanthus communis* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhinacanthus nasuta* (L.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhinoglossum obliquum* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhizophora apiculata* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Rhizophora mangle Roxb. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhizophora mucronata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhodamnia trinervia* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhodiola heterodonta* (Hook. f. & Thoms.) Boriss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhodiola imbricata* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhododendron anthopogon* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhododendron arboreum* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhododendron barbatum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhododendron campanulatum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhododendron chrysanthum* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhododendron cinnabarinum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhododendron decipiens* LACAITA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhododendron falconeri* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhododendron javanicum* BENN. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhododendron lepidotum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhododendron ponticum* L. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhododendron setosum* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhododendron thomsonii* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhodomyrtus parviflora* ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhodomyrtus semialata* MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhodomyrtus tomentosa* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhus chinensis* MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhus coriaria* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Rhus hookeri SAHNI & BAHADUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhus insignis* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhus javanica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhus parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhus punjabensis* J.L. STEW. EX BRAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhus semialata* MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhus succedanea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhus wallichii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ribes grossularia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ribes himalense* ROYLE EX DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ribes nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ribes orientale* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ribes rubrum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Richardia scabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ricinus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Riedlea corchorifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Rikliella squarrosa (L.) RAYNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Rivea hypocrateriformis CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Rivea ornata CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Roccella montagnei BEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Roripa islandica (OEDER) BORBAS SCHINZ & THELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Rorippa dubia HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Rorippa indica (L.) HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rorippa indieca* HIERN. APETALA HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rorippa islandica* (OED.) BORBASS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rorippa montana* SMALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rorippa nasturtium-aquaticum* (L.) HAYEK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosa alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosa banksiae* AIT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosa brunonii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosa centifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosa chinensis* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosa eglandaria* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosa foetida* HERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosa gallica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosa indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosa macrophylla* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosa moschata* HERRM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Rosa multiflora THUNB. EX J. MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosa rubra* BLACKW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosa sericea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosa webbiana* WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Roscoea alpina* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Roscoea procera* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Roscoea purpurea* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosmarinus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rostellularia procumbens* (L.) NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rosularia rosulata* (EDGEW.) OHBA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rotala baccifera* KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rotala densiflora* (ROTH) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rotala indica* (WILLD.) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rotala rotundifolia* KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rothia indica* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rotula aquatica* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rourea mimosoides* PLANCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rourea minor* (GAERTN.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rourea santaloides* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Roylea cinerea* (DON) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Roylea elegans* WALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubia cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubia munjista* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Rubia sikkimensis KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubia tinctorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubus biflorus* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubus contennifer* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubus ellipticus* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubus fruticosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubus idaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubus lasiocarpus* SMITH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubus lucens* FOCKE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubus moluccanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubus niveus* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubus paniculata* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubus rugosus* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubus saxatilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubus strigosus* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rubus ulmifolius* SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rudolphia frondosa* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ruellia patula* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ruellia prostrata* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ruellia secundra* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ruellia strepens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ruellia suffruticosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ruellia tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Rumex acetosella L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Rumex crispus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Rumex dentatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Rumex hastatus DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Rumex hymenosepalus TORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Rumex maritimus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Rumex nepalensis SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Rumex orientalis BERNH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rumex paulsenianus* RECH. F. FEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rumex scutatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rumex vesicarius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rumphia amboinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rungia parviflora* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rungia pectinata* (L.) NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rungia repens* (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ruscus aculeatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Russelia equisetiformis* SCHL. & CHAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ruta angustifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ruta chalepensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ruta graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ruta tuberculata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rytidix granularis* (L.) SKEELS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sabia lanceolata* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Sabia robusta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saccharomyces cerevisiae* MEYEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saccharum arundinaceum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saccharum bengalense* RETZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saccharum ciliare* ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saccharum fuscum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saccharum munja* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saccharum officinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saccharum robustum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saccharum sara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saccharum sinense* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saccharum spontaneum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sacciolepis indica* CHASE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sacciolepis interrupta* (WILLD.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saccolabium guttatum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saccolabium papillosum* LINDL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saccolabium praemorsum* HOOK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sageraea dalzelli* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sageraea laurifolia* (GRAHAM) BLATTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sagina saginoides* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sagittaria sagittifolia* L. *sagittifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saguerus rumphii* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salacia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Salacia fruticosa HEYNE EX LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salacia grandiflora* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salacia macrophylla* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salacia macrosperma* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salacia oblonga* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salacia reticulata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salicornia brachiata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salicornia indica* DREGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salix acmophylla* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salix acutifolia* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salix alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salix babylonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salix caprea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salix daphnoides* VILL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salix elegans* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salix pycnostachya* ANDERSS. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salix tetrasperma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salmalia insignis* (WALL.) SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salmalia malabarica* SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salomonium cantoniensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salsola baryosma* (R. & S.) DANDY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salsola foetida* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salsola kali* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Salvadora indica ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvadora oleoides* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvadora persica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvadora persica* L. *wightiana* (PLANCH EX THW.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvadora wightiana* PLANCH. EX THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia aegyptiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia bengalensis* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia cabulica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia coccinea* BUCHOZ EX ETLINGA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia glutinosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia haematodes* W. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia hians* ROYLE EX BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia lanata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia macrosiphon* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia moorcroftiana* WALL. EX BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia mukerjeea* BENNET & RAIZADA and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia plebeia* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia pumila* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia sclarea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvia spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Salvinia cucullata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Kalamdera indica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Kalamdera lucida WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Kalamnea Kalamn (JACQ.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Sambucus ebulus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Sambucus hookeri REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Sambucus javanica REINW. EX BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Sambucus nigra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Sambucus wightiana WALL. EX WGT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Sandoricum indicum CAV. DISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sandoricum koetjape* (BURM.F.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sanguinaria canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sanicula europaea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sansevieria cylindrica* BOJ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sansevieria ebracteata* (CAV.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sansevieria hyacinthoides* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sansevieria lanuginosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sansevieria roxburghiana* SCHULT. F. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sansevieria trifasciata* HORT. EX PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sansevieria zeylanica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Santaloides minus* SCHELLENB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Santalum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Santalum flonum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Santolina chamaecyparissus* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sapindus emarginatus* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Sapindus laurifolia VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sapindus mukorossi* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sapindus trifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sapium indicum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sapium insigne* TRIMEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sapium sebiferum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saponaria vaccaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saprosma ternatum* (WALL. EX ROXB.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saraca asoca* (ROXB.) DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saraca indica* AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sarcandra glabra* (THUNB.) NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sarcocephalus cordatus* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sarcocephalus missionis* HAVILAND REV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sarcococca saligna* (D.DON) MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sarcobolus globosus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sarcostemma acidium* (ROXB.) VOIGT and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sarcostemma acidum* VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sarcostemma brevistigma* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sarcostemma brunonianum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sarcostemma intermedium* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sarcostemma secamone* (L.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sarcostemma stocksii* HK. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sarcostigma kleinii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Sassafras albidum (NUTT.) NESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sassafras officinale* NEES. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Satureja hortensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Satureja montana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Satyrium nepalense* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saurauia armata* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saurauia macrotricha* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saurauia napaulensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saurauia nepalensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saurauia robusta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saurauia roxburghii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sauromatum guttatum* (WALL.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sauromatum pedatum* (WILLD.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sauromatum venosum* (AIT.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sauropus androgynus* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sauropus quadrangularis* MUELL. ARG. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saussurea affinis* SPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saussurea albescens* (DC.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saussurea auriculata* (DC.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saussurea bracteata* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saussurea candicans* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saussurea ceratocarpa* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saussurea costus* (FALC.) LIPSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Saussurea gossypiphora DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Saussurea gracilis DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Saussurea heteromalla (DON) HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Saussurea hypoleuca SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Saussurea lappa C.B.CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Saussurea obvallata (DC.) EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Saussurea sacra EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Saussurea schultzei H.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saussurea simpsoniana* (FIELD & GARD.) LIPSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saussurea taraxacifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saxifraga diversifolia* WALL. EX SER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saxifraga imbricata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saxifraga ligulata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scabiosa speciosa* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scaevola frutescens* KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scaevola koenigii* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scaevola sericea* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scaevola taccada* (GAERTN.) ROXB. N and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.ULL

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scaphium affine* RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scaphium wallichii* SCHOTT & ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scapiflora species* (ROXB.) ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schefflera elata* (BUCH.-HAM. EX D.DON) HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schefflera elliptica* (BL.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Schefflera hypoleuca (KURZ) HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schefflera shypoleucoids* HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schefflera stellata* (GAERTN.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schefflera venulosa* (WIGHT & ARN.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schefflera venulosum* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schima wallichii* (DC.) KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schinus molle* HORT. EX ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schisandra chinensis* (TURCZ.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schisandra neglecta* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schizachyrium exile* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schizaea dichotoma* (L.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schizandra neglecta* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schizophyllum commune* FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schleicheria oleosa* (LOUR.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schleicheria trijuga* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schlerichera trijuga* WILLD. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schrebera swietenoides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schultzia benthami* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schumannianthus virgatus* (ROXB.) ROLFE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schweinfurthia papilionacea* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Schweinfurthia sphaerocarpa* A.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scilla coromandeliana* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scilla hohenackeri* FISCHET MAY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Scilla hyacinthina (ROTH.) MAC BRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scilla indica* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scindapsus aureus* (LINDEN EX ANDRE) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scindapsus officinalis* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scirpus articulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scirpus barbatus* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scirpus corymbosus* HEYNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scirpus grossus* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scirpus inclinatus* (DEL.) ASCHERS. & SCHWEINF. EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scirpus kysoor* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scirpus lacustris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scirpus maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scirpus tuberosus* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scleria hebecarpa* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scleria levis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scleria lithosperma* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scleria pergracilis* (NEES) KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scleria poaeformis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scleria terrestris* (L.) FASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sclerocarya birrea* HOCHST and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scleropyrum pentandrum* (DENNST.) MABBERLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scleropyrum wallichianum* (WIGHT & ARN.) A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scolopia aculeata* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Scolopia crenata CLOS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scoparia dulcis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scopolia anomala* (LINK & OTTO) AIRY-SHAW NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scopolia lurida* DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scopolia stramonifolia* (WALL.) SHRESTHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scorzonera virgata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scrophularia koelzii* PENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scrophularia variegata* M.B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scurrula parasitica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scurrula philippensis* (CH. & SCH.) DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scutellaria angulosa* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scutellaria assamica* MUKHERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scutellaria discolor* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scutellaria galericulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scutellaria glandulosa* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scutellaria heydei* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scutellaria indica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scutia indica* BRONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scutia myrtina* (N.BURM.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scyphiphora hydrophyllacea* GAERTN.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sebastiania chamaelea* MUELL.ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Secamone emetica* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sechium edule* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Securinega leucopyrus (WILLD.) MUELL. ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Securinega suffruticosa* (PALL.) REHDER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Securinega virosa* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sedum asiaticum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sedum crassipes* WALL. EX HOOK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sedum ewersii* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sedum multicaule* WALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sedum quadrifidum* PALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sedum tibeticum* HOOK.F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sedum tillacoides* DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sedum trifidum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sedum wallichianum* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Selaginella bryopteris* (L.) BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Selaginella chrysocaulos* (HOOK. & GREV.)SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Selaginella ciliaris* (RETZ.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Selaginella involvens* SPRENG. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Selaginella krausiana* A.BR.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Selaginella monosperma* SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Selaginella plumosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Selaginella radicata* (HOOK. & GREV.) SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Selaginella repKalam* (DESV. EX POIR.) SPRENG NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Selaginella rupestris* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Selaginella willdenowii* (POIR.) BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Selenicereus grandiflorus (LINN.) BRITT. & ROSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Selinum candollei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Selinum filicifolium* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Selinum striatum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Selinum tenuifolium* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Selinum vaginatum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Semecarpus anacardium* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Semecarpus heterophylla* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Semecarpus kurzii* ENGLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Semecarpus travancorica* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sempervium sedoides* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senebiera didyma* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio aureus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio bhutanicus* BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio cappa* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio graciliflorus* . DC. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio hohenackeri* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio jacquemontianus* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio kraschennikovii* SCHICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio laetus* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio nudicaulis* HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio quinquelobus* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio scandens* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Senecio tenuifolius BURM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senecio vulgaris* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Senna prostrata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Serenoa repens* (BARTR.) SMALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesamum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesamum laciniatum* KLEIN EX. WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesamum orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesamum prostratum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesbania aculeata* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesbania aculeata* PERS. *cannabina* (RETZ.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesbania aegyptiaca* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesbania bispinosa* (JACQ.) W.F. WIGHT *bispinosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesbania cannabina* RETZ. POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesbania grandiflora* (L.) POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesbania paludosa* PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesbania sesban* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesbania sesban* (L.) MERR. bicolor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesbania sesban* (L.) MERR. picta (CON.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesbania sesban* (L.) MERR. typica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesbania sesban* (L.) MERR. sesban sesban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesbania speciosa* TAUB. EX ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Seseli diffusum* (ROXB. EX. SM.) SAMT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Seseli indicum* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Seseli sibiricum BENTH. EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sesuvium portulacastrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Setaria glauca* BEAUV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Setaria italica* (L.) BEAUV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Setaria planifolia* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Setaria plicata* (LAM.) COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Setaria verticillata* (L.) P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Setaria viridis* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Shorea robusta* GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Shorea roxburghii* G.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Shorea tumbaggaia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida acuminata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida acuta* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida carpinifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida cordata* (BURM.F.) BOISS. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida humilis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida lanceolata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida mauritiana* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida orientalis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida ovata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida retusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Sida rhombifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida rhombifolia* L. *retusa* (L.) BORASSUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida rhombifolia* L. *retusa* (L.) MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida rhombifolia* L. *rhombifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida rhombifolia* L. *rhomboidea* (DC.) MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida rhomboidea* ROXB. EX FLEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sida veronicaefolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sideroxylon spinosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sideroxylon tomentosum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Siegesbeckia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sigesbeckia orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Silene apetala* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Silene inflata* SM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Silene laxantha* MAJUMDAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Silene moorcroftiana* WALL. EX BTH. NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Silene vulgaris* (MOENCH) GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Silybum marianum* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Simmondsia chinensis* (LINK) C.K. SCHNEID. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sinapis alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sinapis chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sinapis juncea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sinapis ramosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Sison ammi HERB. MADR. EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sisymbrium altissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sisymbrium irio* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sisymbrium loeselii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sisymbrium orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sisymbrium sophia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sium latjugam* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Skimmia anquetilia* N.P.TAYLOR & AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Skimmia arborescens* T.ANDERS EX. GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Skimmia laureola* (DC.) ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smilax aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smilax china* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smilax glabra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smilax glaucophylla* KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smilax lanceifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smilax macrophylla* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smilax ocreata* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smilax ovalifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smilax parvifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smilax perfoliata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smilax prolifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smilax pseudo-china* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smilax wightii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Smilax zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smithia conferta* J.E. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smithia geminiflora* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Smithia sensitiva* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum aculeatissimum* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum albicaule* KOTSCHY EX DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum americanum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum anguivi* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum aviculare* FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum capsicoides* ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum ciliatum* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum denticulatum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum dulcamara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum erianthum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum ferox* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum giganteum* JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum gracilipes* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum hirsutum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum incanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum insanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum jacquini* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum khasianum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Solanum kurzii PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum laciniatum* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum lasiocarpum* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum lycopersicum* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum mauritianum* SCORP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum melongena* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum melongena* L. *incanum* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum myriacanthum* DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum pseudocapsicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum pubescens* HEYNE. EX WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum sarmentosum* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum seforthianum* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum sisymbriifolium* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum spirale* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum surattense* BURM. F. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum torvum* SWARTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum trilobatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum tuberosum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum verbascifolium* AUCTION L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum viarum* DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum villosum* SCHUR. *puniceum* (KRISCHLEGER) EDMONDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum violaceum* ORTEGA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Solanum virginianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solanum xanthocarpum* SCHRAD & WENDL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solena amplexicaulis* (LAM.) GANDHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Solena heterophylla* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonchus arvensis* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonchus asper* (L.) HILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonchus brachytus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonchus maritimus* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonchus oleraceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonchus wightianus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonerila maculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonerila rheedei* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonerila tenera* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonneratia acida* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonneratia apetala* BUCH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonneratia caseolaris* (L.) ENGL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sonneratia griffithii* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sophora glauca* LESCH. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sophora griffithii* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sophora mollis* (GRAH. EX ROYLE) BAK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sophora tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sophora wightii* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sopubia delphinifolia* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Sorbaria tomentosa (LINDL.) REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorbus aucuparia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorbus tianshanica* RUPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum bicolor* MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum halepense* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum saccharatum* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sorghum vulgare* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Soymida febrifuga* (ROXB.) A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sparganium stoloniferum* BUCH.- HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spathodea campanulata* P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spathoglottis plicata* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spatholobus parviflorus* (ROXB.) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spatholobus roxburghii* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spergula arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spergularia rubra* (L.) J.PRESL & C.PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spermaceoce articularis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spermaceoce hispida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spermadietyon suaveolens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sphaeranthus africanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sphaeranthus amaranthoides* BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sphaeranthus hirtus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sphaeranthus indicus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sphaeranthus microcephalus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Sphaeranthus senegalensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sphaerostephanos subtractus* (BERG.) HOLLT.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sphaerostephanos unitus* (L.) HOLLT.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sphenoclea zeylanica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sphenodesme involucrata* (PRESL.) paniculata (CL.) MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sphenodesme pentandra* JACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sphenomeris chinensis* (L.) MAXON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sphenomeris chusana* COPELAND NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sphyrantha lutescens* (KURZ) PAX & HOFFER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spilanthes acmella* MURR. olerace and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spilanthes calva* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spilanthes oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spilanthes paniculata* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spinacia oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spinifex littoreus* (N.BURM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spiraea aruncus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spiraea bella* SIMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spiraea canescens* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spiraea lindleyana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spondias acuminata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spondias mangifera* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spondias mombin* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spondias pinnata* (L.F.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Stachyphrynium spicatum (ROXB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stachys floccosa* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stachys officinalis* (L.) TREV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stachys palustris* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stachys parviflora* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stachys sylvatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stachys tuberosa* LOUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stachytarpheta indica* (L.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stachytarpheta jamaicensis* (L.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stachytarpheta mutabilis* (JACQ.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stachytarpheta urticaefolia* (SALISB.) SIMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Statice aegyptica* DELILE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stauroanthera grandifolia* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stauroanthera umbrosa* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stellaria alsine* GRIMM. undulata (THUNB.) OHWI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stellaria aquatica* SCOP and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stellaria media* WIGHT EX EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stellera chamaejasme* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stemodia viscosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stemona tuberosa* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stenochlaena palustris* (N.BURM.) BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stenolobium stans* SEE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stenoloma chinensis* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Stenotaphrum dimidiatum (L.) BRONGN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stephania glabra* (THUNB.) MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stephania glandulifera* MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stephania hernandifolia* (WILLD.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stephania japonica* (THUNB.) MIERS. discolour (BLUME.) FORMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stephania japonica* (THUNB.) MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stephania japonica* (THUNB.) MIERS. japonica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stephania rotunda* LOUR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stephania wightii* (A.) DUN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stephegyne parvifolia* KORTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sterculia alata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sterculia balanghas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sterculia foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sterculia guttata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sterculia rubiginosa* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sterculia scaphigera* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sterculia urens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sterculia villosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stereospermum chelonoides* (L.F.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stereospermum colais* (DILLWYN) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stereospermum neuranthrum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stereospermum personatum* (HASSK.) CHATTERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stereospermum suaveolens* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Stereospermum tetragonum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stereospermum xylocarpum* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Steudnera virosa* (KUNTH) PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stichoneuron caudatum* RIDLEY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stictocardia campanulata* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stipa capensis* THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stipa capillata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stipa sibirica* (L.) LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stipa tortilis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stranvaesia glaucescens* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Streblus asper* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Streblus taxoides* (HEYNE EX ROTH) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Striga asiatica* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Striga gesnerioides* (WILLD.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Striga lutea* LOUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Striga orobanchoides* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes acrocephalus* T. AND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes auriculatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes callosus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes ciliatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes consanguineus* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes dalhousianus* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes flaccidifolius* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Strobilanthes heyneanus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes kunthiana* T.ANDERS. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes lupulinus* NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes nobilis* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes wallichii* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strobilanthes wightianus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stroemia tetrandra* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strophanthus dichotomus* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strophanthus wallichii* A. DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strophanthus wightianus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strychnos aenea* A.W. HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strychnos axillaris* COLEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strychnos cinnamomifolia* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strychnos colubrina* AUCTION. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strychnos gaultheriana* PIER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strychnos ignatia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strychnos ignatii* BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strychnos maingayi* CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strychnos minor* DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strychnos nux-bl*Kalam A.W.Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strychnos nux-vomica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strychnos potatorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Strychnos rheedei* CL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Strychnos wallichiana STEUD. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stylocoryne lucens* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stylophorum lactucoides* (HOOK. F. & THOMS.) BENTH. & HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stylosanthes fruticosa* (RETZ.) ALST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Styrax benzoin* DRYAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Styrax hookeri* CLARKE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Styrax officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Styrax serrulatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Styrax tonkinensis* CRAIB EX. HARTWICH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Suaeda fruticosa* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Suaeda monoica* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Suregada angustifolia* (BAILL. EX MUELL. - ARG.) AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Suregada multiflora* (JUSS.) BAILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia affinis* CLARKE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia alata* ROYLE EX. D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia angustifolia* BUCH.-HAM. EX D. DON. PULCHELLA BURKILL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia angustifolia* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia chirata* (ROXB. EX. FLEM.) KAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia chirayita* ROXB. EX (FLEMING) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia ciliata* (G.DON) BURTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia cordata* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia corymbosa* (GRISEB.) WT. EX CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia decussata* NIMNO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Swertia densiflora (GRISEB.) KASHYAPPA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia densifolia* (GRISEB.) KASHYAPPA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia lawii* BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia minor* (GRISEB.) KNOBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia paniculata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia perennis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia petiolata* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia pulchella* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia purpurascens* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swertia thomsonii* Cl. EX HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swietenia febrifuga* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swietenia macrophylla* KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Swietenia mahagoni* (L.) JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symphorema involucratum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symphorema polyandrum* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symphytum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos beddomei* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos caudata* WALL. EX. G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos chinensis* (LOUR.) DRUCE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos cochinchinensis* S.MOORE laurina laurina (RETZ.) NOOTEBOOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos cochinchinensis* S.MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos crataegoides* BUCH.-HAM. EX.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos laurina* WALL. EX REHD. & E. H. WILS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos monantha* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos paniculata* (THUNB.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos racemosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos spicata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos sumuntia* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Symplocos theaeifolia* BUCH.-HAM. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Synadenium grantii* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Synantherias sylvatica* SCHOTT and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Synapis dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Synedrella nodiflora* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Synnema uliginosum* (L.F.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syringa emodi* WALL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syringa persica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium alternifolium* (WT.) WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium aromaticum* (L.) MERRILL & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Syzygium caryophyllaeum AUCT.NON GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium caryophyllatum* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium cerasoides* (ROXB.) CHATT. & KANJI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium cerasoideum* (ROXB.) RAIZADA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium cumini* (L.) SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium hemisphericum* (WIGHT) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium heyneanum* WALL. EX DUTHIE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium jambolana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium jambolanum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium jambos* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium malaccense* (L.) MERR. & MERR. & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium neyneanum* (DUTHIE) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium operculatum* (ROXB.) NIEDENZU obovatum (DUTHIE) GAMBLE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium operculatum* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium Kalamrangense* (BL.) MERR. & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium travancoricum* GAMBLE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Syzygium zeylanicum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tabernaemontana alternifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tabernaemontana coronaria* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tabernaemontana crispa* ROBT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tabernaemontana dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tabernaemontana divaricata* (L.) ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tabernaemontana heyneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Tabernaemontana sphaerocarpa BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tabernaemontana wallichiana* STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tacca aspera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tacca integrifolia* KER-GAWL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tacca leontopetaloides* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tacca pinnatifida* J.R. & G. FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tagetes erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tagetes minuta* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tagetes patula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tamarindus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tamarix aphylla* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tamarix ariculata* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tamarix dioica* ROXB. EX. ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tamarix ericoides* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tamarix gallica* AUCT. NON.L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tamarix indica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tamarix troupii* HOLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tanacetum dolichophyllum* KITAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tanacetum fruticosum* LEDEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tanacetum gracile* HOOK. F. & TH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tanacetum longifolium* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tanacetum parthenium* (L.) SCHULTZ BIP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tanacetum tenuifolium* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Tanacetum tibeticum HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Tanacetum tomentosum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Tanacetum vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Taraktogenos kurzii KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Taraktogenos macrocarpa (BEDD.) BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Taraxacum officinale WIGGERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Taraxacum officinale WIGG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Tarenna asiatica KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Taverniera cuneifolia* (ROTH) ARN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Taverniera nummularia* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Taxillus tomentosus* (ROXB.) VAN TIEGHAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Taxillus umbellifer* (SCHULTES) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Taxus baccata* L. *wallichiana* Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Taxus wallichiana* ZUCC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tecoma capensis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tecoma grandiflora* LOISEL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tecoma radicans* JUSS. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tecoma stans* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tecoma undulata* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tecomella undulata* (SM.)SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tectaria coadunata* (WALL.) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tectaria macrodonta* (FEE) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tectaria polymorpha* (WALL. & HOOK.) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Tectona grandis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Telosma minor* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Telosma pallida* (ROXB.) CRAIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Teona ciliata* ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia candida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia hamiltonii* J.R.DRUMM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia hirta* (BUCH.-HAM.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia petrosa* BLATTER & HALBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia procumbens* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia purpurea* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia purpurea* PERS. *pumila* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia rheedei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia senticosa* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia spinosa* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia tinctoria* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia uniflora* PERS. *petrosa* (BLATT. & HALLB.) GILLET & ALI and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia uniflora* PERS. petrosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tephrosia villosa* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Teramnus labialis* (L.F.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Teramnus mollis* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia alata* HEYNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia arjuna* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia bellerica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Terminalia bellerica ROXB. *laurinoides* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia bellirica* (GAERTN.) ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia bialata* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia catappa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia chebula* RETZ. *typica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia chebula* RETZ. & WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia citrina* FLEMING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia coriacea* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia crenulata* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia manii* KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia myriocarpa* HEURCK & MUELL-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia oSkini* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia pallida* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia paniculata* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia pyrifolia* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia reticulata* ROTH. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia tomentosa* (ROXB.) WIGHT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Terminalia travancorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Termitomyces microcarpus* (BERK. & BR.) HEIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ternstroemia gymnanthera* (WT. & ARN.) BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ternstroemia japonica* AUCT. NON THUNB) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tetracera akara* (N.BURM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tetracera indica* (HOUTT. EX CHRISTM. & PAUZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Tetracera laevis AUCT. NON VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tetracera scandens* (L.) MERR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tetrameles nudiflora* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tetranthera roxburghii* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tetrastigma lanceolarium* (ROXB.) PLANCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tetrastigma leucostaphylum* (DENNST.) ALSTON EX MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tetrastigma serrulata* (ROXB.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Teucrium chamaedrys* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Teucrium polium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Teucrium scordium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Teucrium stocksianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thalictrum alpinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thalictrum cultratum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thalictrum dalzelli* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thalictrum foetidum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thalictrum foliolosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thalictrum javanicum* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thalictrum minus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thalictrum pauciflorum* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thalictrum pedunculatum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thalictrum reniforme* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thamnia vermicularis* (SWARTZ) ACH. NOL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thea assamica* J.W.MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Thecagonium biflorum (L.) BABU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thelypteris gracilescens* (Bl.) Ching. glandulysis KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Themeda arguens* (L.) Hack. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Themeda arundinacea* (Roxb.) Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Themeda gigantea* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Themeda triandra* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Theobroma cacao* Linn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Theriophonum infaustum* N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Theriophonum minutum* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thespesia lampas* (CAV.) DALZ. EX DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thespesia populnea* (L.) SOL.EX. CORREA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Theum tibeticum* MAXIM. EX HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thevetia neriifolia* JUSS. EX. STEUDEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thevetia peruviana* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thlaspi arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thlaspi kotschyannum* BOISS. & HOHEN BROIGAR NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thlaspi tetragona* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thomsonia nepalensis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thonningia axillaris* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thottea siliquosa* (LAM.) DING HOU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thuja orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thunbergia alata* BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thunbergia erecta* (BENTH.) T. ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Thunbergia fragrans ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thunbergia grandiflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thunbergia hawtayneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thunbergia laurifolia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thymus linearis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thymus serpyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thymus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thysanolaena acarifera* NEES. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thysanolaena agrostis* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thysanolaena maxima* (ROXB.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thysanolaena procera* MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tiaridium indicum* LEHM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tiliacora acuminata* MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tiliacora racemosa* COLEBR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tinospora cordifolia* (WILLD.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tinospora crispa* (L.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tinospora malabarica* (LAM.) HOOK F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tinospora sinensis* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tinospora tomentosa* (COLEBR.) HOOK. F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tithonia diversifolia* (HEMSLEY) A. GRAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tithonia tagetiflora* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Toddalia aculeata* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Toddalia asiatica* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Toddalia bilocularis W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tonningia axillaris* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Toona ciliata* ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Torenia asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Torenia bicolor* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Torenia parviflora* BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Torenia polygonoides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Torenia thouarsii* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Torenia travancorica* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Torenia vagans* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tournefortia candollii* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tournefortia montana* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tovara virginiana* (LINN.) RAFIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Toxicarpus villosus* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trachelospermum fragrans* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trachelospermum lucidum* (DON) SCHUM. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trachycarpus martianus* H.WANDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trachydium lehmanni* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trachyspermum ammi* (L.) SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trachyspermum khasianum* (Cl.) WOLFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trachyspermum roxburghianum* (DC.) CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tradescantia axillaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tragia bicolor* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Tragia cannabina L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tragia cordata* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tragia cordifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tragia involucrata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tragia muelleriana* PAX & HOFFM. unicolor (MUELL.ARG.) PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tragia plukenetii* A.RADCLIFFE-SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tragopogon gracilis* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tragopogon porrifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tragopogon pratensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trapa bicornis* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trapa bispinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trapa natans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trapa natans* L. *bispinosa* (ROXB.) NAKIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trema cannabina* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trema orientalis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trevesia palmata* (ROXB.) VIS. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trewia nudiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trewia polycarpa* BTH. & HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trianthema decandra* L. MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trianthema govinda* BUCH.-HAM. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trianthema govindia* BUCH-HAM EX G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trianthema monogyna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trianthema pentandra* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Trianthema portulacastrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trianthema triquetra* ROTTL. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tribulus alatus* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tribulus lanuginosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tribulus terrestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tricalysia singularis* (KORTH.) K. SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tricalysia sphaerocarpa* (HOOK.F.) GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichilia connaroides* (WT. & ARN.) BENTVELZEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichilia spinosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichodesma africanum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichodesma indicum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichodesma zeylanicum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tricholepis angustifolia* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tricholepis glaberrima* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tricholepis montana* DLAZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tricholepis procumbens* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichomanes javanicum* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichopus zeylanicus* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichopus zeylanicus* GAERTN. *travancoricus* (BED and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichosanthes anaimalaiensis* BEDDOME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichosanthes anguina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichosanthes bracteata* (LAM.) VOIGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichosanthes cordata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Trichosanthes cucumerina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichosanthes dioica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichosanthes incisa* ROTTL. EX ROSENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichosanthes laciniosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichosanthes lobata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichosanthes nervifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichosanthes palmata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichosanthes tricuspidata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trichosanthes wallichiana* (SERINGE) WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tridax procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trifolium alexandrinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trifolium alexandrinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trifolium fragiferum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trifolium indicum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trifolium officinalis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trifolium pratense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Triglochin maritima* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Triglochin palustris* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trigonella corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trigonella emodi* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trigonella foenum-graecum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trigonella hamosa* (L.) WILLD. *uncata* (BOISS. & BOE) TOWNSEND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trigonella incisa* BENTHA. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Trigonella occulta DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trigonella polycerata* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trigonella uncata* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trigonostemon longifolius* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trillium govanianum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trimufetta rhomboidea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Triphasia trifolia* (BURM. F.) P. WILS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tripleurospermum maritimum* (LINN.) W.D.J. KOCH inodorum (LINN.) HYL. EX VAAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Triticum aestivum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Triticum amyleum* SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Triticum durum* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Triticum pilosum* (DALZ. & GIBS) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Triticum sativum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Triticum spelta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Triticum vulgare* WILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Triumfetta annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Triumfetta bartramia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Triumfetta rhomboidea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Triumfetta rotundifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Triumfetta semitriloba* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Triumfetta tomentosa* NORONHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tropaeolum minus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Trophis aspera* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Tropidia curculigoides LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tuber cibarium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tulipa stellata* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Turbina corymbosa* (L.) RAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Turnera angustifolia* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Turnera diffusa* WILLD. APHRODISIACA (L.F. WARD)URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Turnera ulmifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Turpinia nepalensis* WALL. EX WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Turpinia pomifera* (ROXB.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Turraea villosa* BENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tussilago farfara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tylophora asthmatica* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tylophora dalzellii* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tylophora fasciculata* BUCH.-HAM. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tylophora hirsuta* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tylophora indica* (BURM.F.) MERRILL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tylophora tenuis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tylophora tenuissima* (ROXB.) WGT. & ARN. EX WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tylophora tetrapetala* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Typha angustata* BORY & CHAUB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Typha angustifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Typha australis* SCHUM. & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Typha elephantina* GRAH, NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Typha laxmannii LEPECH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Typhonium divaricatum* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Typhonium flagelliforme* (LODD.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Typhonium roxburghii* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Typhonium trilobatum* (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ulmus campestris* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ulmus wallichiana* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Uncaria cordata* (LOUR.) MERR. ferruginea (BL.) RIDSD. FORMA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Uncaria gambier* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Uncaria sessilifructus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Unona narum* DUN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Uraria alopecuroides* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Uraria crinita* DESV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Uraria hamosa* WALL. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Uraria lagopodioides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Uraria picta* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Uraria prunellaefolia* GREH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Uraria rufescens* (DC.) SCHINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Urena lobata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Urena repKalam* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Urena simiata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Urena sinuata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Urginea coromandeliana* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Urginea indica (ROXB) KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Urginea maritima* (L.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Urginea nagarjunae* Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Urtica ardens* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Urtica dioica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Urtica hyperborea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Urtica parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Urtica pilulifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Usnea sikkimensis* BISWAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Usnea flexilis* STIRT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Usnea florida* (L.) WIGG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Usnea hirta* (L.) WIGG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Usnea longissima* ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Usnea rubicunda* STIRT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Usnea sikkimensis* BISPAS. SP. NOV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Usnea venosa* MOT. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Uteleria sallicifolia* BEDD. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Utleria salicifolia* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Utricularia bifida* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Utricularia gibbosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Utricularia reticulata* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Utricularia stellaris* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Uvaria dulcis* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Uvaria ebracteolata PRESL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Uvaria hookeri* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Uvaria micrantha* (A.DC.) Hook.f. Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Uvaria narum* (DUNAL) WALL EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Uvaria zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vaccaria pyramidata* MEDIC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vaccinium leschenaultii* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vaccinium macrocarpon* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Valeriana brunoniana* W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Valeriana dubia* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Valeriana hardwickii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Valeriana jatamansi* JONES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Valeriana leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Valeriana officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Valeriana pyrolaefolia* DENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Valeriana wallichii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vallis heynei* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vallis pergulanus* BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vallis solanacea* (ROTH.) KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vallisneria spiralis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *VKalam coerulea* GRIFF. EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *VKalam parviflora* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *VKalam roxburghii* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

VKalam *spathulata* (L.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), VKalam *teres* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), VKalam *tessellata* (ROXB.) DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), VKalam *testacea* (LINDL.) REICHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vandellia erecta* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vandellia pedunculata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vandellia pyxidaria* MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vangueria pubescens* KUNTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vangueria spinosa* SENSU HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vanilla planifolia* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vanilla wightiana* LINDL.EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vateria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vateria macrocarpa* B.L.GUPTA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vateria malabarica* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vatica lancaefolia* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ventilago calycina* TUL. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ventilago calyculata* TULASNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ventilago denticulata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ventilago madraspatana* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vepris bilocularis* (WIGHT & ARN.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Veratrum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Veratrum viride* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Verbascum chinense* (L.) SANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Verbascum coromandelianum (VAHL) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Verbascum thapsus* PLENK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Verbena nodiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Verbesina calendulacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Verchellia farnesiana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia albicans* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia anthelmintica* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia arborea* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia aspera* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia cinerea* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia patula* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia pyramidale* (D.DON) MITRA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia revoluta* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia roxburghii* LESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia squarrosa* (D.DON) LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vernonia teres* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Veronica agrestis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Veronica anagallis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Veronica arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Veronica beccabunga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Veronica biloba* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Veronica hederifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Veronica serpyllifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Vetiveria zizanioides (L.) NASH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viburnum acuminatum* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viburnum colebrookianum* WALL. EX CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viburnum coriaceum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viburnum corylifolium* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viburnum cotinifolium* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viburnum cylindricum* BUCH.-HAM.EX D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viburnum foetidum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viburnum hebanthum* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viburnum nervosum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viburnum obovatum* WALT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viburnum punctatum* BUCH.- HAM, EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vicatia wolffiana* (WOLFF EX FEDDE) NORMAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vicia faba* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vicia hirsuta* KOCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vicia sativa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vicoa auriculata* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vicoa indica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna aconitifolia* (JACQ.) MARECHAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna adenantha* (MEYER) MARECHAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna angularis* (WILLD.) OHWI. & OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna catjang* ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna cylindrica* SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Vigna dalzelliana (O.KTZE) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna grahmiana* (WT. & ARN.) VERD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna mungo* (L.) HEPPEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna pilosa* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna radiata* (L.) R. WILCZEK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna radiata* (L.) WILEZ sublobata (ROXB.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna trilobata* (L.) VERDCOURT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna umbellata* (THUNB.) OHWL & OHOSHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna unguiculata* (L.) WALP. *cylindrica* (L.) ESELT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna unguiculata* (L.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vigna vexillata* (L.) A. RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vinca major* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vinca minor* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vinca parviflora* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vinca pusilla* MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vinca rosea* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vincetoxicum album* (MILL.) ASCHERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vincetoxicum hirundinaria* MEDIC glaucum (WALL. EX WT.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viola biflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viola caespitosa* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viola canescens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viola cinerea* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viola diffusa* GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Viola odorata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viola patrinii* GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viola pilosa* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viola serpens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viola suffruticosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viola sylvestris* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viola tricolor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viscum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viscum articulatum* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viscum monoicum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viscum nepalense* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viscum orientale* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitex agnus-castus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitex altissima* L.F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitex glabrata* F. MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitex leucoxydon* SCHAU and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitex negundo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitex negundo* L. *incisa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitex negundo* L. *negundo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitex negundo* L. *purpurascens* SIVARAJAN & MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitex paniculata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitex peduncularis* WALL . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitex pinnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Vitex pubescens VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitex quinata* (LOUR.) F.N. WILLIAMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitex trifolia* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitis adnata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitis araneosus* DALZ. & GIBS. EX M.LAWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitis carnosa* (ROXB.) WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitis hastata* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitis heyneana* ROEM. & SCULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitis indica* W. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitis lanata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitis latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitis objecta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitis pallida* W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitis parvifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitis pedata* VAHL EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitis planicaulis* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitis polystachya* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitis quadrangularis* WALT EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitis repens* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitis rugosa* HOOK.F. & THOMS. EX M. LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitis setosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitis tomentosa* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitis trifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Vitis vinifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vitis vitifera* HAINES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vittaria elongata* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vittaria zosterifolia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viverra zibetha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Volkameria inermis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Volutarella divaricata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wagatea spicata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wahlenbergia marginata* (THUNB.) A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Waldheimia glabra* (DECNE) REGEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Waldheimia stoliczki* (CI.) OSTENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Waldheimia tomentosa* (DECNE) REGEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wallichia disticha* T. ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Walsura piscidia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Walsura trifoliata* (A.JUSS) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Waltheria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wattakaka volubilis* (L.F.) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Webera corymbosa* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Webera tetrandra* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wedelia biflora* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wedelia calendulacea* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wedelia chinensis* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wedelia wallichii* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Wendlandia exerta DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Wendlandia heynei (R. & S.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Wendlandia notoniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Wendlandia pendula DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Wendlandia tinctoria DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Wikstroemia canescens MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Wikstroemia indica (L.) C. A. MEY. viridiflora (MEISSN.) HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Wikstroemia ridleyi GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wikstroemia viridiflora* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Willughbeia edulis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Withania coagulans* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Withania somnifera* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wolffia globosa* (ROXB.) HARTOG & PLAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wollastonia biflora* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Woodfordia floribunda* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Woodfordia fruticosa* (L.) KURZ and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wrightia antidysenterica* GRAH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wrightia arborea* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wrightia coccinea* SIMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wrightia tinctoria* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wrightia tomentosa* R.& S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Wrightia zeylanica* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xanthium indicum* KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Xanthium strumarium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xanthophyllum arnotianum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xanthophyllum flavescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xanthoxylum fraxineum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xantolis tomentosa* (ROXB.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xeromphis spinosa* (THUNB.) KEAY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xeromphis uliginosa* (RETZ.) MAHESH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ximenia aegyptiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ximenia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xylaria polymorpha* PERS. EX MERAT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xylia dolabriformis* BENTH.& HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xylia xylocarpa* (ROXB.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xylocarpus granatum* KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xylopia parvifolia* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xylosma longifolium* CLOS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xyris anceps* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xyris auceps* AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xyris complanata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xyris indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xyris pauciflora* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Youngia japonica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Yucca aloifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Yucca filamentosa* WOOD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Yucca gloriosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zaleya decandra* (L.) BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zaleya govindia* (DON) NAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zaleya pentandra* (L.) JEFFREY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zalia decandra* (L.) BURM. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zannichellia indica* ROTTLE EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zanonia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zantedeschia aethiopica* (L.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zanthoxylum acanthopodium* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zanthoxylum alatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zanthoxylum armatum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zanthoxylum budrunga* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zanthoxylum hamiltonianum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zanthoxylum hostile* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zanthoxylum limonella* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zanthoxylum nitidum* (ROXB.) DC. NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zanthoxylum ovalifolium* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zanthoxylum oxphyllum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zanthoxylum rhetsa* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zanthoxylum tetraspermum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zanthoxylum triphyllum* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zataria multiflora* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zea mays* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Zehneria hookeriana ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zehneria indica* (LOUR.) KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zehneria maysorensis* (WT. & ARN.) ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zehneria scabra* (L.F.) SOND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zehneria thwaitesii* (SCHWEIN.) JEFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zehneria umbellata* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zephyranthes ajax* SPRENGER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zephyranthes grandiflora* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zephyranthes rosea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zeuxine longilabris* (LINDL.) BENTH. EX HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zeuxine strateumatica* (L.) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zeuxine sulcata* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zingiber capitatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zingiber cassumunar* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zingiber cernuum* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zingiber chrysanthum* ROSC. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zingiber mioga* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zingiber montanum* (KOEN.) LINK EX A. DIETRICH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zingiber officinale* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zingiber officinalis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zingiber purpureum* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zingiber roseum* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zingiber rubens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Zingiber squarrosum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zingiber zerumbet* ROSC. EX SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zinnia elegans* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zizania caduciflora* HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zizania latifolia* TURCZ. EX STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphora clinopodioides* M.BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphora tenuior* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphus glabarata* HEYNE, EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphus glabrata* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphus jujuba* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphus mauritiana* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphus napeca* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphus nummularia* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphus oenoplia* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphus oxyphylla* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphus rugaosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphus rugosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphus sativa* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphus sororia* ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphus trinervia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphus trinervius* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anemone hupehensis* Lemoine ex Boynton var. *japonica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Anemone rivularis* Buch.- Ham.ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Aquilegia vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clematis gouriana* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clematis munroiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clematis smilacifolia* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clematis theobromina* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Clematis wightiana* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Consolida ambigua* (L.) P. W. Ball and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Delphinium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Naravelia zeylanica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ranunculus diffusus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ranunculus muricatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ranunculus reniformis* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ranunculus wallichianus* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thalictrum foliolosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thalictrum javanicum* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thalictrum saniculaeforme* DC. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Chimonanthus praecox*(L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Acrotrema arnotianum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dillenia bracteata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dillenia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dillenia pentagyna* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dillenia retusa* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dillenia suffruticosa* (Griffith) Martelli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Tetracera akara (Burm. f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Magnolia campbellii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Magnolia grandiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Magnolia liliflora* Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Magnolia x alba* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Michelia champaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Michelia nilagirica* Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alphonsea lutea* (Roxb.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alphonsea sclerocarpa* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Alphonsea zeylanica* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Annona cherimola* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Annona muricata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Annona reticulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Annona squamosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artabotrys hexapetalus* (L. f.) BhKalamri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Artabotrys zeylanicus* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cananga odorata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyathocalyx zeylanicus* Champ. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmos lawii* (Hook. f. & Thoms.) Safford and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Desmos viridiflorus* (Bedd.) Safford and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Goniothalamus cardiopetalus* (Dalz.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Goniothalamus rhynchantherus* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Goniothalamus salicina* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Goniothalamus thwaitesii Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Goniothalamus wightii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Goniothalamus wynadensis* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Meiogyne pannosa* (Dalz.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Meiogyne ramarowii* (Dunn) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Milium eriocarpa* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Milium montana* Gard. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Milium nilagirica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Miliusa tomentosa* (Roxb.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Miliusa wightiana* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mitrephora heyneana* (Hook. f. & Thoms.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orophea erythrocarpa* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orophea thomsonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Orophea uniflora* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polyalthia cerasoides* (Roxb.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polyalthia coffeoides* (Hook. f. & Thoms.) Benth. & Hook. f. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polyalthia fragrans* (Diaz.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polyalthia korintii* (Dunal) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polyalthia longifolia* (Sonner.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polyalthia rufescens* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polyalthia suberosa* (Roxb.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polyalthia tirunelveliensis* M. B. Viswan. & ManikKalamn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Popowia beddomeana* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Sageraea dalzellii Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Uvaria macropoda Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Uvaria narum (Dunnal) Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Uvaria zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Xylopia parvifolia (Wight) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Anamirta cocculus (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cissampelos pareira L. var. hirsuta (Buch.-Ham. ex DC.) Forman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cocculus hirsutus (L.) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cocculus laurifolius* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cocculus pendulus* (Forst.) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coscinium fenestratum* (Gaertn.) Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyclea arnottii* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cyclea peltata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Diploclisia glaucescens* (Blume) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pachygone ovata* (Poir.) Miers ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stephania japonica* (Thunb.) Miers and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stephania wightii* (Arn.) Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tiliacora acuminata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tinospora cordifolia* (Willd.) Miers ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tinospora sinensis* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Berberis lycium* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Berberis nilghiriensis* Ahrendt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Berberis tinctoria* Lesch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Berberis wightiana Schneid and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mahonia leschenaultii* (Wall. ex Wight & Arn.) Takeda and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nelumbo nucifera* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nymphaea nouchali* Burm. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nymphaea pubescens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Nymphaea rubra* Roxb. ex Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Argemone mexicana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Eschscholzia californica* Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Mecanopsis wallichii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Papaver caasicum* Bait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Papaver fugax* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Papaver rhoeas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Papaver somniferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Romneya coulteri* Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Corydalis lutea* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dicentra scandens* (D. Don.) Walp. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fumaria indica* (Hassk.) Pugsley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Fumaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barbarea intermedia* Boreau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barbarea verna* (Miller) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Barbarea vulgaris* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brassica juncea* (L.) Czern. & Coss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Brassica nigra* (L.) Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Brassica oleracea L. var. botrytis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Brassica oleracea L. var. capitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Brassica oleracea L. var. gemmifera Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Brassica oleracea L. var. gongylodes L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Brassica rapa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Capsella bursa-pastoris (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cardamine africana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cardamine hirsuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cardamine trichocarpa* Hochst. ex A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cheiranthus cheiri* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Coronopus didymus* (L.) Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Iberis amara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Iberis umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidium ruderae* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lepidium virginicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lobularia maritima* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Matthiola incana* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Raphanus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rorippa indica* (L.) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Rorippa nasturtium - aquaticum* (L.) Hayek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sisymbrium volgense* Ledeb. ex Shmal. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Thlaspi arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cadaba fruticosa (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cadaba trifoliata* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis brevispina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis decidua* (Forsk.) Edgew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis divaricata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis diversifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis fusifera* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis grandiflora* Wall ex. Hook.f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis grandis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis kollimalayana* Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis moonii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis nilgiriensis* Subbha Rao Kumari & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis rheedii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis rotundifolia* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis sepiaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis shevaroyensis* Sundararaghavan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Capparis zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cleome angustifolia* Forsk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cleome aspera* Koen ex. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cleome burmannii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cleome chelidonii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Cleome felina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cleome hassleriana Chod. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cleome monophylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cleome rutidosperma DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cleome speciosa Raf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Cleome viscosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Crateva adansonii DC. subsp. odora (Buch. - Ham.) Jacobs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Bulbophyllum odoratissimum (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), Crateva magna (Lour.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gynandropsis gynandra* (L.) Briq and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maerua apetala* (Roth) Jacobs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Maerua oblongifolia* (Forsk.) A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Steriphoma clemoides* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Reseda alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Reseda luteola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hybanthus enneaspermus* (L.) F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hybanthus travancoricus* (Bedd.) Melch. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viola arcuata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viola betonicifolia* J. E. Smith subsp. *betonicifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viola canescens* Wall. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viola hamiltoniana* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Viola pilosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bixa orellana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cochlospermum religiosum* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Aphloia theiformis (Vahl) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Casearia championii* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Casearia graveolens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Casearia ovata* (Lam.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Casearia rubescens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Casearia thwaitesii* Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Casearia tomentosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Casearia wynadensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flacourtia indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flacourtia jangomas* (Lour.) Raeusch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Flacourtia montana* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Homalium jainii* A. N. Henry & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Homalium travancoricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Homalium ceylanicum* (Gard.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydnocarpus alpina* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydnocarpus macrocarpa* (Bedd.) Warb. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hydnocarpus pentandra* (Buch. - Ham.) Oken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Oncoba spinosa* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scolopia crenata* (Wight & Arn.) Clos var. *crenata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scolopia crenata* (Wright & Arn.) Clos var. *brevifolia* Mukherjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xylosma latifolium* Hoof. F. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xylosma longifolia* Clos and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Hymenosporem flavum* (Hook.) F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Pittosporum anamallayense Nayar & Giri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pittosporum bicolor* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pittosporum ceylanicum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pittosporum crassifolium* Soland.ex Putterl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pittosporum dasycaulon* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pittosporum eugenioides* A. Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pittosporum napaulense* (DC.) Rehder & Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pittosporum neelgherrense* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pittosporum tetraspermum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pittosporum tobira* (Thunb.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pittosporum umbellatum* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pittosporum undulatum* Vent and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Pittosporum viridulum* Nayar, Giri & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sollya heterophylla* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Muraltia juniperifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala arillata* Buch.-Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala arvensis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala bolbothrix* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala elongata* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala erioptera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala jacobii* Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala javana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Polygala longifolia Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala myrtifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala persicariifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala rosmarinifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala sibirica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala telephioides* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala virgata* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polygala wightiana* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Securidaca bracteata* Bennett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xanthophyllum flavescens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Xanthophyllum manickamii* Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Arenaria neelgerrensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cerastium glomeratum* Thuill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Cerastium indicum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Dianthus caryophyllus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Drymaria cordata* (L.) Willd. ex Roem. & Schultes subsp. *diandra* (Blume) Duke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Drymaria villosa* Cham. & Schlect. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Gypsophila elegans* M. Bieb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Lychnis coronaria* (L.) Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polycarpaea aurea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polycarpaea corymbosa* (L.) Lam. var. *corymbosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polycarpaea corymbosa* (L.) Lam. var. *longipetala* Sriniv. & D. Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polycarpaea diffusa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Polycarpaea spicata Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polycarpon prostratum* (Forsk.) Asch. & Schweinf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Polycarpon tetraphyllum* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Sagina saginoides* (L.) Karsten, Deutsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Saponaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Scleranthus annuus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Silene armeria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Silene coeli - rosa* (L.) Godron and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Silene gallica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Spergula arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stellaria media* (L.) Vill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stellaria monosperma* Buch. - Ham. ex D. Don var. *paniculata* (Edgew) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Stellaria vestita* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Vaccaria pyramidata* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Portulaca oleracea* L. var. *oleracea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Portulaca oleracea* L. var. *linearifolia* Sivarajan & Manilal and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Portulaca pilosa* L. subsp. *pilosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Portulaca pilosa* L. subsp. *pilosa* var. *tuberosa* (Roxb.) Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Portulaca pilosa* subsp. *grandiflora* (Hook.f.) Geesink and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Portulaca quadrifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Portulaca wightiana* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Portulacaria afra* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Talinum portulacifolium* (Forsk.) Asch. & Schweinf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched),

Talinum triangulare Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tamarix aphylla* (L.) Karsten and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tamarix ericoides* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Tamarix indica* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bergia ammannioides* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Bergia capensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elatine ambigua* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Elatine triandra* Schkuhr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calophyllum apetalum* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Calophyllum austroindicum* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphus vulgaris* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Ziziphus xylopyrus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zornia diphylla* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zornia gibbosa* SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zosima absinthifolia* (VENT.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Bulbophyllum odoratissimum* (Sm.) Lindl. ex Hook. f. (Allelopathically enriched), *Zosima orientalis* HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>,

(Where there are two or three same references of one species then consider the first one as purified through long duration purification method, second as purified through medium duration method and third through short duration purification method.)

For queries write at pankajoudhia@gmail.com